



Index to Volume 111

Source: The Condor, 111(4) : 774-788

Published By: American Ornithological Society

URL: <https://doi.org/10.1525/cond.2009.index>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.



INDEX TO VOLUME 111

The Condor 111(4):774–788
© The Cooper Ornithological Society 2009

Proposed new taxa are highlighted in **bold**

A

- Abraham, K. F., see Sharp, C. M., 361
Acanthiza pusilla, 680
Accipiter chilensis, 144
 cooperii, 7, 152, 155, 250
 gentilis, 181, 666
 nisus, 177
 striatus, 7, 44, 46, 48, 50, 51, 52, 53, 54, 55, 217
 virgatus, 200
Ackerman, J. T., J. D. Bluso-Demers, and J. Y. Takekawa, Post-fledging Forster's Tern Movements, Habitat Selection, and Colony Attendance in San Francisco Bay, 100
Acrocephalus bistrigiceps, 186
 sechellensis, 186, 680
Aegithalos caudatus, 186
 concinus, 186
Aegolius funereus, 667
Agelaioides badius, 34, 718
Agelaius phoeniceus, 6, 7, 8, 9, 11, 14, 38, 39, 40, 471, 515, 538–544, 740–751, 758
 tricolor, 6, 8, 9
agriculture, effects of, 21–35, 538–544, 611–623
Aimophila bachmanii, 352, 515
Aix sponsa, 377–381
Akresh, M. E., K. Dinse, J. Foufopoulos, S. C. Schubel, and T. Kowalczyk, Passerine Breeding and Post-fledgling Habitat Use in Riparian and Upland Temperate Forests of the American Midwest, 756
Alaska, 266–275
Albatross, Black-browed, 425
 Gray-headed, 425
 Wandering, 425
Alberta, 479–487
Aleixo, A., T. C. T. Burlamaqui, M. P. C. Schneider, and E. C. Gonçalves, Molecular Systematics and Plumage Evolution in the Monotypic Obligate Army-Ant-Following Genus *Skutchia* (Thamnophilidae), 382
allofeeding, 662–667
Alophoixus pallidus, 675–682
Alopocheilidon fucata, 27, 34
Amat, J., see Castro, M., 624
Amazilia tzacatl, 233, 237
Amazona auropalliata, 311
 finschi, 305–313
 vittata, 311
Ammodramus henslowii, 515, 517, 730–739
 humeralis, 28, 34, 35
 leconteii, 732
 savannarum, 37, 349–360, 370–375, 395–399, 511–522, 732
Amphispiza belli, 370–374, 404, 408, 410
 bilineata, 404, 407
Anas acuta, 591–598
 platyrhynchos, 7, 8, 255–265
 rubripes, 75
Anderson, D. L., Ground versus Canopy Methods for the Study of Birds in Tropical Forest Canopies: Implications for Ecology and Conservation, 226
Anich, N. M., see Benson, T. J., 694
Annumbius annumbi, 33
ant, fire, 534–537, 557
Antbird, Bare-eyed, 383, 384, 385
 Bicolored, 383, 384, 385
 Hairy-crested, 383, 384, 385
 Lunulated, 383, 384, 385
 Ocellated, 383, 384, 385
 Rufous-throated, 383, 384, 385
 Scale-backed, 383, 384
 White-breasted, 383, 384, 385
 White-masked, 383, 384, 385
 White-plumed, 383, 384, 385
 White-throated, 383, 384, 385
Anteau, M. J., see Wiltermuth, M. T., 550
Anthus furcatus, 27, 28, 30, 34, 35
 hellmayri, 27, 28, 34, 35
 nattereri, 21, 27, 28, 30, 34, 35
 pratensis, 194
 spinoletta, 156
Anticosti Island, 71–80
Aphelocoma californica, 1, 6, 7, 8, 9, 10, 11, 12, 14, 15, 252
Apostlebird, 680
Aptenodytes patagonicus, 81–87
Apus apus, 509
Aquila chrysaetos, 46, 50, 51
Ara militaris, 306
Araçari, Collared, 233, 237
Aratinga nana, 233, 237
Archilochus alexandri, 641–652
Arctic, 59–70, 111–119, 414–423
Ardea alba, 250
 herodias, 250
Ardia, D. R., see Stenzler, L. M., 470
Areta, J. I., and M. Pearman, Natural History, Morphology, Evolution and Taxonomic Status of the Earthcreeper *Upucerthia saturator* (Furnariidae) from the Patagonian Forests of South America, 135
Argentina, 135–149, 715–721
Arizona, 392–395
Arkansas, 538–544, 694–705
Armijos, M. V., see Wheeler, S. S., 1
Asio flammeus, 397
Asthenes modesta, 142

asynchrony, 668–674
Athene cunicularia, 33, 180, 556–569
Attila spadiceus, 233, 237
 Attila, Bright-rumped, 233, 237
 attraction, conspecific, 722–729
 Auklet, Rhinoceros, 438, 439
 Avilez-Teran, F., see Pyle, P., 583
Aythya americana, 76, 189
 Azpiroz, A. B., and J. G. Blake, Avian Assemblages in Altered and Natural Grasslands in the Northern Campos of Uruguay, 21

B

Babbler, Arabian, 160
Baeolophus bicolor, 15
 inornatus, 7, 9, 11, 15, 16
 Banerjee, S., see Zimmerman, G. S., 294
 Bare-eye, Black-spotted, 382, 383, 385, 386
 Pale-faced, 382–387
 Reddish-winged, 383, 384, 385, 386
 Barker, C. M., see Wheeler, S. S., 1
 Barrow, M. V. Jr., *John Kirk Townsend: Collector of Audubon's Western Birds and Mammals*, by Barbara and Richard Mearns, 581
 Bart, J., see Smith, P. A., 414
 Bearhop, S., see Mainwaring, M. C., 668
 Becard, Rose-throated, 237
 Bednarz, J. C., see Benson, T. J., 694
 Beissinger, S. R., see Peery, M. Z., 120
 Bélisle, M., see Berthiaume, É., 43
 Benkman, C. W., J. W. Smith, P. C. Keenan, T. L. Parchman, and L. Santisteban, A New Species of the Red Crossbill (*Fringillidae*: *Loxia*) from Idaho, 169
 Benson, T. J., N. M. Anich, J. D. Brown, and J. C. Bednarz, Swainson's Warbler Nest-Site Selection in Eastern Arkansas, 694
 Berthiaume, É., M. Bélisle, and J.-P. Savard, Incorporating Detectability into Analyses of Population Trends Based on Hawk Counts: A Double-Observer Approach, 43
 Besra, 200
 biogeography, island, 575–579
 Bittern, Least, 6
 Blackbird, Brewer's, 6, 7, 8, 9, 11, 14, 404
 Red-winged, 6, 7, 8, 9, 11, 14, 38, 39, 40, 471, 515, 538–544, 740–751, 758
 Tricolored, 6, 8, 9
 White-browed, 27, 29, 30, 34, 35
 Blackcap, 218, 573
 Blake, J. G., see Azpiroz, A. B., 21
 blow fly, 193–197, 479–487
 Bluebird, Eastern, 156, 515, 752–755
 Mountain, 480
 Western, 7, 9, 11
 Bluethroat, 194
 Bluso-Demers, J. D., see Ackerman, J. T., 100
 Bobolink, 37, 38, 39, 557, 726
 Bobwhite, Northern, 396, 515, 534
Bombycilla cedrorum, 7, 9, 241, 242, 243, 758
Bonasa umbellus, 294–304
 Bowerbird, Spotted, 748
Brachyramphus marmoratus, 120–134
Branta canadensis, 7, 61, 276–282
 Brazil, 382–387, 706–714

Brocca, J., see Townsend, J. M., 565
 brood parasitism, 36–42, 570–574
 intraspecific, 377–381
 Brooks, T. M., *Birds of Ethiopia and Eritrea*, by John Ash and John Atkins, 763
 Brown, J. D., see Benson, T. J., 694
 Brown, S., see Smith, P. A., 414
Bubo bubo, 180
 virginianus, 7, 8, 160, 180
 Buehler, D. A., see Stodola, K. W., 497
Bubulcus ibis, 8
Bucephala albeola, 380
 clangula, 77, 377, 379, 380
 islandica, 74, 76, 380
 Bufflehead, 380
 Buhl, D. A., see Pietz, P. J., 36
 Bulbul, Puff-throated, 675–682
 Bunting, Indigo, 241, 242, 586, 588, 758
 Lark, 680
 Lazuli, 214, 584, 586, 587, 588, 589
 Painted, 586, 587, 588
 Burlamaqui, T. C. T., see Aleixo, A., 382
 Burness, G., see Sharp, C. M., 361
 Bush-Warbler, Japanese, 186
Butastur indicus, 200
Buteo jamaicensis, 7, 10, 11, 13, 157, 46, 48, 50, 51, 52, 53, 54, 55, 250
 lagopus, 46, 50, 51, 52
 lineatus, 7, 11, 15, 177–182, 150
 platypterus, 46, 48, 50, 51, 53, 54, 55
Butorides virescens, 7
 Butler, A. B., J. A. Martin, W. E. Palmer, and J. P. Carroll, Winter Use of South Florida Dry Prairie by Two Declining Grassland Passerines, 511
 Buzzard, Gray-faced, 200

C

Calamospiza melanocorys, 680
Calidris alpina, 417, 418, 419
 canutus, 88–99
 fuscicollis, 417, 418, 419, 420, 421
 himantopus, 417, 418
 mauri, 89, 108, 415, 417, 418, 419, 420, 421
 melanotos, 417, 418, 419
 ptilocnemis, 417, 418
 pusilla, 417, 418
 California, 1–20, 247–254, 488–496, 591–598
Callipepla californica, 6, 7, 8, 10, 11, 13, 14, 15
 gambelii, 6
Calonectris diomedea, 424–432
Calypte anna, 7
 Campomizzi, A. J., M. L. Morrison, S. L. Farrell, R. N. Wilkins, B. M. Drees, and J. M. Packard, Red Imported Fire Ants Can Decrease Songbird Nest Survival, 534
Campylopterus curvipennis, 633–640
Campylorhynchus rufinucha, 450
 Canary, 12
 Canastero, Cordilleran, 142
 canopy, survey methods, 226–237
Cardellina rubrifrons, 392–395
 Cardinal, Northern, 663, 690
Cardinalis cardinalis, 663, 690

- Carduelis pinus*, 7
psaltria, 7, 215, 586, 587, 588
tristis, 6, 7, 672, 690, 758
 Carlisle, J. D., S. K. Skagen, B. E. Kus, C. van Riper III, K. L. Paxton, and J. F. Kelly, Landbird Migration in the American West: Recent Progress and Future Research Directions, 211
 carotenoid, 684–693
Carpodacus mexicanus, 1, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 690, 741
purpureus, 7, 758
 Carroll, B. D., see Wheeler, S. S., 1
 Carroll, J. P., see Butler, A. B., 511
Caryothraustes poliogaster, 233, 237
 Castro, M., J. A. Masero, A. Pérez-Hurtado, J. Amat, and C. Medina, Sex-Related Seasonal Differences in the Foraging Strategy of the Kentish Plover, 624
 Catbird, Gray, 241, 242, 515, 570–574, 758
Cathartes aura, 7, 250
Catharus bicknelli, 565–569
fuscescens, 758
guttatus, 7, 241, 758
ustulatus, 7, 216, 217, 237, 241
 Catry, P., see Ramos, R. A., 424
 cavity nesting, 305–313, 462–469
Cerorhinca monocerata, 438, 439
Ceryle alcyon, 250
Cettia diphone, 186
Chamaea fasciata, 488–496, 524
 Chambers, M. K., see Pyle, P., 583
Charadrius alexandrinus, 624–632
melodus, 550–555
vociferus, 250, 554
 Charif, R. A., see Hochachka, W. M., 349
 Chat, Yellow-breasted, 216, 241, 242, 588
Chen canagica, 377
 Chickadee, Black-capped, 399, 560–564, 758
 Chicken, Domestic, 8, 361–365
 Chile, 135–149, 544–550
Chilia melanura, 142, 146
 Chilia, Crag, 142, 146
 China, 197–201, 662–667
Chiroxiphia pareola, 460
Chlamydera maculata, 748
Chlorophanes spiza, 232, 233, 235, 237
Chondestes grammacus, 215, 370–374, 586, 587
Chordeiles minor, 404
 chorus, dawn, 560–564
Ciconia maguari, 33
Cinclodes nigrofumosus, 138
patagonicus, 139
 Cinclodes, Dark-bellied, 139
 Seaside, 138
Circus aeruginosus, 620
cinereus, 33
cyaneus, 46, 58, 50, 51, 52, 53, 54, 55, 250
Cistothorus palustris, 6
platensis, 188–192, 511–522, 732
 Clark, R. G., see Coulton, D. W., 255
 climate change, 59–70, 111–119, 255–265, 392–395
 clustering, of territories, 706–714, 722–729
 clutch size, 523–533, 752–755
Colaptes auratus, 7, 8, 252
campestris, 33
Colibri coruscans, 638
thalassinus, 638
Colinus virginianus, 396, 515, 534
Columba livia, 1, 6, 7, 8, 14, 250, 252
maculosa, 27, 33
picauro, 33
 Columbia, basin, 370–376
 British, 433–441, 560–564, 722–729
Columbina passerina, 6, 8, 13, 515
 connectivity, migratory, 216–217, 283–293
 Conover, M. R., Gang Brooding in Canada Geese: Role of Parental Condition and Experience, 276
 conspecific attraction, 722–729
Contopus sordidulus, 215
virens, 241, 758
 Conway, C. J., see Decker, K. L., 392
 Cooper, C. B., M. A. Voss, and B. Zivkovic, Extended Laying Interval of Ultimate Eggs of the Eastern Bluebird, 752
 Cooper, R. J., see Stodola, K. W., 497
 cooperative breeding, 182–188, 276–282, 662–667, 675–683
 Coot, American, 7, 8
 coprophagy, 503–510
Corapipo gutturalis, 460
leucorrhoa, 460
 Cormorant, Double-crested, 250
 Coro Arizmendi, M. del, see García-Trejo, E. A., 442
Corvus brachyrhynchos, 1, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 159–168, 247–254, 387–392
caurinus, 391
corax, 7, 9, 11, 12, 249, 250, 253
frugilegus, 391
Cotinga amabilis, 233, 235, 237
nattereri, 235, 237
 Cotinga, Blue, 235, 237
 Lovely, 233, 235, 237
Coturnicops noveboracensis, 515
Coturnix japonica, 189
 Coulon, A., see Stenzler, L. M., 470
 Coulton, D. W., R. G. Clark, K. A. Hobson, L. I. Wassenaar, and C. E. Hebert, Temporal Sources of Deuterium (δD) Variability in Waterfowl Feathers across a Prairie-to-Boreal Gradient, 255
 Cowbird, Bay-winged, 34, 718
 Brown-headed, 7, 8, 9, 11, 14, 15, 36–42, 404, 508, 570–574
 Shiny, 25, 34
 Craik, S. R., J.-P. L. Savard, and R. D. Titman, Wing and Body Molts of Male Red-breasted Mergansers in the Gulf of St. Lawrence, Canada, 71
 Crane, Sandhill, 249, 250, 253, 613, 619
 Sarus, 611–623
 White-naped, 613, 619
 creching, 276–282
 Crossbill, Parrot, 170
 Red, 169–176
 Scottish, 170
South Hills, 169–176
Crossoptilon harmani, 183
 Crow, American, 1, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 159–168, 247–254, 387–392
 Northwestern, 391
 Crozet Archipelago, 81–87
 Cuckoo, Common, 573
 Guira, 377
 Squirrel, 233, 237
Cuculus canorus, 573
Culex spp., 1–20, 253

Curlew, Long-billed, 250
Cyanerpes cyaneus, 233, 237
 lucidus, 233, 237
Cyanistes caeruleus, 476, 673
Cyanocitta stelleri, 7, 11, 12
Cyanocorax morio, 232, 233, 237
Cyanoliseus patagonus, 306
Cygnus buccinator, 266–275

D

Dalley, K. L., P. D. Taylor, and D. Shutler, Success of Migratory Songbirds Breeding in Harvested Boreal Forests of North-western Newfoundland, 314
Davis, W. E. Jr., *Birdwatcher: The Life of Roger Tory Peterson*, by Elizabeth J. Rosenthal, 204
dawn chorus, 560–564
Decker, K. L., and C. J. Conway, Effects of an Unseasonable Snow-storm on Red-faced Warbler Nesting Success, 392
demography, 81–87, 177–182, 314–325, 433–441, 488–496, 534–537, 611–623, 675–683, 706–714, 730–739
Dendroica caerulescens, 212, 241, 242, 497–502, 726, 727
 castanea, 233, 237
 coronata, 7, 219, 314–325, 515
 discolor, 241, 242
 magnolia, 233, 237
 occidentalis, 215
 palmarum, 515
 pensylvanica, 233, 235, 237, 242, 758, 761
 petechia, 6, 7, 8, 9, 14, 217, 233, 237, 241, 321, 572
 striata, 242, 314–325
 townsendi, 194, 215
 virens, 233, 237
Derksen, D. V., see Flint, P. L., 591
Descamps, S., C. Le Bohec, Y. Le Maho, J.-P. Gendner, and M. Gauthier-Clerc, Relating Demographic Performance to Breeding-Site Location in the King Penguin, 81
detectability, 43–58, 414–423
deuterium, 188–192, 255–265
dialect, 633–640
Dias, R. I., M. Kuhlmann, L. R. Lourenço, and R. H. Macedo, Territorial Clustering in the Blue-black Grassquit: Reproductive Strategy in Response to Habitat and Food Requirements?, 706
Dickcissel, 538–544
Dicrurus hottentottus, 197–201
diet, 556–559
Dietz, M. W., S. Jenni-Eiermann, and T. Piersma, The Use of Plasma Metabolites to Predict Weekly Body-Mass Change in Red Knots, 88
DiMiceli, J. K., see Johnson, E. I., 730
dimorphism, sexual, 424–432
Dinse, K., see Akresh, M. E., 756
Diomedea exulans, 425
dismantling, nest, 197–201
dispersal, post-breeding, 756–762
displacement, of nest, 550–555
display, courtship, 453–461
Dixiphia pipra, 460
Dolichonyx oryzivorus, 37, 38, 39, 557, 726
dominance hierarchy, 730–739, 740–751
Dominican Republic, 565–569
Donacospiza albifrons, 29, 34
Dotterel, Tawny-throated, 33

double brooding, 341–348, 497–502
Dove, Common Ground, 6, 8, 13, 515
 Eared, 24, 27, 28, 30, 33, 35
 Mourning, 6, 7, 8, 9, 10, 11, 13, 14, 250, 404
Dowitcher, Long-billed, 417, 418
Drees, B. M., see Campomizzi, A. J., 534
Drongo, Hair-crested, 197–201
Dryocopus pileatus, 444, 448
Dubach, J., see Simeone, A., 544
Duck, American Black, 75
 Wood, 377–381
Dumetella carolinensis, 241, 242, 515, 570–574, 758
Dunlin, 417, 418, 419
Durães, R., Lek Structure and Male Display Repertoire of Blue-crowned Manakins in eastern Ecuador, 453
Dykstra, C. R., J. L. Hays, and M. M. Simon, Spatial and Temporal Variation in Reproductive Rates of the Red-shouldered Hawk in Suburban and Rural Ohio, 177

E

Eagle, Bald, 46, 50, 51
 Golden, 46, 50, 51
Earnst, S. L., H. L. Newsome, W. L. LaFramboise, and N. LaFramboise, Avian Response to Wildfire in Interior Columbia Basin Shrubsteppe, 370
Earthcreeper, Band-tailed, 146
 Buff-breasted, 135, 142, 145, 146
 Patagonian Forest, 135–149
 Plain-breasted, 135, 141, 142, 144, 145, 146
 Rock, 146
 Scale-throated, 135–149
 Straight-billed, 146
 Striated, 136, 137, 145
 White-throated, 136, 141, 145, 146
Eclectus roratus, 311
ectoparasitism, 193–197, 479–487
Ecuador, 453–461
egg displacement, 550–555
 laying, 523–533, 752–755
 morphology, 377–381
 patterning, 550–555
Egge, A., see Worthington, A., 202
Egret, Cattle, 8
 Great, 250
 Snowy, 6, 7, 9, 250
Egretta thula, 6, 7, 9, 250
Eider, Common, 59–70, 78, 754
 King, 66, 77
 Steller's, 77
ejection, of parasitic eggs, 570–574
Elanus leucurus, 33, 250
Emberiza citrinella, 691
Embernagra platensis, 25, 27, 29, 34
embryo development, 361–365
Empidonax difficilis, 215, 587
 minimus, 663, 669, 707, 711, 758
 oberholseri, 215
 occidentalis, 215, 587
 traillii, 212, 241, 242, 587, 727
 virescens, 241, 242, 653–661
 wrightii, 215
Enstrom, D. A., see Yasukawa, K., 740
Eremobius phoenicurus, 146

Eremophila alpestris, 370–375, 404, 408, 410
 Espinosa de los Monteros, A., see García-Trejo, E. A., 442
Eudiptes chrysocome, 545
 chrysolophus, 545
Eunymphicus cornutus, 311
Eupetomena macroura, 638
Euphagus cyanocephalus, 6, 7, 8, 9, 11, 14, 404
Euphonia gouldi, 233, 237
 hirundinacea, 233, 237
Euplectes ardens, 690, 741
 axillaris, 741
Euphonia, Olive-backed, 233, 237
 Yellow-throated, 233, 237
 Evens, J. G., see Tsao, D. C., 599
 extra-pair copulation, 365–369, 387–392, 653–661, 684–693, 706–714, 740–751

F

Fairy, Purple-crowned, 233, 235, 237
 Fairy-Wren, Red-backed, 741
 Superb, 663
Falco mexicanus, 250
 naumanni, 180
 ruficularis, 235, 237
 sparverius, 7, 8, 9, 11, 14, 15, 46, 48, 50, 51, 52, 53, 54, 55, 152, 250
 tinnunculus, 680, 754
 Falcon, Bat, 235, 237
 Prairie, 250
 Fang, Ying, see Wheeler, S. S., 1
 Fang, Yun, see Jing, Y., 662
 Farrell, S. L., see Campomizzi, A. J., 534
 fecal sac, 503–510
 Fernández-Juricic, E., see Gall, M. D., 150
Ficedula albicollis, 672
 hypoleuca, 194, 706
 fidelity, site, 238–246, 276–282, 583–590
 Fieldfare, 82
 Finch, D. M., see Smith, D. M., 641
 Finch, Grassland Yellow, 27, 29, 30, 34, 35
 Great Pampa, 25, 27, 29, 34
 House, 1, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 690, 741
 Long-tailed Reed, 29, 34
 Purple, 7, 758
 Saffron, 715–721
 fire, 370–376, 523–533, 730–739
 Firewood-Gatherer, 33
 Fleskes, J. P., see Flint, P. L., 591
 Flicker, Field, 33
 Northern, 7, 8, 252
 Flint, P. L., K. Ozaki, J. M. Pearce, B. Guzzetti, H. Higuchi, J. P. Fleskes, T. Shimada, and D. V. Derksen, Breeding-Season Sympatry Facilitates Genetic Exchange among Allopatric Wintering Populations of Northern Pintails in Japan and California, 591
 Florida, 511–522, 556–559
Florisuga mellivora, 233, 237
 fly, blow, 193–197, 479–487
 Flycatcher, Acadian, 241, 242, 653–661
 Ash-throated, 6, 215, 586, 587, 588
 Boat-billed, 233, 237
 Collared, 672
 Cordilleran, 215
 Dusky, 215

Fork-tailed, 34
 Gray, 215
 Great Crested, 233, 237, 241, 758
 Least, 663, 669, 707, 711, 758
 Nutting's, 589
 Pacific-slope, 215
 Pied, 194, 706
 Western, 587
 Willow, 212, 241, 242, 587, 727
 Yellow-olive, 233, 237
 foraging, 120–134, 150–158, 556–559, 624–632
 forest, boreal, 294–304, 314–325
 bottomland hardwood, 694–705
 cloud, 565–569
 coniferous, 523–533, 565–569
 riparian, 341–348, 641–652, 765–762
 subalpine, 326–340, 662–667
 temperate deciduous, 756–762
 tropical evergreen, 226–237, 675–683
 tropical semideciduous, 305–313
 Foufopoulos, J., see Akresh, M. E., 756
 Franzreb, K. A., see Stodola, K. W., 497
Fratercula arctica, 437, 438
 cirrhat, 433–441
 fuel reduction, 641–652
Fulica americana, 7, 8
Furnarius rufus, 33, 716

G

Gale, G. A., see Sankamethawee, W., 675
 Gall, M. D., and E. Fernández-Juricic, Effects of Physical and Visual Access to Prey on Patch Selection and Food-Search Effort in a Sit-and-Wait Predator, the Black Phoebe, 150
Gallinago gallinago, 515
 paraguai, 27
Gallinula chloropus, 377
Gallus gallus, 8, 361–365
 gang brooding, 276–282
 Gannet, Northern, 425
 Gansu, 662–667
 García-Trejo, E. A., A. Espinosa de los Monteros, M. del Coro Arizmendi, and A. G. Navarro-Sigüenza, Molecular Systematics of the Red-bellied and Golden-fronted Woodpeckers, 442
 Gardali, T., see Jennings, S., 488
Garrulus glandarius, 200
 Gaston, A. J., H. G. Gilchrist, M. L. Mallory, and P. A. Smith, Changes in Seasonal Events, Peak Food Availability and Consequent Breeding Adjustment in a Marine Bird: A Case of Progressive Mismatching, 111
 Gates, R. J., see Roy, C. L., 377
 Gauthier-Clerc, M., see Descamps, S., 81
 Geist, N. R., *Feathered Dinosaurs: The Origin of Birds*, by John Long and Peter Schouten, 203
 Gendner, J.-P., see Descamps, S., 81
 genetics, 283–293, 365–369, 470–478, 591–598
Geositta cunicularia, 27, 33, 142
Geothlypis trichas, 6, 216, 217, 241, 242, 515, 663, 758, 761
 Geupel, G. R., see Jennings, S., 488
 Giant Petrel, Northern, 82
 Southern, 82
 Gilchrist, H. G., see Gaston, A. J., 111
 Gjerdrum, C., see Morrison, K. W., 433

Gnatcatcher, Tropical, 232, 233, 237
Goldcrest, 706
Goldeneye, Barrow's, 74, 76, 380
Common, 77, 377, 379, 380
Golden-Plover, American, 23, 28, 33, 35, 417, 418
Goldfinch, American, 6, 7, 672, 690, 758
Lesser, 7, 215, 586, 587, 588
Gómez-Limón, E., see Pyle, P., 583
Gonçalves, E. C., see Aleixo, A., 382
Gong, G., see Lu, X., 182
González, C., and J. F. Ornelas, Song Variation and Persistence of Song Neighborhoods in a Lekking Hummingbird, 633
Goose, Canada, 7, 61, 276–282
Emperor, 377
Goshawk, Northern, 181, 301, 666
Grackle, Common, 758
Great-tailed, 571
Granadeiro, J. P., see Ramos, J. A., 424
Grassbird, Marsh, 186
grassland, 21–42, 395–399, 511–522, 706–714
Grassquit, Blue-black, 706–714
Grava, A., see Grava, T., 560
Grava, T., A. Grava, and K. A. Otter, Supplemental Feeding and Dawn Singing in Black-capped Chickadees, 560
Grebe, Eared, 82, 215
Green, D. J., see Morrison, K. W., see Harrison, M. L., 722
Greenlet, Lesser, 232, 233, 237
Grigione, M. M., see Mrykalo, R. J., 556
Grosbeak, Black-faced, 233, 237
Black-headed, 6, 7, 11, 14, 215, 586, 587, 588
Blue, 587
Rose-breasted, 241, 758
Ground-Dove, Common, 6, 8, 13, 515
Grouse, Ruffed, 294–304
growth, of nestlings, 668–674
Grus antigone, 611–623
canadensis, 249, 250, 253
vipio, 613, 619
Guan, Crested, 232, 233, 237
Guira guira, 377
Gull, Glaucous, 66
Herring, 377
Laughing, 82
Ring-billed, 82, 377
Gutiérrez, R. J., see Zimmerman, G. S., 294
Guzzetti, B., see Flint, P. L., 591
Gymnophis leucaspis, 383, 384, 385
lunulatus, 383, 384, 385
rufigula, 383, 384, 385
salvini, 383, 384, 385
Gymnorhinus cyanocephalus, 327

H

habitat use, 21–35, 266–275, 294–304, 401–413, 511–522, 599–610, 624–632, 730–739, 756–762
Haematopus palliatus, 554
Haliaeetus leucocephalus, 46, 50, 51
Halpern, M., see Simeone, A., 544
Hannon, S., see Stephenson, S., 479
Hardesty, B. D., see Sankamethawee, W., 675
Harrier, Cinereous, 33
Northern, 46, 58, 50, 51, 52, 53, 54, 55, 250
Western Marsh, 620

Harrison, M. L., D. J. Green, and P. G. Krannitz, Conspecifics Influence the Settlement Decisions of Male Brewer's Sparrows at the Northern Edge of Their Range, 722
Hartley, I. R., see Mainwaring, M. C., 668
Hawk, Broad-winged, 46, 48, 50, 51, 53, 54, 55
Chilean, 144
Cooper's, 7, 152, 155, 250
Eurasian Sparrow, 177, 666
Red-shouldered, 7, 11, 15, 177–182, 250
Red-tailed, 7, 10, 11, 13, 15, 46, 48, 50, 51, 52, 53, 54, 55, 250
Rough-legged, 46, 50, 51, 52
Sharp-shinned, 7, 44, 46, 48, 50, 51, 52, 53, 54, 55, 217
White, 235, 237
Hawsworth, D. L., see Smith, D. M., 641
Hays, J. L., see Dykstra, C. R., 177
Hebert, C. E., see Coulton, D. W., 255
Heliothryx barroti, 233, 235, 237
Helmitheros vermivorum, 241, 242
Henan, 197–201
Hermit, Green, 638
Little, 633
Long-tailed, 633, 638
Heron, Black-crowned Night, 1, 6, 7, 8, 9, 13, 14, 250, 252
Great Blue, 250
Green, 7
Whistling, 33
Heteroxolmis dominicana, 27, 29, 33
Higuchi, H., see Flint, P. L., 591
Hipfner, J. M., see Morrison, K. W., 433
Hiriart-Bertrand, L., see Simeone, A., 544
Hirundo rustica, 7, 196, 377, 501, 534, 668–675
Hobson, K. A., and M. B. Robbins, Origins of Late-Breeding Nomadic Sedge Wrens in North America: Limitations and Potential of Hydrogen-Isotope Analyses of Soft Tissue, 188; see Coulton, D. W., 255
Hochachka, W. M., M. Winter, and R. A. Charif, Sources of Variation in Singing Probability of Florida Grasshopper Sparrows, and Implications for Design and Analysis of Auditory Surveys, 349
home range, 100–110, 326–340
Honduras, 226–237
Honeycreeper, Green, 232, 233, 235, 237
Red-legged, 233, 237
Shining, 233, 237
Hoopoe, Eurasian, 302
Hornero, Rufous, 33, 716
Hummingbird, Anna's, 7
Black-chinned, 641–652
Rufous-tailed, 233, 237
Sparkling-tailed, 233, 237
Swallow-tailed, 638
Hung, S., S. A. Tarof, and B. J. M. Stutchbury, Extra-Pair Mating Tactics and Vocal Behavior of Female Acadian Flycatchers, 653
Husted, S., see Wheeler, S. S., 1
hybridization, 544–550
Hylocichla mustelina, 241, 242, 680
Hylophilus decurtatus, 232, 233, 237

I

Ibis, White-faced, 249, 250, 253
Icteria virens, 216, 241, 242, 588

Icterus abeillei, 577
auratus, 577
auricapillus, 575, 576, 577, 578
bonana, 577, 578
bullockii, 6, 7, 214, 571, 577, 586, 587, 588
cayanensis, 576, 577, 578
chrysater, 577
chrysocephalus, 576, 577, 578
croconotus, 577
cucullatus, 215, 577, 578
dominicensis, 575, 576, 577, 578
fuertesi, 577, 578
galbula, 233, 237, 571, 572, 573
graceannae, 577
graduacauda, 577
gularis, 577
icterus, 577
laudabilis, 576, 577, 578
leucopteryx, 577
maculialatus, 577
mesomelas, 577
nigrogularis, 577
oberi, 576, 577, 578
parisorum, 577
pectoralis, 577
prothemelas, 577, 578
pustulatus, 577, 586, 587, 589
spurius, 215, 577, 578, 586, 588
wagleri, 577

Ictinia mississippiensis, 180
 Idaho, 169–176
 India, 611–623
 island biogeography, 575–579
 isotopes, stable, 188–192, 255–265, 361–365
Ixobrychus exilis, 6, 9

J

Jacobin, White-necked, 233, 237
 Jacobsen, F., see Sturge, R. J., 575
 Jalisco, 305–313
 Jamieson, I., see Rhodes, B., 462
 Japan, 591–598
 Jay, Brown, 232, 233, 237
 Eurasian, 200
 Gray, 663, 665, 666, 667
 Pinyon, 327
 Steller's, 7, 11, 12
 Siberian, 663, 665, 666, 667
 Sichuan, 662–667
 Western Scrub, 1, 6, 7, 8, 9, 10, 11, 12, 14, 15, 16, 252
 Jenni-Eiermann, S., see Dietz, M. W., 88
 Jennings, S., T. Gardali, N. E. Seavy, and G. R. Geupel, Effects of Mist Netting on Reproductive Performance of Wrentits and Song Sparrows in Central Coastal California, 488
 Jensen, W. E., see Long, A. M., 395
 Jing, Y., Y. Fang, D. Strickland, N. Lu, and Y.-H. Sun, Alloparenting in the Rare Sichuan Jay (*Perisoreus internigrans*), 662
 Johnson, B. G. P., see Masters, B. S., 365
 Johnson, D. H., see Pietz, P. J., 36
 Johnson, E. I., J. K. DiMiceli, and P. C. Stouffer, Timing of Migration and Patterns of Winter Settlement by Henslow's Sparrows, 730
 Johnson, D. S., see Schmidt, J. H., 266
 Johnson, L. S., see Masters, B. S., 365

Johnson, W. O., see Wheeler, S. S., 1
 Jones, T. C., see Yasukawa, K., 740
Junco hyemalis, 7, 241, 523–533
 Junco, Dark-eyed, 7, 241, 523–533

K

Kapfer, P. M., see Streby, H. M., 193
 Kappes, P. J., B. J. M. Stutchbury, and B. E. Woolfenden, The Relationship between Carotenoid-Based Coloration and Pairing, Within- and Extra-Pair Mating Success in the American Redstart, 684
 Ke, D., see Lu, X., 182
 Keenan, P. C., see Benkman, C. W., 169
 Kelly, D. J., see Mainwaring, M. C., 668
 Kelly, J. F., see Carlisle, J. D., 211
 Kestrel, American, 7, 8, 9, 11, 14, 15, 46, 48, 50, 51, 52, 53, 54, 55, 152, 250
 Eurasian, 680, 754
 Lesser, 180
 Killdeer, 250, 554
 Kingbird, Eastern, 571, 669
 Thick-billed, 589
 Tropical, 589
 Western, 6, 7, 215, 586, 588
 Kingfisher, Belted, 250
 Kinglet, Ruby-crowned, 6, 241, 243
 Kite, Black, 180
 Mississippi, 180
 White-tailed, 33, 250
 Kittiwake, Black-legged, 66, 82, 131, 377
 Knot, Red, 88–99
 Kodiak, 283–293
 Kowalczyk, T., see Akresh, M. E., 756
 Krannitz, P. G., see Harrison, M. L., 722
 Kuhlmann, M., see Dias, R. I., 706
 Kus, B. E., see Carlisle, J. D., 211

L

LaFramboise, N., see Earnst, S. L., 370
 LaFramboise, W. L., see Earnst, S. L., 370
 Lancot, R. B., see Smith, P. A., 414
Lanius ludovicianus, 6, 8, 11, 250, 252, 253, 404
 Lapwing, Northern, 156
 Southern, 27, 28, 30, 33, 35
 Lark, Horned, 370–375, 404, 408, 410
Larus argentatus, 377
 delawarensis, 82, 377
 hyperboreus, 66
Laterallus jamaicensis, 599–610
 Latta, S. C., see Mulvihill, R. S., 341
 Le Bohec, C., see Descamps, S., 81
 Le Maho, Y., see Descamps, S., 81
 Leaf-Warbler, Hume's, 186
 Tickell's, 186
 Leitner, W. A., see Pyle, P., 583
 lek, 453–461, 633–640
Lepidothrix coronata, 453–461
 isidorei, 460
 serena, 453, 454, 460
Leptasthenura aegithaloides, 142
Leptopoecile elegans, 182, 187
 sophiae, 182–188

- Leucophaeus atricilla*, 82
Leucopternis albicollis, 235, 237
 Li, J., S. Lin, Y. Wang, and Z. Zhang, Nest-Dismantling Behavior of the Hair-crested Drongo in Central China: An Adaptive Behavior for Increasing Fitness?, 197
Limnodromus scolopaceus, 417, 418
Limnolophus swainsonii, 694–705
 Lin, S., see Li, J., 197
 Lindberg, M. S., see Schmidt, J. H., 266
 Linder, E. T., see Stodola, K. W., 497
 Lloyd-Evans, T. L., Identification Guide to North American Birds, Part II, by Peter Pyle, 763
Locustella fasciolata, 186
 Long, A. M., W. E. Jensen, and K. A. With, Orientation of Grasshopper Sparrow and Eastern Meadowlark Nests in Relation to Wind Direction, 395
 Lorenz, T. J., and K. A. Sullivan, Seasonal Differences in Space Use by Clark's Nutcrackers in the Cascade Range, 326
 Louisiana, 730–739
 Lourenço, L. R., see Dias, R. I., 706
 Lovette, I. J., see Stenzler, L. M., 470
Loxia curvirostra, 169–176
 pytyopsittacus, 170
 scotica, 170
 sinesciuris, 169–176
 Lozano-Angulo, L., see Pyle, P., 583
 Lu, N., see Jing, Y., 662
 Lu, X., G. Gong, X. Ma, and D. Ke, Breeding Biology of White-browed Tit-Warbler (*Leptopoecile sophiae*) in Alpine Shrubs, Southern Tibet, 182
 Lusciur, J. D., and W. L. Thompson, Short-Term Responses of Breeding Birds of Grassland and Early Successional Habitat to Timing of Haying in Northwestern Arkansas, 538
Luscinia svecica, 194
 Lüthi, B., see Simeone, A., 544
- M**
- Ma, X., see Lu, X., 182
 Macaw, Military, 306
 Macedo, R. H., see Dias, R. I., 706
Machaeropterus deliciosus, 460
Machetornis rixosus, 34
Macronectes giganteus, 82, 424
 halli, 82
 Magpie, Yellow-billed, 1, 6, 7, 9, 10, 11, 12, 14, 16, 247–254
 Mainwaring, M. C., L. V. Rowe, D. J. Kelly, J. Grey, S. Bearhop, and I. R. Hartley, Hatching Asynchrony and Growth Trade-offs within Barn Swallow Broods, 668
 Makarewich, C. A., see Stenzler, L. M., 470
 Mallard, 7, 8, 255–265
 Mallory, M. L., see Gaston, A. J., 111
Malurus cyaneus, 663
 melanocephalus, 741
 Manakin, Band-tailed, 460
 Blue-backed, 460
 Blue-crowned, 453–461
 Blue-rumped, 460
 Club-winged, 460
 Crimson-hooded, 460
 Golden-collared, 690
 Golden-headed, 460
 Golden-winged, 460
 Red-capped, 460
 Red-headed, 460
 Round-tailed, 460
 Scarlet-horned, 460
 White-bibbed, 460
 White-crowned, 460
 White-fronted, 453, 454, 460
 White-throated, 460
 Wire-tailed, 460
 marsh, 611–623
 tidal, 599–610
 Marshbird, Brown-and-yellow, 34
 Marsh-Warbler, Japanese, 186
 Martin, Brown-chested, 27, 28, 34, 35
 Gray-breasted, 34
 Purple, 718
 Martin, J. A., see Butler, A. B., 511
 Maryanski, N., see Pearce, J. M., 283
 Masero, J. A., see Castro, M., 624
Masius chrysopterus, 460
 Massoni, V., see Palmerio, A. G., 715
 Masters, B. S., L. S. Johnson, B. G. P. Johnson, C. J. Neely, and K. L. Williams, “Compatible Alleles” and Extra-Pair Paternity: Conclusions Depend on the Microsatellite Loci Used, 365
 maturation, delayed plumage, 715–721
 McCaffery, B. J., see Smith, P. A., 414
 McFarland, K. P., see Townsend, J. M., 565
 McKay, J. E., M. T. Murphy, S. B. Smith, and J. K. Richardson, Fecal-Sac Ingestion by Spotted Towhees, 503
 McKechnie, A. E., *Handbook of the Birds of the World. Volume 13: Penduline-tits to Shrikes*, edited by Josep del Hoyo, Andrew Elliott, and David A. Christie, 580
 Meadowlark, Eastern, 351, 395–399, 515, 538–544
 Pampas, 21, 27, 29, 30, 34, 35
 Western, 37, 250, 370–375, 404, 407, 408
Megalurus pryori, 186
Megarhynchus pitangua, 233, 237
Megascops kennicottii, 7
 Megina, C., see Castro, M., 624
Melanerpes cactorum, 443, 444, 445, 447, 448, 449
 candidus, 443, 444, 445, 447, 448, 449
 carolinus, 442–452
 chrysogenys, 443, 444, 445, 447, 448, 449, 450
 cruentatus, 450
 formicivorus, 7, 196, 198
 hoffmannii, 442, 443, 444, 447, 448, 449, 450
 hypopolius, 443, 444, 447, 448, 449, 450
 pucherani, 233, 237
 pygmaeus, 443, 444, 447, 448, 449
 rubricapillus, 444
 rubricapillus, 443, 449
 santacruzi, 442–452
 superciliaris, 442, 443, 444, 447, 448, 449, 450
 uropygialis, 442, 443, 444, 447, 448, 449, 450
Melanitta nigra, 77
Meleagris gallopavo, 7
Melospiza georgiana, 191, 515, 731, 758
 lincolni, 6, 241, 242
 melodia, 6, 7, 8, 9, 10, 11, 14, 241, 242, 488–496, 524, 572, 758
 Merganser, Common, 75, 276–282
 Red-breasted, 71–80
Mergus merganser, 75, 276–282
 serrator, 71–80
 metabolite, plasma, 88–99
 microclimate, nest, 462–469, 479–487

microsatellites, 365–369
 migration, 188–192, 211–225, 591–598
 molt, 71–80, 214–215, 583–590
 monitoring, 43–58
 strategies, 59–70, 730–739
Milvus migrans, 180
Mimus polyglottos, 6, 7, 8, 11, 12, 14, 16, 515
 Miner, Common, 27, 33, 142
 Minnesota, 294–304
 mismatch hypothesis, 111–119
Mniotilta varia, 233, 237, 758
 Mockingbird, Northern, 6, 7, 8, 11, 12, 14, 16, 515
Molothrus ater, 7, 8, 9, 11, 14, 15, 36–42, 404, 508, 570–574
 bonariensis, 25, 34
 molt, 71–80, 276–282, 341–348, 583–590
 monsoon, Mexican, 583–590
 Monjita, Black-and-white, 27, 29, 33
 Gray, 27, 33
 White, 33
 Moorhen, Common, 377
 Morrison, K. W., J. M. Hipfner, C. Gjerdrum, and D. J. Green,
 Wing Length and Mass at Fledging Predict Local Juvenile
 Survival and Age at First Return in Tufted Puffins, 433
 Morrison, M. L., see Campomizzi, A. J., 534
Morus bassanus, 425
 mosquitoes, 1–20, 253
 movement, of nest, 550–555
 post-migration, 730–739
 Mrykalo, R. J., M. M. Grigione, and R. J. Sarno, A Comparison of
 Available Prey and Diet of Florida Burrowing Owls in Urban
 and Rural Environments: A First Study, 556
 mudflats, 624–632
 Mulvihill, R. S., S. C. Latta, and F. L. Newell, Temporal Con-
 straints on the Incidence of Double Brooding in the Louisi-
 ana Waterthrush, 341
 Murphy, M. T., see McKay, J. E., 503
 Murre, Common, 131
 Thick-billed, 66, 111–119, 131, 439
 Murrelet, Marbled, 120–134
Myiarchus cinerascens, 6, 215, 586, 587, 588
 crinitus, 233, 237, 241, 758
 nuttingi, 589
Myiopsitta monachus, 33, 306

N

Nakamoto, B., see Smallwood, S., 246
 Navarro-Sigüenza, A. G., see García-Trejo, E. A., 442
 Neale, R. J., see Sturge, R. J., 575
 Neely, C. J., see Masters, B. S., 365
Neoxolmis rufiventris, 23, 34
 nest dismantling, 197–301
 displacement, 550–555
 failure, 392–395
 orientation, 395–399
 site selection, 182–188, 81–87, , 611–623, 641–652, 694–705
 spacing, 305–313
 success, 314–325, 611–623, 641–652, 715–721
 New Mexico, 641–652
 Newell, F. L., see Mulvihill, R. S., 341
 Newfoundland, 314–325
 Newman, S. H., see Peery, M. Z., 120
 Newsome, H. L., see Earnst, S. L., 370
 New Zealand, 462–469

Night-Heron, Black-crowned, 1, 6, 7, 8, 9, 13, 14, 250, 252
 Nighthawk, Common, 404
 Nacunda, 23, 33
 nomadism, 188–192
 North Carolina, 497–502
 North Dakota, 36–42, 550–555
Notharchus macrorhynchos, 233, 237
Nothura maculosa, 27, 28, 33, 35
Nothura, Spotted, 27, 28, 33, 35
Notiochelidon cyanoleuca, 34
Nucifraga columbiana, 326–340
Numenius americanus, 250
 Nutcracker, Clark's, 326–340
 Nuthatch, Red-breasted, 562
 White-breasted, 758
Nycticorax nycticorax, 1, 6, 7, 8, 9, 13, 14, 250, 252

O

Ochetorhynchus andaecola, 146
 melanura, 142, 146
 ruficauda, 146
 O'Donnell, C., see Rhodes, B., 462
 Ohio, 177–182
 oil wells, 255–265
 Omland, K. E., see Sturge, R. J., 575
Oporornis formosus, 241, 242
 philadelphia, 758
 tolmiei, 6, 217, 587
Oreopholus ruficollis, 33
Oreoscoptes montanus, 194, 404, 408, 410
 Oriole, Altamira, 577
 Audubon's, 577
 Baltimore, 233, 237, 571, 572, 573, 577
 Bar-winged, 576, 577
 Black-backed, 577
 Black-cowled, 577, 578
 Black-vented, 577, 578
 Bullock's, 6, 7, 214, 571, 577, 586, 587, 588
 Epaulet, 576, 577, 578
 Fuertes's, 577, 578
 Greater Antillean, 575, 576, 577, 578
 Hooded, 215, 577, 578
 Jamaican, 577
 Montserrat, 576, 577, 578
 Orange, 577
 Orange-crowned, 575, 576, 577, 578
 Orchard, 215, 577, 578, 586, 588
 Scott's, 577
 Spot-breasted, 577
 St. Lucia, 576, 577, 578
 Streak-backed, 577, 586, 587, 589
 White-edged, 577
 Yellow, 577
 Yellow-backed, 577
 Yellow-tailed, 577
 Ornelas, J. F., see González, C., 633
Ornithion semiflavum, 233, 237
 Oropendola, Chestnut-headed, 232, 233, 237
 oscillation, North Atlantic, 111–119
 Osprey, 46, 50, 51, 53
 Otter, K. A., see Grava, T., 560
 Ovenbird, 193–197, 241, 242, 345, 399, 568, 756, 757, 758, 759,
 760, 761

ovulation, 752–755
 Owl, Barn, 7
 Boreal, 667
 Burrowing, 33, 180, 556–569
 Eurasian Eagle, 180
 Great Horned, 7, 8, 160, 180
 Short-eared, 397
 Sichuan Wood, 667
 Western Screech, 7
 Oystercatcher, American, 554
 Ozaki, K., see Flint, P. L., 591

P

- Pachyramphus aglaiae*, 237
 Packard, J. M., see Campomizzi, A. J., 534
 Palmer, W. E., see Butler, A. B., 511
 Palmerio, A. G., and V. Massoni, Reproductive Biology of Female Saffron Finches Does Not Differ by the Plumage of the Mate, 715
 Pampa-Finch, Great, 25, 27, 29, 34
Pandion haliaetus, 46, 50, 51, 53
Panurus biarmicus, 712
 Parakeet, Horned, 311
 Monk, 33, 306
 Olive-throated, 233, 237
 parasitism, brood, 36–42, 570–574
 Parchman, T. L., see Benkman, C. W., 169
 Parker, P. G., see Roy, C. L., 377, see Yasukawa, K., 740
 Parrot, Brown-hooded, 233, 237
 Burrowing, 306
 Eclectus, 311
 Lilac-crowned, 305–313
 Maroon-fronted, 306
 Puerto Rican, 311
 Thick-billed, 306
 Yellow-naped, 311
 Partridge, Tibetan, 183
Parus major, 493, 680
Passer domesticus, 6, 7, 8, 10, 11, 13, 14, 571
Passerculus sandwichensis, 6, 37, 38, 39, 40, 515, 517, 557
Passerella iliaca, 7
Passerina amoena, 214, 584, 586, 587, 588, 589
 ciris, 586, 587, 588
 caerulea, 587
 cyanea, 241, 242, 586, 588, 758
Patagioenas fasciata, 7
 maculosa, 27, 33
 nigrirostris, 233, 237
 picazuro, 33
 Paxton, K. L., see Carlisle, J. D., 211
 Pearce, J. M., D. Zwiefelhofer, and N. Maryanski, Mechanisms of Population Heterogeneity among Molting Common Mergansers on Kodiak Island, Alaska: Implications for Genetic Assessments of Migratory Connectivity, 283; see Flint, P. L., 591
 Pearman, M., see Areta, J. I., 135
 Peery, M. Z., S. H. Newman, C. D. Storlazzi, and S. R. Beissinger, Meeting Reproductive Demands in a Dynamic Upwelling System: Foraging Strategies of a Pursuit-Diving Seabird, the Marbled Murrelet, 120
Penelope purpurascens, 232, 233, 237
 Penguin, Adélie, 85
 African, 546, 549
 Galapagos, 549
 Humboldt, 544–550
 King, 81–87
 Macaroni, 545
 Magellanic, 82, 544–550
 Rockhopper, 545
 Pennsylvania, 341–348
Perdix hodgsoniae, 183
 Pérez-Hurtado, A., see Castro, M., 624
Perisoreus canadensis, 663, 665, 666, 667
 infaustus, 663, 665, 666, 667
 internigrans, 662–667
 Petersen, M. R., Multiple Spring Migration Strategies in a Population of Pacific Common Eiders, 59
 Peterson, S. M., see Streby, H. M., 193
 Petrel, Giant, 424
Petrochelidon pyrrhonota, 7, 377
 Pewee, Eastern Wood, 241, 758
 Western Wood, 215
Phaenostictus mcleannani, 383, 384, 385
Phaethornis guy, 638
 longuemareus, 633
 superciliosus, 633, 638
Phainopepla nitens, 586, 587, 588
Phainopepla, 586, 587, 588
Phalacrocorax aristotelis, 82
 auritus, 250
 Phalarope, Red, 417, 418, 419, 421
 Red-necked, 417, 418, 419, 421
Phalaropus fulicarius, 417, 418, 419, 421
 lobatus, 417, 418, 419, 421
Phasianus colchicus, 250
 Pheasant, Ring-necked, 250
 Tibetan Eared, 183
Pheucticus ludovicianus, 241, 758
 melanocephalus, 6, 7, 11, 14, 215, 586, 587, 588
Philesturnus carunculatus, 462–469
 Phillips, R. A., see Ramos, J. A., 424
 philopatry, 238–246
Phlegopsis borbae, 382–387
 erythroptera, 383, 384, 385, 386
 nigromaculata, 382, 383, 385, 386
 Phoebe, Black, 7, 150–158
 Eastern, 665, 706, 758
 photoperiod, 349–360, 752–755
Phylloscopus affinis, 186
 humei, 186
 inornatus, 186
 sibilatrix, 707
 physiology, 88–99
Phytotoma rara, 138
Piaya cayana, 233, 237
Pica nuttalli, 1, 6, 7, 9, 10, 11, 12, 14, 16, 247–254
Picoides nuttallii, 7
 Piersma, T., see Dietz, M. W., 88
 Pietz, P. J., D. A. Buhl, J. A. Shaffer, M. Winter, and D. H. Johnson, Influence of Trees in the Landscape on Parasitism Rates of Grassland Passerine Nests in Southeastern North Dakota, 36
 Pigeon, Rock, 1
 Pigeon, Band-tailed, 7
 Picazuro, 33
 Rock, 1, 6, 7, 8, 14, 250, 252
 Short-billed, 233, 237
 Spot-winged, 27, 33
 pigmentation, 684–693

- Pintail, Northern, 591–598
Pipilo aberti, 6
chlorurus, 404, 586, 587, 588
crissalis, 7, 11
erythrophthalmus, 241, 242, 515
maculatus, 7, 503–510
Pipit, Hellmayr's, 27, 28, 34, 35
Meadow, 194
Ochre-breasted, 21, 27, 28, 30, 34, 35
Short-billed, 27, 28, 30, 34, 35
Water, 156
Pipra aureola, 460
chloromeros, 460
cornuta, 460
erythrocephala, 460
fasciicauda, 460
filicauda, 460
mentalis, 460
pipra, 460
rubrocapilla, 460
Piranga flava, 215
leucoptera, 237
ludoviciana, 7, 11, 14, 215, 586, 587, 588
olivacea, 233, 237, 241
rubra, 215, 232, 233, 237
Pithys albifrons, 383, 384, 385
castaneus, 383, 384, 385
Plantcutter, Rufous-tailed, 138
Plegadis chihi, 249, 250, 253
Ploceus cucullatus, 690
taeniopterus, 377
Plover, American Golden, 23, 28, 33, 35, 417, 418
Black-bellied, 417, 418
Kentish, 624–632
Piping, 550–555
Snowy, 625
Pluvialis dominica, 23, 28, 33, 35, 417, 418
Pluvialis squatarola, 417, 418
Podager nacunda, 23, 33
Podiceps nigricollis, 82, 215
Poecile atricapillus, 399, 560–564, 758
Poliophtila plumbea, 232, 233, 237
Polysticta stelleri, 77
Polystictus pectoralis, 27, 29, 33
Poocetes gramineus, 37, 370, 372–375, 404, 470, 515
Possession Island, 81–87
predation, 565–569
Proctor, H., see Stephenson, S., 479
Progne chalybea, 34
subis, 718
tapera, 27, 28, 34, 35
Protonotaria citrea, 241
Psarocolius wagleri, 232, 233, 237
Pseudoleistes virescens, 34
Pteroglossus torquatus, 233, 237
Puffbird, White-necked, 233, 237
Puffin, Atlantic, 437, 438
Tufted, 433–441
Puffinus puffinus, 425
Pütz, K., see Simeone, A., 544
Pygarrhichas albogularis, 144, 146
Pygoscelis adeliae, 85
Pyle, P., W. A. Leitner, L. Lozano-Angulo, F. Avilez-Teran, H. Swanson, E. Gómez-Limón, and M. K. Chambers, Temporal, Spatial, and Annual Variation in the Occurrence of Molt-Migrant Passerines in the Mexican Monsoon Region, 583
Pyrilia haematotis, 233, 237
- ## Q
- Quail, California, 6, 7, 8, 10, 11, 13, 14, 15
Gambel's, 6
Japanese, 189
Québec, 43–58, 71–80
Quiscalus mexicanus, 571
quiscula, 758
- ## R
- radiotelemetry, 100–110, 120–134, 326–340, 599–610, 653–661
Rail, Black, 599–610
Clapper, 101
King, 620
Yellow, 515
Rallus elegans, 620
longirostris, 101
Ramos, J. A., J. P. Granadeiro, R. A. Phillips, and P. Catry, Flight Morphology and Foraging Behavior of Male and Female Cory's Shearwaters, 424
Ramphastos sulfuratus, 232, 233, 237
Rasmussen, J. L., S. G. Sealy, and T. J. Underwood, Method of Ejection of Brown-headed Cowbird Eggs and Associated Costs for American Robins and Gray Catbirds, 570
Raven, Common, 7, 9, 11, 12, 249, 250, 253
Redhead, 76, 189
Redstart, American, 233, 237, 241, 242, 262, 684–693, 736, 757, 758, 759, 760, 761
Reed-Finch, Long-tailed, 29, 34
Reed-Warbler, Black-browed, 186
Reedling, Bearded, 712
Regulus calendula, 6, 241, 243
regulus, 706
Reisen, W. K., see Wheeler, S. S., 1
Renton, K., see Salinas-Melgoza, A., 305
Reyes-Arriagada, see Simeone, A., 544
Rhea americana, 23, 25, 28, 30, 33, 35
Rhea, Greater, 23, 25, 28, 30, 33, 35
Rhegmatorhina gymnops, 383, 384, 385
hoffmannsi, 383, 384, 385
melanosticta, 383, 384, 385
Rhodes, B., C. O'Donnell, and I. Jamieson, Microclimate of Natural Cavity Nests and Its Implications for a Threatened Secondary-Cavity-Nesting Passerine of New Zealand, the South Island Saddleback, 462
Rhynchopsitta pachyrhyncha, 306
terrisi, 306
Richardson, J. K., see McKay, J. E., 503
Rimmer, C. C., see Townsend, J. M., 565
riparian, 341–348, 641–652
Rissa tridactyla, 66, 82, 131, 377
Robbins, M. R., see Hobson, K. A., 188
Robertson, B. A., The Influence of Spatio-temporal Variation in Food Availability and Nest-Predation Risk on Clutch-Size Decisions, 523
Robin, American, 7, 8, 11, 14, 250, 515, 570–574, 758
European, 663, 706
White-throated, 680
Rook, 391
roosting behavior, 565–569

Rosensteel, B. B., see Sturge, R. J., 575
 Rotenberry, J. T., and J. A. Wiens, Habitat Relations of Shrubsteppe Birds: A 20-Year Retrospective, 401
 Rowe, L. V., see Mainwaring, M. C., 668
 Roy, C. L., P. G. Parker, and R. J. Gates, Egg Morphology Is an Unreliable Indicator of Intraspecific Nest Parasitism in Wood Ducks, 377
 Russia, 591–598
Rynchotus rufescens, 33

S

Sabrewing, Wedge-tailed, 633–640
 Salinas-Melgoza, A., V. Salinas-Melgoza, and Katherine Renton, Factors Influencing Nest Spacing of a Secondary Cavity-Nesting Parrot: Habitat Heterogeneity and Proximity of Conspecifics, 305
 Salinas-Melgoza, V., see Salinas-Melgoza, A., 305
 salt works, 624–632
 Salvage Islands, 424–432
Salpinctes obsoletus, 404, 407
 San Francisco Bay, 100–110, 599–610
 Sandpiper, Buff-breasted, 27, 28, 33, 35
 Pectoral, 417, 418, 419
 Rock, 417, 418
 Semipalmated, 417, 418
 Stilt, 417, 418
 Western, 89, 108, 415, 417, 418, 419, 420, 421
 White-rumped, 417, 418, 419, 420, 421
 sanitation, nest, 503–510
 Sankamethawee, W., G. A. Gale, and B. D. Hardesty, Post-Fledgling Survival of the Cooperatively Breeding Puff-throated Bulbul (*Alophoixus pallidus*), 675
 Santisteban, L., see Benkman, C. W., 169
 Sapsucker, Red-naped, 444
 Williamson's, 444, 447, 448
 Sarno, R. J., see Mrykalo, R. J., 556
 savanna, 730–739
 Savard, J.-P. L., see Bertiaume, é., 43; see Craik, S. R., 71
Sayornis nigricans, 7, 150–158
 phoebe, 665, 758
Schiffornis turdina, 237
 Schiffornis, Thrushlike, 237
 Schlossberg, S., Site Fidelity of Shrubland and Forest Birds, 238
 Schmidt, J. H., M. S. Lindberg, D. S. Johnson, and J. A. Schmutz, Environmental and Human Influences on Trumpeter Swan Habitat Occupancy in Alaska, 266
 Schmutz, J. A., see Schmidt, J. H., 266
 Schneider, M. P. C., see Aleixo, A., 382
 Schubel, S. C., see Akresh, M. E., 756
 Scoter, Black, 77
 Common, 77
 Screech-Owl, Western, 7
 Scrub-Jay, Western, 1, 6, 7, 8, 9, 10, 11, 12, 14, 15, 16, 252
 Sealy, S. G., see Rasmussen, J. L., 570
 Seavy, N. E., see Jennings, S., 488
 Seedeater, Dark-throated, 27, 29, 34
 Double-collared, 712
 Yellow-bellied, 712
Seiurus aurocapilla, 193–197, 241, 242, 345, 399, 568, 756, 757, 758, 759, 760, 761
 motacilla, 241, 341–348
 noveboracensis, 758
 selection, sexual, 740–751

Serinus canaria, 12
Setophaga ruticilla, 233, 237, 241, 242, 262, 684–693, 736, 757, 758, 759, 760, 761
 Shaffer, J. A., see Pietz, P. J., 36
 Shaffer, T. L., see Wiltermuth, M. T., 550
 Shag, European, 82
 Sharp, C. M., K. F. Abraham, and G. Burness, Embryo Development Influences the Isotopic Signatures of Egg Components in Incubated Eggs, 361
 Shearwater, Cory's, 424–432
 Manx, 425
 Sherfy, M. H., see Wiltermuth, M. T., 550
 Shimada, T., see Flint, P. L., 591
 Shrike, Loggerhead, 6, 8, 11, 250, 252, 253, 404
 Shrike-Vireo, Green, 233, 237
 shrubland, 238–246, 370–376, 401–413, 722–729
 Shutler, D., see Dalley, K. L., 314
Sialia currucoides, 480
 mexicana, 7, 9, 11
 sialis, 156, 515, 752–755
Sicalis flaveola, 715–721
 luteola, 27, 29, 30, 34, 35
 Sichuan, 662–667
 Simeone, A. L. Hiriart-Bertrand, R. Reyes-Arriagada, M. Halpern, J. Dubach, R. Wallace, K. Pütz, and B. Lüthi, Heterospecific Pairing and Hybridization between Wild Humboldt and Magellanic Penguins in Southern Chile, 544
 Simon, M. M., see Dykstra, C. R., 177
 Siskin, Pine, 7
Sitta canadensis, 562
 carolinensis, 758
 Skagen, S. K., see Carlisle, J. D., 211
Skutchia borbae, 382–387
 Smallwood, K. S., and B. Nakamoto, Impacts of the West Nile Virus Epizootic on the Yellow-billed Magpie, American Crow, and Other Birds in the Sacramento Valley, California, 246
 Smith, D. M., D. M. Finch, and D. L. Hawksworth, Black-chinned Hummingbird Nest-Site Selection and Nest Survival in Response to Fuel Reduction in a Southwestern Riparian Forest, 641
 Smith, J. W., see Benkman, C. W., 169
 Smith, P. A., J. Bart, R. B. Lancot, B. J. McCaffery, and S. Brown, Probability of Detection of Nests and Implications for Survey Design, 414; see Gaston, A. J., 111
 Smith, S. B., see McKay, J. E., 503
 Snipe, South American, 27
 Wilson's, 515
Somateria mollissima, 59–70, 78, 754
 spectabilis, 66, 77
 space use, 100–110, 305–313, 326–340, 706–714
 Spain, 624–632
 Sparrow, Bachman's, 352, 515
 Black-throated, 404, 407
 Brewer's, 302, 404, 407, 408, 410, 722–729
 Chipping, 215, 586, 587, 588
 Clay-colored, 37, 38, 39, 40, 241, 242
 Field, 241, 242, 538–544
 Fox, 7
 Golden-crowned, 6, 7
 Grasshopper, 37, 349–360, 370–375, 395–399, 511–522, 732
 Grassland, 28, 34, 35
 Henslow's, 515, 517, 730–739
 House, 6, 7, 8, 10, 11, 13, 14, 571

- Sparrow (*continued*)
 Lark, 215, 370–374, 586, 587
 Le Conte's, 732
 Lincoln's, 6, 241, 242
 Rufous-collared, 34
 Sage, 370–374, 404, 408, 410
 Savannah, 6, 37, 38, 39, 40, 515, 517, 557
 Song, 6, 7, 8, 9, 10, 11, 14, 241, 242, 488–496, 524, 572, 758
 Swamp, 191, 515, 731, 758
 Vesper, 37, 370, 372–375, 404, 470, 515
 White-crowned, 6, 7, 8, 14, 639
 White-throated, 241, 242, 314–325, 758
 Sparrowhawk, Eurasian, 177, 666
 speciation, 169–176
Spheniscus demersus, 546, 549
 humboldti, 544–550
 magellanicus, 82, 544–550
 mendiculus, 549
Sphyrapius nuchalis, 444
 thyroideus, 444, 447, 448
 Spinetail, Plain-mantled Tit, 142
Spiza americana, 538–544
Spizella breweri, 302, 404, 407, 408, 410, 722–729
 pallida, 37, 38, 39, 40, 241, 242
 passerina, 215, 586, 587, 588
 pusilla, 241, 242, 538–544
Sporophila caerulea, 712
 nigricollis, 712
 ruficollis, 27, 29, 34
 Starling, European, 7, 8, 14, 250, 252
Stelgidopteryx ruficollis, 34
 Stenzler, L. M., C. A. Makarewich, A. Coulon, D. R. Ardia, I. J. Lovette, and D. W. Winkler, Subtle Edge-of-Range Genetic Structuring in Transcontinentally Distributed North American Tree Swallows, 470
 Stephenson, S., S. Hannon, and H. Proctor, The Function of Feathers in Tree Swallow Nests: Insulation or Ectoparasite Barrier?, 479
Sterna forsteri, 100–110
 hirundo, 106
Sternula albifrons, 108
 antillarum, 82, 534, 551, 557
 Stodola, K. W., E. T. Linder, D. A. Buehler, K. E. Franzreb, and R. J. Cooper, Parental Care in the Multi-Brooded Black-throated Blue Warbler, 497
 stopover ecology, 215–216, 219–221
 Stork, Maguari, 33
 Storlazzi, C. D., see Peery, M. Z., 120
 Stouffer, P. C., see Johnson, E. I., 730
 Streby, H. M., S. M. Peterson, and P. M. Kapfer, Fledging Success is a Poor Indicator of the Effects of Bird Blow Flies on Ovenbird Survival, 193
 Strickland, D., see Jing, Y., 662
Strix davidi, 667
 structure, genetic, 283–293, 470–478
Struthidea cinerea, 680
 Sturge, R. J., F. Jacobsen, B. B. Rosensteel, R. J. Neale, and K. E. Omland, Colonization of South America from Caribbean Islands Confirmed by Molecular Phylogeny with Increased Taxon Sampling, 575
Sturnella defilippii, 21, 27, 29, 30, 34, 35
 magna, 351, 395–399, 515, 538–544
 neglecta, 37, 250, 370–375, 404, 407, 408
 superciliaris, 27, 29, 30, 34, 35
Sturnus vulgaris, 7, 8, 14, 250, 252
 Stutchbury, B. J. M., see Hung, S., 653, see Kappes, P. J., 684
 Sullivan, K. A., see Lorenz, T. J., 326
 Sun, Y.-H., see Jing, Y., 662
 Sundar, K. S. G., Are Rice Paddies Suboptimal Breeding Habitat for Sarus Cranes in Uttar Pradesh, India?, 611
 survey design, 226–237, 349–360, 414–423, 488–496
 Swallow, Barn, 7, 196, 377, 501, 534, 668–675
 Blue-and-white, 34
 Cliff, 7, 377
 Southern Rough-winged, 34
 Tawny-headed, 27, 34
 Tree, 6, 470–487, 672
 White-rumped, 27, 28, 34, 35, 718
 Swan, Trumpeter, 266–275
 Swanson, H., see Pyle, P., 583
 Swift, Common, 509
Sylvia atricapilla, 218, 573
Syrigma sibilatrix, 33
 systematics, antbird, 382–387
 crossbill, 169–176
 earthcreeper, 135–149
 oriole, 575–579
 penguin, 554–550
 woodpecker, 442–452
- ## T
- Tachuri, Bearded, 27, 29, 33
Tachycineta bicolor, 6, 470–487, 672
 leucorrhoa, 27, 28, 34, 35, 718
 Takekawa, J. Y., see Ackerman, J. T., 100, see Tsao, D. C., 599
 Tanager, Hepatic, 215
 Scarlet, 233, 237, 241
 Summer, 215, 232, 233, 237
 Western, 7, 11, 14, 215, 586, 587, 588
 White-winged, 237
 Tarof, S. A., see Hung, S., 653
 Taylor, P. D., see Dalley, K. L., 314
 Tern, Common, 106
 Forster's, 100–110
 Least, 82, 534, 551, 557
 Little, 108
 territory clustering, 706–714, 722–729
 Texas, 534–537
 Thailand, 675–683
Thalassarche chrysostoma, 425
 melanophrys, 425
Thalassidroma colymbica, 232, 233, 237
 Thogmartin, W. E., see Zimmerman, G. S., 294
 Thompson, W. L., see Lusnier, J. D., 538
 Thornbill, Brown, 680
 Thrasher, Brown, 242, 571
 California, 6
 Crissal, 571
 Sage, 194, 404, 408, 410
 Thrush, Bicknell's, 565–569
 Hermit, 7, 241, 758
 Swainson's, 7, 216, 217, 237, 241
 White-throated, 680
 Wood, 241, 242, 680
Thryomanes bewickii, 6
Thryothorus ludovicianus, 515
 maculipectus, 233, 237

- Tibet, 182–188
Tilmatura dupontii, 233, 237
 Tinamou, Red-winged, 33
 Tit, Bearded, 712
 Black-throated, 186
 Blue, 476, 673
 Great, 493, 680
 Long-tailed, 186
 Titman, R. D., see Craik, S. R., 71
 Titmouse, Oak, 9, 15, 16
 Titmouse, Oak, 7, 9, 11, 15, 16
 Tufted, 15
 Tit-Spinetail, Plain-mantled, 142
 Tit-Warbler, Crested, 182, 187
 Tit-Warbler, White-browed, 182–188
Tityra inquisitor, 237
 semifasciata, 233, 237
 Tityra, Black-crowned, 237
 Masked, 233, 237
Tolmomyias sulphurescens, 233, 237
 Toucan, Keel-billed, 232, 233, 237
 Towhee, Abert's, 6
 California, 7, 11
 Eastern, 241, 242, 515
 Green-tailed, 404, 586, 587, 588
 Spotted, 7, 503–510
 Townsend, A. K., Extra-Pair Copulations Predict Extra-Pair
 Fertilizations in the American Crow, 387; see Townsend,
 J. M., 565
 Townsend, J. M., C. C. Rimmer, J. Brocca, K. P. McFarland, and A.
 K. Townsend, Predation of a Wintering Migratory Songbird
 by Introduced Rats: Can Nocturnal Roosting Behavior Serve
 as Predator Avoidance?, 565
Toxostoma crissale, 571
 redivivum, 6
 rufum, 242, 571
 Treerunner, White-throated, 144, 146
Troglodytes aedon, 11, 193, 241, 242, 365–369, 672, 718
 musculus, 718
Trogon violaceus, 233, 237
 Trogon, Violaceous, 233, 237
 Troupial, Orange-backed, 577
 Venezuelan, 577
Tryngites subruficollis, 27, 28, 33, 35
 Tsao, D. C., J. Y. Takekawa, I. Woo, J. L. Yee, and J. G. Evens,
 Home Range, Habitat Selection, and Movements of Cali-
 fornia Black Rails at Tidal Marshes at San Francisco Bay,
 California, 599
 tundra, 414–423
Turdoides squamiceps, 160
Turdus assimilis, 680
 migratorius, 7, 8, 11, 14, 250, 515, 570–574, 758
 pilaris, 82
 Turkey, Wild, 7
 Tyrannulet, Paltry, 233, 237
 Yellow-bellied, 233, 237
Tyrannus crassirostris, 589
 melancholicus, 589
 savana, 34
 tyrannus, 571, 669
 verticalis, 6, 7, 215, 586, 588
 Tyrant, Cattle, 34
 Chocolate-vented, 23, 34
Tyto alba, 7
- U**
- Underwood, T. J., see Rasmussen, J. L., 570
Upucerthia albigula, 136, 141, 145, 146
 dumetaria, 135–149
 jelskii, 135, 141, 142, 144, 145, 146
 saturation, 135–149
 serrana, 136, 137, 145
 validirostris, 135, 142, 145, 146
Upupa epops, 302
 upwelling, 120–134
 urbanization, 556–559
Uria aalge, 131
 lomvia, 66, 111–119, 131, 439
 Uruguay, 21–35
- V**
- Vanellus chilensis*, 27, 28, 30, 33, 35
 vanellus, 156
 Van Riper, C. III, see Carlisle, J. D., 211
 Veery, 758
 Vehrencamp, S. L., see Yorzinski, J. L., 159
 Veracruz, 633–640
Vermivora celata, 7, 8, 9, 11, 14, 15, 216, 217
 chrysoptera, 241, 242, 758
 luciae, 586, 587, 588
 pinus, 241, 242
 ruficapilla, 215, 217, 586, 587, 588, 758, 761
 Violetear, Green, 638
 Sparkling, 638
Vireo atricapilla, 534–537, 707, 726
 bellii, 241, 242, 588
 cassinii, 215
 flavifrons, 233, 237
 flavoviridis, 586, 587, 589
 gilvus, 215, 571, 572, 573, 586, 587, 588
 griseus, 241, 242, 515, 534–537
 olivaceus, 233, 237, 241, 589, 758
 philadelphicus, 233, 237
 Vireo, Bell's, 241, 242, 588
 Black-capped, 534–537, 707, 726
 Cassin's, 215
 Green Shrike, 233, 237
 Philadelphia, 233, 237
 Red-eyed, 233, 237, 241, 589, 758
 Warbling, 215, 571, 572, 573, 586, 587, 588
 White-eyed, 241, 242, 515, 534–537
 Yellow-green, 586, 587, 589
 Yellow-throated, 233, 237
Vireolanius pulchellus, 233, 237
 virus, West Nile, 1–20, 247–254
 vision, 150–158
 vocalizations, 142–144, 159–168, 169–176, 633–640, 653–661
Volatinia jacarina, 706–714
 Voss, M. A., see Cooper, C. B., 752
 Vulture, Turkey, 7, 250
- W**
- Wallace, R., see Simeone, A., 544
 Wang, Y., see Li, J., 197
 Warbler, Bay-breasted, 233, 237
 Black-and-white, 233, 237, 758
 Black-browed Reed, 186

Warbler (*continued*)

- Blackpoll, 242, 314–325
- Black-throated Blue, 212, 241, 242, 497–502, 726, 727
- Black-throated Green, 233, 237
- Blue-winged, 241, 242
- Canada, 758
- Chestnut-sided, 233, 235, 237, 242, 758, 761
- Golden-winged, 241, 242, 758
- Gray's, 186
- Hermit, 215
- Hooded, 196, 241, 242, 347, 663, 691, 727
- Hume's Leaf, 186
- Inornate, 186
- Japanese Bush, 186
- Japanese Marsh, 186
- Kentucky, 241, 242
- Lucy's, 586, 587, 588
- MacGillivray's, 6, 217, 587
- Magnolia, 233, 237
- Mourning, 758
- Nashville, 215, 217, 586, 587, 588, 758, 761
- Orange-crowned, 7, 8, 9, 11, 14, 15, 216, 217
- Palm, 515
- Prairie, 241, 242
- Prothonotary, 241
- Red-faced, 392–395
- Seychelles, 186, 680
- Swainson's, 694–705
- Tickell's Leaf, 186
- Townsend's, 194, 215
- Wilson's, 6, 7, 98, 213, 216, 217, 221, 241, 587
- Wood, 707
- Worm-eating, 241, 242
- Yellow, 6, 7, 8, 9, 14, 217, 233, 237, 241, 321, 572
- Yellow-browed, 186
- Yellow-rumped, 7, 219, 314–325, 515
- Washington state, 326–340, 370–376
- Wassenaar, L. I., see Coulton, D. W., 255
- Waterthrush, Louisiana, 241, 341–348
 - Northern, 758
- Waxwing, Cedar, 7, 9, 241, 242, 243, 758
- Weaver, Northern Masked, 377
 - Village, 690
- Wheeler, S. S., C. M. Barker, Y. Fang, M. V. Armijos, B. D. Carroll, S. Husted, W. O. Johnson, and W. K. Reisen, Differential Impact of West Nile Virus on California Birds, 1
- Widowbird, Red-collared, 690, 741
 - Red-shouldered, 741
- Wiens, J. A., see Rotenberry, J. T., 401
- Wilkins, R. N., see Campomizzi, A. J., 534
- Williams, K. L., see Masters, B. S., 365
- Willisornis poecilonotus*, 383, 384
- Wilsonia canadensis*, 758
 - citrina*, 196, 241, 242, 347, 663, 691, 727
 - pusilla*, 6, 7, 98, 213, 216, 217, 221, 241, 587
- Wiltermuth, M. T., M. J. Anteau, M. H. Sherfy, and T. L. Shaffer, Nest Movement by Piping Plovers in Response to Changing Habitat Conditions, 550
- wing loading, 424–432
- Winkler, D. M., see Stenzler, L. M., 470
- Winter, M., see Pietz, P. J., 36; see Hochachka, W. M., 349
- With, K. A., see Long, A. M., 395
- Woo, I., see Tsao, D. C., 599
- Wood-Pewee, Eastern, 241, 758
 - Western, 215

- Woodnymph, Violet-crowned, 232, 233, 237
- Woodpecker, Acorn, 7, 196, 198
 - Black-cheeked, 233, 237
 - Cuban Green, 444, 449
 - Gila, 442, 443, 444, 447, 448, 449, 450
 - Golden-cheeked, 443, 444, 445, 447, 448, 449, 450
 - Golden-fronted, 442–452
 - Gray-breasted, 443, 444, 447, 448, 449, 450
 - Hoffmann's, 442, 443, 444, 447, 448, 449, 450
 - Nuttall's, 7
 - Pileated, 444, 448
 - Red-bellied, 442–452
 - Red-crowned, 443, 444
 - Red-crowned, 443, 449
 - Velásquez's, 442–452
 - West Indian, 442, 443, 444, 447, 448, 449, 450
 - White, 443, 444, 445, 447, 448, 449
 - White-fronted, 443, 444, 445, 447, 448, 449
 - Yellow-tufted, 450
 - Yucatan, 443, 444, 447, 448, 449
- Woolfenden, B. E., see Kappes, P. J., 684
- Worthington, A., and A. Egge, *Quantifying Behavior the JWatcher Way*, by Daniel T. Blumstein and Janice C. Daniel, 202
- Wren, Bewick's, 6
 - Carolina, 515
 - House, 11, 193, 241, 242, 365–369, 672, 718
 - Marsh, 6
 - Red-backed Fairy, 741
 - Rock, 404, 407
 - Rufous-naped, 450
 - Sedge, 188–192, 511–522, 732
 - Southern House, 718
 - Spot-breasted, 233, 237
 - Superb Fairy, 663
- Wrentit, 488–496, 524

X, Y, Z

- Xiphidiopicus percussus*, 444, 449
- Xolmis cinerea*, 27, 33
 - irupero*, 33
- Yasukawa, K., D. A. Enstrom, P. G. Parker, and T. C. Jones, Epaulet Color and Sexual Selection in the Red winged Blackbird: A Field Experiment, 740
- Yellow-Finch, Grassland, 27, 29, 30, 34, 35
- Yellowhammer, 691
- Yellowthroat, Common, 6, 216, 217, 241, 242, 515, 663, 758, 761
- Yorzinski, J. L., and S. L. Vehrencamp, The Effect of Predator Type and Danger Level on the Mob Calls of the American Crow, 159
- Zenaida auriculata*, 24, 27, 28, 30, 33, 35
 - macroura*, 6, 7, 8, 9, 10, 11, 13, 14, 250, 404
- Zhang, Z., see Li, J., 197
- Zimmerius vilissimus*, 233, 237
- Zimmerman, G. S. R. J. Gutiérrez, W. E. Thogmartin, and S. Banerjee, Multiscale Habitat Selection by Ruffed Grouse at Low Population Densities, 294
- Zivkovic, B., see Cooper, C. B., 752
- Zonotrichia albicollis*, 241, 242, 314–325, 758
 - atricapilla*, 6, 7
 - capensis*, 34
 - leucophrys*, 6, 7, 8, 14, 639
- Zwiefelhofer, D., see Pearce, J. M., 283