BioOne COMPLETE

Index to Volume 113

Source: The Condor, 113(4) : 928

Published By: American Ornithological Society

URL: https://doi.org/10.1525/cond.2011.113.4.928

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

INDEX TO VOLUME 113

The Condor 113(4):928–947
© The Cooper Ornithological Society 2011

Proposed new taxa are highlighted in **bold**.

A

Acanthiza pusilla, 407
Accipiter cooperii, 278, 901, 902, 903
  gentilis, 309, 476, 548, 551
  striatus, 278, 769
Acrocephalus scirpaceus, 605
Actitis hypoleucos, 124, 125
  macularius, 125, 921
Afton, A. D., see Anteau, M. J., 298
Agelaioides badius, 270
Agelaius phoeniceus, 260, 493, 495, 497, 548, 856
  tricolor, 260
Agelasticus thilius, 727
Aglaeactis cupripennis, 29
agriculture, 899–906
agroecosystem, 267–273
Alaska, 52–60, 80–88, 129–139, 340–351, 511–517, 572–580, 768–778
Albatross, Black-browed, 67
  Black-footed, 1, 2, 3, 61–70
  Gray-headed, 67
  Laysan, 62, 63
  Short-tailed, 67
  Wandering, 67
Alcidae, 250, 251
Alectrurus risora, 267, 619–628
Amazilia candida, 20
  cyanocephala, 20, 181
  tzacatl, 20, 806–816
Amazona, 11, 12, 17
  autumnalis, 13, 15
  farinosa, 12, 15
Amazonia, 869–880
Amblycercus holosericeus, 32
Ammodramus savannarum, 230, 429–437, 731
Ampelion rubrocristatus, 31
Amphispiza belli, 420
Anairetes parulus, 31
Anas clypeata, 921
  cyanoptera, 747–761
  discors, 747–761, 921
Anatidae, 250, 251
Andersen, D. E., see Streby, H. M., 817
Anderson, D. L., and L. N. Naka, Comparative Structure and Organization of Canopy Bird Assemblages in Honduras and Brazil, 7; see Giovanni, M. D., 223
Andigena hypoglauca, 30
Anhinga melanogaster, 249
Anisognathus igniventris, 32
Antbird, Spotted, 194–199
Anteau, A. C. E., see Anteau, M. J., 298
Anteau, M. J., A. C. E. Anteau, and A. D. Afton, Testing Competing Hypotheses for Chronology and Intensity of Lesser Scaup Molt During Winter and Spring Migration, 298
Anthony, R. G., see Glenn, E. M., 159
Anthracothorax prevostii, 20
Anthropoides paradisea, 253
  virgo, 253
Anthus correndera, 270, 727, 728, 731
  furcatus, 270
  lutescens, 673
  rubescens, 922
Antpitta, Chestnut-crowned, 30
  Rufous, 30, 34
  Undulated, 30
Antshrike, Slaty, 104
Anumbius annumbi, 270
Aphelocoma californica, 843–852, 903
  coerulescens, 629–636, 908
Apodidae, 250, 251
Aptenodytes patagonicus, 323
Apus melba, 856
Aquila chrysaetos, 104, 309, 772
Ara, 11, 12, 17
  ararauna, 879
  glaucogularis, 879
  macao, 12, 15
Aratinga nana, 13, 19
Archilochus alexandri, 260
  colubris, 819, 820, 921
Arctic, 735–746, 768–778
Ardea alba, 727, 921
  herodias, 494, 497
Areta, J. I., and M. Repenning, Systematics of the Tawny-bellied Seedeater (*Sporophila hypoxantha*). I. Geographic Variation, Ecology, and Evolution of Vocalizations, 664; Systematics of the Tawny-bellied Seedeater (*Sporophila hypoxantha*). II. Taxonomy and Evolutionary Implications of the Existence of a New Tawny Morph, 678

The Condor, Vol. 113, Number 4, pages 928–947. ISSN 0010-5422, electronic ISSN 1938-5422. © 2011 by The Cooper Ornithological Society. All rights reserved. Please direct all requests for permission to photocopy or reproduce article content through the University of California Press's Rights and Permissions website, http://www.ucpressjournals.com/reprintInfo.asp. DOI: 10.1525/cond.2011.113.4.928

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Arizona, 255–265, 501–510
Argentina, 71–79, 89–106, 266–273, 316–325, 528–537, 619–628, 664–677, 724–734
Arkansas, 890–898
Arnold, T. W., Onset of Incubation and Patterns of Hatching in the American Coot, 107
Arriero, E., see Fontaine, J. J., 825
arrival dates, 915–923
Asio flammeus, 135, 270, 539, 727
aspen, 183–193
Asthenes hudsoni, 271, 724, 725, 727, 729, 732
Astudillo, P. X., see Latta, S. C., 24
asynchrony, of hatching, 107–118
Athene cunicularia, 115, 230, 270
Atlapetes latinuchus, 32
Attila, 12
  spadiceus, 21
Auklet, Cassin's, 147
Aulacorhynchus prasinus, 20
Auriparus flaviceps, 260
Aythya affinis, 298–305
  collaris, 301
  fuligula, 58
  marila, 58

B

bacteria, eggshell, 200–208
Baeolophus bicolor, 480, 495, 496, 497
Balearica pavonina, 253
  regulorum, 253
Ballard, G., see Porzig, E. L., 713
Bananaquit, 44, 48, 51
Banasch, U., see Kochert, M. N., 89
Banks Island, 735–746
Barrowclough, G. F., R. J. Gutiérrez, J. G. Groth, J. E. Lai, and D. F. Rock, The Hybrid Zone between Northern and California Spotted Owls in the Cascade–Sierran Suture Zone, 581
Bartramia longicauda, 119–128
Basileuterus coronatus, 31
  culicivorus, 22
  fulvicauda, 22
  nigrocristatus, 31
Battin, J., and T. D. Sisk, One-Sided Edge Responses in Forest Birds Following Restoration Treatments, 501
Bautista, A. R., see Díaz-Valenzuela, R., 177
Bayly, N. J., see González-Prieto, A. M., 860
Bearhop, S., see Robb, G. N., 475
Bechard, M. J., see Kochert, M. N., 89
Bednarz, J. C., see Brown, J. D., 890
Bee-eater, Blue-tailed, 590–596
Benson, T. J., see Brown, J. D., 890
Bermingham, E., see Miller, M. J., 806
Bilenca, D., see Codesido, M., 266
biocontrol, 255–265, 395–399
Bittern, American, 921
  Least, 688
Blackbird, Eurasian, 407, 910
  Red-winged, 260, 493, 495, 497, 548, 856
  Saffron-cowled, 267
  Tricolored, 260
  White-browed, 270
  Yellow-headed, 260
  Yellow-winged, 727
Bloom, P. H., J. M. Scott, J. M. Papp, S. E. Thomas, and J. W. Kidd, Vagrant Western Red-shouldered Hawks: Origins, Natal Dispersal Patterns, and Survival, 538
Bluebird, Western, 505, 506, 508, 839, 840, 913
Bobolink, 923
Boersma, P. D., see Rebstock, G. A., 316
Bombycilla cedrorum, 819
Bonasa umbellus, 401
Bond, L., see Kochert, M. N., 89
Bonter, D. N., see Savoca, M. S., 555
Booms, T. L., S. L. Talbot, G. K. Sage, B. J. McCaffery, K. G. McCracken, and P. F. Schempf, Nest-Site Fidelity and Dispersal of Gyrfalcons Estimated by Noninvasive Genetic Sampling, 768
Botaurus lentiginosus, 921
Brachyramphus marmoratus, 141
Brant, 511–517
Branta bernicla, 511–517
  minima, 515
Brawn, J. D., see Styrsky, J. N., 194
Brazil, 7–23, 664–677l, 869–880
Brazil, M. E., see Shoji, A., 762
breeding, colonial, 565–571
  season, 194–199
  success, 51–60, 475–482
  synchrony, 637–645
Breininger, D. R., see Carter, G. M., 629
Bridge, E. S., Mind the Gaps: What's Missing in Our Understanding of Feather Molt, 1
Briggs, C. W., M. W. Collopy, and B. Woodbridge, Reproduction versus Recruitment of Swainson's Hawks in the Butte Valley, California, 547
Briones, V., see Ruiz-de-Castaneda, R., 200
British Columbia, 306–315, 340–351, 572–580, 655–663
brome, smooth, 419–428
brood parasitism, 385–394
Brotogeris, 12, 17
  chrysopterus, 11, 13
Brown, J. D., Benson, T. J., and Bednarz, J. C., Arthropod Communities Associated with Habitats Occupied by Breeding Swainson's Warblers, 890
Brumfield, R. T., see Cheviron, Z. A., 483
Brush-finch, Rufous-naped, 32, 34
  Stripe-headed, 32
Buarremon torquatus, 32
Bubo scandiacus, 539
  virginianus, 91, 110, 548
Bubulcus ibis, 260, 270, 539
Buffalo (New York), 915–923
Bugeranus carunculatus, 253
Bullfinch, Cuban, 51
Bulweria bulwerii, 521
  fallax, 526

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Bunting, Indigo, 50, 260, 382, 459, 495, 496, 497, 819, 923
Lark, 260, 382, 839
Lazuli, 260, 382
Painted, 50
Burke, D. M., see Wiancko, E., 41
Burkett-Cadena, M. D., see McClure, C. J. W, 490
Bush-Tyrant, Smoky, 31
Streak-throated, 31
Buteo albicaudatus, 337
albigula, 337
brachyurus, 337
jamaicensis, 278, 309, 331, 337, 543, 901
lagopus, 772
lineatus, 337, 494, 497, 538–546, 901, 902
magnirostris, 270
nitidus, 326–339
plagiatus, 326–339
platypterus, 769, 901, 921
polyosoma, 337
swainsoni, 89–106, 276, 278, 539, 547–554
ridgwayi, 337
ventralis, 337
Buteogallus urubitinga, 12, 19
Buthraupis eximia, 32
Butler, M.G., see Oppel, S., 52
Butorides virescens, 921
Buzzard, Honey, 102, 136

C

Cacique, Yellow-bellied, 32, 35
Calamospiza melanocorys, 435, 839
Calidris acuminata, 129
alpina, 121, 132, 779, 780, 781, 782, 783, 784, 786, 788, 789, 790, 791, 792, 921
canutus, 616
fuscicollis, 791
maritima, 125
mauri, 125, 132, 779, 780, 781, 784, 785, 786, 789, 790, 791, 792
melanotos, 921
minutilla, 921
ptilocnemis, 132
pusilla, 779, 780, 781, 782, 784, 785, 786, 787, 788, 789, 790, 791, 792, 921
California, 140–149, 438–448, 538–554, 581–589, 713–723, 843–852
Calliphlox, 177
Calonectris diomedea, 85, 521
leucomelas, 521, 526
Calothorax, 177
Campephilus guatemalensis, 20
Campylopterus hemilucurus, 20
Campylorhynchus griseus, 643
nuchalis, 642
Canastero, Hudson's, 271, 724, 725, 727, 729, 732
canopy, neotropical forest, 7–23
Caprimulgus longirostris, 29
vociferus, 17
Caracara plancus, 727
Caracara, Chimango, 727, 731
Southern, 727
Cardellina rubrifrons, 828, 829
Cardinal, Northern, 495, 497, 899, 900, 901
Cardinalis cardinalis, 495, 497, 899, 900, 901
Cardoni, D. A., see Isacch, J. P., 724
Carduelis cannabina, 594
magellanica, 32, 270
Carling, M. D., see Cheviron, Z. A., 483
Carlisle, J. D., see Miller, R. A., 274
carotenoid pigment, 691–700
Carpodacus mexicanus, 233–238, 462–468
purpureus, 819
Carter, G. M., D. R. Breininger, E. D. Stolen, and D. M. Oddy, Determinants of Nest Survival in a Managed Florida Scrub-Jay Population, 629
Caryothraustes, 12
poliogaster, 32
Casey, A. E., B. K. Sandercock, and S. M. Wisely, Genetic Parentage and Local Population Structure in the Socially Monogamous Upland Sandpiper, 119
Catamblyrhynchus diadema, 32
Catamenia analis, 32
homochroa, 32
inornata, 32
Catbird, Gray, 50, 819, 865, 899, 900, 901
Cathartes aura, 19, 278, 917, 921
Catharus fuscescens, 287, 819, 820, 821, 823, 860–868, 922
guttatus, 287, 597–607, 646–654, 819, 821, 823, 828, 829
minimus, 50, 922
ustulatus, 22, 284–297, 597–607, 819, 840, 865, 884, 922
Celeus, 12
castaneus, 20
Centaurea maculosa, 395–399
Centrocercus urophasianus, 420
Cercomacra tyrannina, 21
Certhia americana, 819
Chaetocercus mulsant, 30
Chaetura pelagica, 19, 921
vauxi, 19
Chamberlain, D. E., see Robb, G. N., 475
Channel Islands, 140–149
Charadrius alexandrinus, 125
hiaticula, 125
modestus, 727
morinellus, 125
semipalmatus, 125, 921
Chat, Yellow-breasted, 48, 50
Chat-Tyrant, Crowned, 31
Rufous-breasted, 31
Slaty-backed, 31, 35
Chauna torquata, 727
Chen caerulescens, 323, 512, 515, 735–746, 921
canagica, 515
rossii, 737
Cheviron, Z. A., M. D. Carling, and R. T. Brumfield, Effects of Postmortem Interval and Preservation Method on RNA Isolated from Field-Preserved Avian Tissues, 483
Chickadee, Black-capped, 395–399, 819

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Carolina, 494, 497
Mountain, 505, 506
Chile, 71–79
Chlidonias niger, 921
Chlorophanes spiza, 11, 12, 13, 22
Chlorostilbon ricordii, 50
Ciccaba albitarsis, 29
virgata, 19
Ciconia maguari, 727
Cinclodes, Bar-winged, 30, 727
Cinclodes fuscus, 30, 727
Cinclus cinclus, 250, 252
leucocephalus, 31, 250, 252
mexicanus, 250, 252, 260
pallasii, 250, 252
schulzi, 250, 252
Circus aeruginosus, 543
buffoni, 270, 727
cinereus, 727
cyaneus, 135, 278, 539
Cistothorus palustris, 922
platensis, 31, 727
Claravis pretiosa, 19
Clark, W. S., see Millsap, B. A., 327
Class, A. M., H. Wada, S. E., Lynn, and I. T. Moore, The Timing of Life-History Stages across Latitudes in *Zonotrichia* Sparrows, 438
climate, 159–176, 194–199
change, 24–40, 490–500, 713–723, 915–923
clutch size, 107–118
Coccyzus americanus, 19, 260, 262, 353, 494, 497
erythropthalmus, 353, 819, 921
minor, 19
Cocimano, M. C., see Vormwald, L. M., 834
Coeligena iris, 29
Coereba flaveola, 44, 51
coevolution, 385–394
Colaptes auratus, 50, 352–361, 382, 587, 819
campestris, 270, 727, 731
melanochloros, 270, 727
Colibri coruscans, 29
delphinae, 20
Collared-Dove, Eurasian, 150–158
Collier, B. A., see Vormwald, L. M., 834
Collopy, M. W., see Briggs, C. W., 547
Colombia, 860–868
Columba livia, 157, 270
palumbus, 157
Columbina passerina, 50
picui, 270
communication, 691–700
vocal, 637–645, 655–663, 664–677
community structure, 7–23, 24–40, 41–51
competition, interspecific, 462–468
Conebill, Blue-backed, 31
Cinereous, 31
Conirostrum cinereum, 31
sitticolor, 31
connectivity, migratory, 89–106, 340–351, 608–618, 779–794, 860–868
Contopus, 12
cooperi, 21, 819
sordidulus, 21
virens, 21, 494, 497, 819, 921
Cooper, R. J., see Mattson, B. J., 412; see Diggs, N. E., 646
Coot, American, 107–118
Coracias garrulus, 594
Coragyps atratus, 19
Cormorant, Bank, 251
Cape, 251
Double-crested, 249, 250, 251
Flightless, 250, 252
Guanay, 578
Great, 86
Imperial, 85, 251, 528–537
Pelagic, 80–88
Reed, 250, 251
White-breasted, 250, 251
Corvinella corvina, 391
Corvus brachyrhynchos, 394, 494, 497, 843, 901, 903
caurinus, 398
corax, 309
cornix, 903
cryptoleucus, 260
ossifragus, 494, 497
Costa Rica, 637–645
Cotinga, 12
amabilis, 21
Cotinga, Red-crested, 31
Cowbird, Bay-winged, 270
Brown-headed, 260, 386, 401, 403, 408, 421, 424, 431, 432, 433, 436, 449–461, 835, 896, 899, 901, 902, 903
Screaming, 270
Shiny, 270, 727
Crake, Dot-winged, 725, 727, 732
Cramer, E. R. A., M. L. Hall, S. R. de Kort, I. J. Lovette, and S. L. Vehrencamp, Infrequent Extra-Pair Paternity in the Banded Wren, a Synchronously Breeding Tropical Passerine, 637
Crampton, L. H., and J. S. Sedinger, Nest-Habitat Selection by the Phainopepla: Congruence Across Spatial Scales But Not Habitat Types, 209
Crane, Black Crowned, 250, 253
Blue, 250, 253
Common, 250, 253
Demoiselle, 250, 253
Gray Crowned, 250, 253
Wattled, 250, 252
Cranioleuca antisiensis, 30
sulfurifera, 727
Crax rubra, 19
Creeper, Brown, 819
Crested-Tinamou, Elegant, 271
Crosbie, S. P., L. E. Souza, and H. B. Ernest, Estimating Western Scrub-Jay Density in California by Multiple-Covariate Distance Sampling, 843
Crow, American, 394, 494, 497, 843, 901, 903

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Fish, 494, 497
Hooded, 903
Northwestern, 398
Crowned-Crane, Black, 250, 253
Gray, 250, 253
Crypturellus boucardi, 19
Cuba, 41–51
Cuckoo, Black-billed, 356, 819, 921
Guira, 270
Striped, 673
Yellow-billed, 19, 260, 262, 356, 494, 497
Cyanerpes, 12
cyaneus, 11, 13, 22
lucidus, 22
Cyanistes caeruleus, 68, 475–482, 856, 910
Cyanocitta cristata, 494, 496, 497, 819, 901
stelleri, 827
Cyanocompsa cyanoides, 22
Cyanocorax yncas, 594
Cyanolyca turcosa, 31
Cygnus columbianus bewickii, 55
cygnus, 1
Cyphorhinus phaeocephalus, 198

D

Dacnis, 12
cayana, 13
Darter, African, 249
Dawson, R. W., see Greenwood, J. L., 555
Debinski, D. M., see Hovick, T. J., 429
De Kort, S. R., see Cramer, E. R. A., 637
DeLeon, E., see DeLeon, R. L., 915
DeLeon, R. L., E. DeLeon, and G. R. Rising, Influence of Climate Change on Avian Migrants' First Arrival Dates, 915
demography, 713–723
Dendrocincla anabatina, 20
homochroa, 20
Dendroica, 11, 12
caerulescens, 50, 288, 922
castanea, 22, 922
cerulea, 22, 922
chrysoparia, 903
coronata, 284–297, 505, 506, 508, 656, 661
discolor, 50, 922
dominica, 50
fusca, 22, 819, 922
graciae, 504, 505, 507, 509
magnolia, 22, 50, 819, 922
palmarum, 50, 922
pensylvanica, 22, 549, 819, 922
petechia, 13, 22, 43, 50, 260, 819, 922
petechia gundlachi, 44
pinus, 495, 496, 497, 819, 821, 922
striata, 50, 709–712, 922
tigrina, 50, 922
townsendi, 656
virens, 22, 656
density, nesting, 565–571
population, 843–852
Desmond, M. J., see Ruehmann, M. B., 418
detectability, 223–232, 490–500
dialects, song, 449–461
Díaz-Valenzuela, R., N. Z. Lara-Rodriguez, R. Ortiz-Pulido, F. González-García, and A. R. Bautista, Some Aspects of the Reproductive Biology of the Mexican Sheartail (*Doricha eliza*) in Central Veracruz, 177
dichromatism, sexual, 907–914
Dickcissel, 435, 436, 839, 840
Dickinson, J. L., see Savoca, M. S., 555
diet, 646–654, 795–805, 890–898
Di Giacomo, A. G., see Di Giacomo, A. S., 619; see Facchinetti, C., 907
Di Giacomo, A. S., A. G. Di Giacomo, and J. C. Reboreda, Male and Female Reproductive Success in a Threatened Polygynous Species, the Strange-tailed Tyrant, *Alectrurus risora*, 619
Diggs, N. E., P. P. Marra, and R. J. Cooper, Resource Limitation Drives Patterns of Habitat Occupancy during the Nonbreeding Season for an Omnivorous Songbird, 646
Diglossa cyanea, 31
humeralis, 31
Diomedea exulans, 67
Dipper, American, 250, 252, 260
Brown, 250, 252
Rufous-throated, 250, 252
White-capped, 31, 250, 252
White-throated, 250, 252
dispersal, 119–128, 150–158, 538–546, 768–778, 834–842
distance sampling, 843–852
diving, 80–88
Dolichonyx oryzivorus, 923
Donacospiza albifrons, 727
Doricha eliza, 177–182
Dotterel, Eurasian, 125
Rufous-chested, 727
Dove, Cape, 661
Eared, 270
Mourning, 155, 157, 260, 494, 497
Picui Ground, 270
Rock, 270
Vinaceous, 661
White-tipped, 29
White-winged, 50, 230, 260
Zenaida, 50
Dowitcher, Short-billed, 921
Dryocopus pileatus, 354–359, 494, 497
Dubusia taeniata, 32
Duck, Ring-necked, 301
Tufted, 58
Dugas, M. B., and K. J. McGraw, Proximate Correlates of Carotenoid-Based Mouth Coloration in Nestling House Sparrows, 691
Dumetella carolinensis, 50, 819, 865, 899, 900, 901
Dunlin, 121, 132, 135, 136, 779, 780, 781, 782, 783, 784, 786, 788, 789, 790, 791, 792, 921
Dybala, K. E., see Porzig, E. L., 713

E

Eagle, Bald, 224, 309, 766
Golden, 104, 309, 772
White-tailed, 762, 763, 765, 766

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Eaton, M. D., see Wilson, R. E., 747
ecoimmunology, 853–859
ectoparasites, 853–859
Ecuador, 24–40, 438–448
edge effects, 501–510, 629–636
egg, shell bacteria, 200–208
size variation, 528–537
temperature, 316–325
Egret, Cattle, 260–270, 539
Great, 727, 921
Eider, Common 54, 55, 58, 796, 798, 803
King, 52–60
Elaenia albiceps, 30
chiriquensis, 626
Elaenia, Lesser, 626
White-crested, 30
Elanus leucurus, 270
Electron carinatum, 20
Ellis, J. C., see Savoca, M. S., 555
Ellis, V., see O'Loghlen, A. L., 449
Embernagra platensis, 266, 270, 727, 730
Emerald, Cuban, 50
Empidonax, 625
alnorum, 610, 611, 616, 819
flaviventris, 819
minimus, 817, 819, 821, 822, 921
oberholseri, 219, 834–842
traillii, 21, 255–265, 608–618, 819, 834–842, 921
virescens, 21, 494, 496, 497, 498, 899, 900, 901
Engle, D. M., see Hovick, T. J., 429
Ensifera ensifera, 29
Eraud, D., A. Jacquet, and P. Legagneux, Post-Fledging Movements, Home Range, and Survival of Juvenile Eurasian Collared-Doves in Western France, 150
Erie, Lake, 597–607
Eriocnemis luciani, 29
Erithacus rubecula, 604, 605
Ernest H. B., see Pellegrini, A. R. 233; see Crosbie, S. P., 843
Escalante, P., see Miller, M. J., 806
Estep, L. K., see McClure, C. J. W., 462
Eudromia elegans, 271
Eudyptes chrysocome, 323
Eupherusa eximia, 20
Euphonia, 11, 12, 17
affinis, 23
hirundinacea, 23
gouldi, 13, 23
minuta, 23
evolution, cultural, 449–461
extra-pair paternity, 119–128, 637–645

F

Facchinetti, C., B. Mahler, A. G. Di Giacomo, and J. C. Reboreda, Stages of Plumage Maturation of the Tawny-bellied Seedeater: Evidence of Delayed Plumage Maturation and Cryptic Differentiation between Juveniles and Females, 907
Falco columbarius, 135, 775
femoralis, 776
mexicanus, 776
peregrinus, 103, 104, 135
rufigularis, 19
rusticolus, 135, 768–778
sparverius, 270, 278, 555–564, 775, 856
tinnunculus, 135, 539, 562, 856
Falcon, Aplomado, 776
Peregrine, 103, 104, 135, 772, 776
Prairie, 776
fat accumulation, 129–139
feathers, 298–305
bleaching, 590–596
deuterium enrichment, 555–564
structure, 245–254
wear, 61–60, 881–889
fecundity, 194–199, 412–418
Fedy, B., and K. Martin, The Influence of Fine-Scale Habitat Features on Regional Variation in Population Performance of Alpine White-tailed Ptarmigan, 306
Ficedula albicollis, 68, 643, 661
hypoleuca, 200–208 , 661
fidelity, site, 80–88
field stations, 713–723
Finch, Grassland Yellow, 270, 727, 730, 731
Great Pampa, 270, 271, 727, 730
House, 233–238, 462–468
Long-tailed Reed, 727
Purple, 819
Saffron, 270
Zebra, 856, 857
fire, prescribed, 429–437
Firewood-Gatherer, 270
fledgling, 400–411
Fleischer, R. C., see Peer, B. D., 385; see Pyle, P., 518
Flicker, Campo, 270, 727, 731
Field, 270, 727, 731
Northern, 50, 352–361, 382, 587, 819
Florida, 362–371
Florisuga mellivora, 11, 12, 20
Flowerpiercer, Black, 31, 34
Masked, 31, 34
Flycatcher, Acadian, 21, 494, 496, 497, 498, 899, 900, 901
Alder, 610, 611, 616, 819
Chapada, 626
Cinnamon, 31
Collared, 68, 408, 643, 661
Cordilleran, 828, 829
Dusky, 219, 276, 277, 278, 279, 281, 834–842
Fork-tailed, 727, 728
Great Crested, 21, 255–265, 362–371, 494, 496, 497, 921
La Sagra's, 50
Least, 817, 819, 821, 822, 921
Ochre-bellied, 812
Olive-sided, 819

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Pied, 200–208, 408, 661
Suiriri, 626
Traill's, 819
Willow, 21, 255–265, 608–618, 819, 834–842, 921
Yellow-bellied, 819
Fontaine, J. J., E. Arriero, H. Schwabl, and T. E. Martin, Nest Predation and Circulating Corticosterone Levels within and among Species, 825
foraging, 52–60, 80–88, 140–149, 209–222, 395–399, 890–898
forest, Andean, 24–40
boreal, 817–824
canopy, 7–23
neotropical rain, 7–23
ponderosa pine, 501–510
riparian, 899–906
Forpus passerinus, 114
Formicarius analis, 21
Forsman, E. D., see Glenn, E. M., 159
fragmentation, 306–315
fueling, 129–139, 284–297
Fulica americana, 107–118
Fuller, M. R., see Kochert, M. N., 89
Fulmar, Northern, 349, 521
Fulmarus glacialis, 349, 521
Furnarius rufus, 267, 270, 727, 728

G

Galbula dea, 13
ruficauda, 20
Gallinago jamesoni, 29
paraguaiae, 727
Gallinula chloropus, 260, 921
Gannet, 250, 251, 252
Northern, 85
Gardali, T., see Porzig, E. L., 713
Garthe, S., see Kotzerka, J., 80
genetic resources, 483–489
structure, 119–128, 581–589, 637–645, 735–746, 747–761, 806–816
tagging, 768–778
Geococcyx californianus, 260
Georgia, 412–418
Geothlypis trichas, 50, 260, 288, 493, 495, 497, 819, 865, 923
Geotrygon albifacies, 19
chrysia, 50
montana, 19
Geupel, G. R., see Porzig, E. L., 713
Gill, R. E., see Lindström, A., 129
Gill, V. A., see Hatch, S. A., 340
Giovanni, M. D., M. Post van der Burg, L. C. Anderson, L. A. Powell, W. H. Schacht, and A. J. Tyre, Estimating Nest Density When Detectability Is Incomplete: Variation in Nest Attendance and Response to Disturbance by Western Meadowlarks, 223
Glaudicium griseiceps, 19
jardinii, 29
Glenn, E. M., R. G. Anthony, E. D. Forsman, and G. S. Olson, Local Weather, Regional Climate, and Annual Survival of the Northern Spotted Owl, 159
Glyphorhynchus spirurus, 20, 812
Gnatcatcher, Black-tailed, 260
Blue-gray, 495, 497, 922
Cuban, 50
Tropical, 22
Godwit, Bar-tailed, 136
Golden-Plover, American, 727, 728, 729, 731
European, 136
Goldfinch, American, 819
Golightly, R. T., see Hamilton, C. D., 140
Gómez, C., see González-Prieto, A. M., 860
Gonzáles-Fischer, C., see Codesido, M., 266
González-García, F., see Díaz-Valenzuela, R., 177
González-Prieto, A. M., K. A. Hobson, N. J. Bayly, and C. Gómez, Geographic Origins and Timing of Fall Migration of the Veery in Northern Colombia, 860
Goose, Cackling, 515
Emperor, 515
Ross's, 737
Snow, 323, 512, 515, 735–746, 921
Goshawk, Northern, 309, 476, 548, 551
Gould, W. R., see Ruehmann, M. B., 419
Grackle, Common, 899, 901, 902
Greater Antillean, 51
Velvet-fronted, 879
Graham, C. H., see Latta, S. C., 24
Grallaria ruficapilla, 30
rufula, 30
squamigera, 30
grassland, 266–273, 724–734
Grassquit, Yellow-faced, 51
grazing, 724–734
patch-burn, 429–437
Great Plains, 362–371
Greenwood, J. L., and R. D. Dawson, Correlates of Deuterium (δD) Enrichment in the Feathers of Adult American Kestrels of Known Origin, 555
Grosbeak, Black-headed, 382
Blue, 260
Golden-bellied, 32
Rose-breasted, 219, 382, 819, 820, 821, 839, 923
Groth, J. G., see Barrowclough, G. F., 581
Ground-Dove, Common, 50
Picui, 270
Grouse, Greater Sage, 421
Ruffed, 401
Grus grus, 253
Grzybowski, J. A., *Handbook of Birds of the World, Volume 15: Weavers to New World Warblers*, edited by J. del Hoyo, A. Elliott, and D. A. Christie, 704
Guan, Andean, 29
Guglielmo, C. G., see Seewagen, C. L., 284
Guira guira, 270
Gull, Brown-hooded, 270
Glaucous, 135
Glaucous-winged, 340–351, 586
Great Black-backed, 565–571, 795–805
Herring, 565–571, 795–805
Lesser Black-backed, 342

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Western, 586
Gutiérrez, R. J., see Barrowclough, G. F., 581
Gymnopithys leucaspis, 21
Gyps bengalensis, 476
Gyrfalcon, 135, 768–778

H

Habia fuscicauda, 22
rubica, 22
habitat, alpine, 306–315
change, 24–40, 41–51
quality, 646–654
selection, 209–222
structure, 209–222
use, 24–40, 41–51, 306–315, 372–384, 400–411, 664–690, 762–767, 817–824, 834–842, 890–898
Haematopus ostralegus, 121, 125
palliatus, 126
Hahn, D. C., see Houdek, B. J., 853
Haida Gwaii, 572–580
Haliaeetus albicilla, 762, 763, 765, 766
leucocephalus, 224, 309, 766
Hall, M. L., see Cramer, E. R. A., 637
Hamilton, C. D., R. T. Golightly, and J. Y. Takekawa, Relationships between Breeding Status, Social-Congregation Attendance, and Foraging Distance of Xantus's Merrelets, 140
Harpagus bidentatus, 12, 19
Harrier, Cinereous, 727
Long-winged, 270, 727
Marsh, 543
Northern, 135, 276, 278, 539
Harrison, T. J. E, see Robb, G. N., 475
Hatch, S. A., V. A. Gill, and D. M. Mulcahy, Migration and Wintering Areas of Glaucous-winged Gulls From South-central Alaska, 340; see Kotzerka, J., 80
Hatching, asynchrony, 107–118
success, 200–208
Hauber, M. E., see Landers, T. J., 71
Hawaii, 518–527
Hawk, Broad-winged, 769, 901, 921
Cooper's, 276, 278, 901, 902, 903
Gray, 326–339
Gray-lined, 326–339
Red-shouldered, 494, 497, 538–546, 901, 902
Red-tailed, 276, 278, 309, 543, 901
Roadside, 270
Rough-legged, 772
Sharp-shinned, 276, 278, 279, 281, 769
Swainson's, 89–106, 276, 278, 539, 547–554
Heliangelus viola, 29
Heliothryx, 12
barroti, 20
Hellmayrea gularis, 30
Helmitheros vermivorum, 22, 50, 400–411, 818, 840
Hemispingus, Black-headed, 32, 34
Superciliaried, 32
Hemispingus superciliaris, 32
verticalis, 32, 34
Henicorhina leucosticta, 22
Heron, Great Blue, 494, 497
Green, 921
Whistling, 270
Herpsilochmus dorsimaculatus, 13
Heteroxolmis dominicanus, 267
Hill, G. E., see McClure, C. J. W., 462, 490.
Hirundo rustica, 114, 382, 698, 854, 856, 913
Hobson, K. A., see González-Prieto, A. M., 860
Hokkaido, 762–767
Holyroyd, G. L., see Kochert, M. N., 89
home range, 150–158, 834–842
Honduras, 7–23
Hornero, Rufous, 267, 270, 727, 728
Houdek, B. J., M. P. Lombardo, P. A. Thorpe, and D. C. Hahn, Innate Immunity Is Not Related to the Sex of Adult Tree Swallows during the Nestling Period, 853
Hovick, T. J., J. R. Miller, R. R. Koford, D. M. Engle and D. M. Debinski, Postfledging Survival of Grasshopper Sparrows in Grasslands Managed with Fire and Grazing, 429
Hummingbird, Bee, 181
Black-chinned, 260
Ruby-throated, 819, 820, 921
Rufous-tailed, 20, 806–816
Sword-billed, 29
hybridization, 655–663
Hydroprogne caspia, 921
Hylocharis eliciae, 20
Hylocichla mustelina, 16, 22, 288, 401, 647, 819, 821, 822, 823, 839, 840, 865, 899, 900, 901
Hylomanes momotula, 20
Hylophilus, 12
decurtatus, 11, 13, 16, 21
muscicapinus, 13
ochraceiceps, 21
Hylophlax naevioides, 194–199
Hymenops perspicillatus, 266, 270, 727, 728, 731

I

Ibis, White-faced, 260, 270, 727
Icteria virens, 50, 260
Icterus, 12
bullockii, 381, 587
cayanensis, 270
galbula, 23, 381, 587, 819, 923
melanopsis, 51
Idaho, 183–193, 274–283
immune function, 853–859
incubation, 200–208, 298–305,
onset, 107–118, 316–325
period, 316–325
Inger, R., see Robb, G. N., 475
invasive species, 255–265, 352–361, 395–399, 419–428, 462–468
Iowa, 429–437
Irwin, D. E., see Kenyon, H. L., 655
Isacch, J. P., and D. A. Cardoni, Different Grazing Strategies Are Necessary to Conserve Endangered Grassland Birds in Short and Tall Salty Grasslands of the Flooding Pampas, 724
Ixobrychus exilis, 688

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

J

Jacana jacana, 125
Jaçana, Wattled, 125
Jacquet, A., see Lindström, A., 129
Jaeger, Parasitic, 135
James, F. C., Feathers, The Evolution of a Natural Miracle, by T. Hanson, 924
Jamieson, S. E., see Lindström, A., 129
Jay, Blue, 494, 496, 497, 819, 901
  Florida Scrub, 629–636, 851, 908
  Green, 594
  Island Scrub, 851
  Steller's, 827
  Turquoise, 31
  Western Scrub, 843–852, 903
Jesser, W. A., see Rijke, A. M., 245
Johnson, K. P., see Wilson, R. E., 747
Jones, I. L., see Major, H. L., 572
Junco, Dark-eyed, 276, 278, 279, 281, 445, 505, 506, 508, 585, 647, 825, 826, 828, 829, 854, 856, 857
  Gray-headed, 825, 826, 828, 829
Junco hyemalis, 276, 278, 279, 281, 445, 505, 506, 508, 585, 647, 825, 826, 828, 829, 854, 856, 857

K

Kaltenecker, G. S., see Miller, R. A., 274
Kanefsky, J., see Shorey, R. I., 735
Kansas, 119–128
Kappes, Jr., J. J., and K. E. Sieving, Resin-Barrier Maintenance as a Mechanism of Differential Predation among Occupants of Red-cockaded Woodpecker Cavities, 362
Kearns, L. J., see Rodewald, A. D., 899
Keim, P., see Paxton, E. H., 608
Kendall, S. J., see Taylor, A. R., 779
Kenyon, H. L., D. P. L. Toews, and D. E. Irwin, Can Song Discriminate between MacGillivray's and Mourning Warblers in a Narrow Hybrid Zone?, 655
keratin, 590–596
Kestrel, American, 116, 270, 276, 278, 279, 555–564, 775, 856
  Common, 114, 539, 562, 856
  Eurasian, 114, 539, 562, 856
Kidd, J. W., see Bloom, P. H., 538
Kingbird, Eastern, 219, 921
  Loggerhead, 50
Kingfisher, Belted, 260
Kinglet, Golden-crowned, 819
  Ruby-crowned, 276, 277, 278, 819, 922
Kiskadee, Great, 270, 727, 728
Kite, Red, 543, 544
  White-tailed, 270
Klais gumeti, 20
Klassen, M., see Lindström, A., 129
kleptoparasite, cavity, 362–371
knapweed, spotted, 395–399
Knot, Red, 616
Kochert, M. N., M. R. Fuller, L. S. Schueck, L. Bond, M. J. Bechard, B. Woodbridge, G. L. Holroyd, M. S. Martell, and U. Banasch, Migration Patterns, Use of Stopover Areas, and Austral Summer Movements of Swainson's Hawks, 89
Koenig, W. D., E. L. Walters, and A. M. Liebhold, Effects of Gypsy Moth Outbreaks on North American Woodpeckers, 352
Koford, R. R., see Hovick, T. J., 429
Kotzerka, J., S. A. Hatch, and S. Garthe, Evidence for Foraging-Site Fidelity and Individual Foraging Behavior of Pelagic Cormorants Rearing Chicks in the Gulf of Alaska, 80
Kuehn, M. J., see Peer, B. D., 385

L

Lafresnaya lafresnayi, 29
Lagopus leucura, 306–315
Lai, J. E., see Barrowclough, G. F., 581
Lampropsar tanagrinus, 879
Lamprospiza melanoleuca, 13
Lanctot, R. B., see Taylor, A. R., 779
land use, 24–40
Landers, T. L., M. J. Rayner, R. A. Phillips, and M. E. Hauber, Dynamics of Seasonal Movements by a Trans-Pacific Migrant, the Westland Petrel, 71
Lane, D. F., see O'Neill, J. P., 869
Lanio aurantius, 22
Lanius bucephalus, 385–394
  collaris, 387, 394
  collurio, 385–394
  cristatus, 386, 387, 391, 394
  excubitor, 385–394
  isabellinus, 386, 387, 394
  ludovicianus, 385–394, 421, 431
  meridionalis, 385–394
  minor, 386, 387
  nubicus, 386, 387, 394
  schach, 386, 387, 388, 391, 394
  senator, 386, 387, 394
  sphenocercus, 385–394
  tephronotus, 386, 387, 394
  tigrinus, 386, 387, 391, 394
Lank, D. B., *Shorebird Ecology, Conservation and Management*, by M. A. Colwell, 703
Lapwing, Southern, 124, 125, 126, 270, 727, 728, 731
Lara-Rodriguez, N.Z., see Díaz-Valenzuela, R., 177
Larus argentatus, 565–571, 795–805
  fuscus, 342
  glaucescens, 340–351, 586
  hyperboreus, 135
  marinus, 565–571, 795–805
  occidentalis, 586
Laterallus spilonotus, 253
Latta, S. C., B. A. Tinoco, P. X. Astudillo, and C. H. Graham, Patterns and Magnitude of Temporal Change in Avian Communities in the Ecuadorian Andes, 24; see Mattsson, B. J., 412
Legagneux, P., see Eraud, C., 150
Lelevier, M. J., see Miller, M. J., 806
Leonard, M. L., see Steenweg, R. J., 795
Lepidocolaptes angustirostris, 270
  souleyetii, 20
Leptopogon amaurocephalus, 19

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Leptotila cassini, 19
verreauxi, 29
Lesbia nuna, 29
victoriae, 29
Lessonia rufa, 727, 728, 731
Leucopternis, 12, 17
albicollis, 19
Libants, S. V., see Shorey, R. I., 735
Liebhold, A. M., see Koenig, W. D., 352
Ligon, R. A., see McClure, C. J. W., 490
Limnodromus griseus, 921
Limnothlypis swainsonii, 45, 50, 890–898
Lindström, A., R. L. Gill Jr., S. E. Jamieson, B. McCaffery, L. Wennerberg, M. Wikelski, and M. Klassen, A Puzzling Migratory Detour: Are Fueling Conditions in Alaska Driving the Movement of Juvenile Sharp-tailed, Sandpipers? 129
Linnet, 594
Lira-Noriega, A., see Schukman, J. M., 372
Lobato, E., see Ruiz-de-Castaneda, R., 200
logging, 817–824
Lombardo, M. P., see Houdek, B. J., 853
Lophornis helenae, 20
Lophostrix cristata, 19
Lovette, I. J., see Cramer, E. R. A., 637
Lymantria dispar, 352–361
Lynn, S. E., see Class, A. M., 438

M

Macaw, Blue-and-yellow, 879
Blue-throated, 879
Machetornis rixosus, 270, 727
Mackenzie, S. A., see Mills, A. M., 597
Magpie, Black billed, 421
Common, 903
Yellow-billed, 844
Mahler, B., see Facchinetti, C., 907
Maine, 565–571
Major, H. L., and I. L. Jones, An Experimental Study of the Use of Social Information by Prospecting Nocturnal Burrow-Nesting Seabirds, 572
Mallard, 250, 251
Manacus, 586
candei, 21
Margarops fuscatus, 115
Margarornis squamiger, 30
Marra, P. P., see Diggs, N. E., 646
Marshbird, Brown-and-yellow, 270, 271, 727, 728, 730, 731
Martel, M. S., see Kochert, M. N., 89
Martin, K., see Fedy, B., 306
Martin, Purple, 922
Martin, T. E., see Fontaine, J. J., 825
Marzluff, J. M., see Rohwer, S., 61
Mathewson, H. A., see Vormwald, L. M., 834
mating assortative, 881–889
systems, 119–128, 619–628
Mattsson, B. J., S. C., Latta, R. J. Cooper, and R. S. Mulvihill, Latitudinal Variation in Reproductive Strategies by the Migratory Louisiana Waterthrush, 412
maturation, plumage, 907–914
McAllister, T. L., see Streby, H. M., 817
McCaffery, B. J., see Lindström, A., 129; see Booms, T. L., 768
McClure, C. J. W., L. K. Estep, and G. E. Hill, A Multi-Scale Analysis of Competition between the House Finch and House Sparrow in the Southeastern United States, 462; and Nathan D. Burkett-Cadena, Russell A. Ligon, and Geoffrey E. Hill, Actual or Perceived Abundance? Interpreting Annual Survey Data in the Face of Changing Phenologies, 490
McCracken, K. G., see Wilson, R. E., 747; see Booms, T. L., 768
McDonald, R. A., see Robb, G. N., 475
McGill, R. A. R., see Robb, G. N., 475
McGraw, K. J., see Dugas, M. B., 691
McNair, D. B., and I. C. T. Nisbet, Movements of Juvenile Blackpoll Warblers Prior to Autumn Migration in Newfoundland, 709
Meadowlark, Eastern, 436 , 839, 840
Long-tailed, 270
Pampas, 267
Western, 223–232
Mecocerculus stictopterus, 31
Megaceryle alcyon, 260
Megarynchus pitangua, 21
Melanerpes, 12
carolinus, 355, 362–371, 494, 497
erythrocephalus, 352–361
lewis, 183–193
pucherani, 13, 20
superciliaris, 50
Melanitta fusca, 55
Mellisuga helenae, 181
Melopyrrha nigra, 51
Melospiza georgiana, 819
lincolnii, 923
melodia, 260, 480, 819, 826
Melozone aberti, 260
Merlin, 135, 775
Merops philippinus, 590–596
Merrill, L., see O'Loghlen, A. L., 449
Mesoamerica, 5–6
mesquite, 209–222
Metallura tyrianthina, 30, 34
Metaltail, Tyrian, 30, 34
Mexico, 177–182
Micrastur semitorquatus, 19
Micrathene whitneyi, 260
Microcerculus philomela, 22
Microrhopias quixensis, 21
Middle America, 5–6, 806–816
Midway Atoll, 518–527
migration, 71–79, 89–106, 129–139, 274–283, 284–297, 298–305, 340–351, 490–500, 597–607, 608–618, 664–677, 709–712, 779–794 , 860–868, 915–923
Miller, J. R., see Hovick, T. J., 429
Miller, M. J., M. J. Lelevier, E. Bermingham, J. T. Klicka, P. Escalante, and K. Winker, Phylogeography of the Rufous-tailed Hummingbird (*Amazilia tzacatl*), 806
Miller, R. A., J. D. Carlisle, and G. S. Kaltenecker, Effects of Regional Cold Fronts and Localized Weather Phenomena on Autumn Migration of Raptors and Landbirds in Southwest Idaho, 274

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Mills, A. M., B. G. Thurber, S. A. Mackenzie, and P. D. Taylor, Passerines Use Nocturnal Flights for Landscape-Scale Movements during Migration Stopover, 597
Millsap, B. A., S. H. Seipke, and W. S. Clark, The Gray Hawk (*Buteo nitidus*) is Two Species, 326
Milvago chimango, 270, 727, 731
Milvus milvus, 543, 544
Mimus polyglottos, 47, 50, 491, 903
saturninus, 270
Minnesota, 817–824
Mionectes, 12, 625
oleagineus, 21, 812
mistletoe, 209–222
Mitchell, G. W., P. D. Taylor, and I. G. Warkentin, Movements of Juvenile Blackpoll Warblers Prior to Autumn Migration in Newfoundland Reconsidered, 711
Mniotilta varia, 22, 50, 288, 817, 819, 821, 922
Mockingbird, Chalk-browed, 270
Northern, 47, 50, 491, 903
Molothrus ater, 160, 401, 421, 431, 449–461, 835, 896, 899, 901, 902, 903
bonariensis, 270, 727
rufoaxiliaris, 270
molt, 61–70, 298–305, 907–914
Momotus momota, 20
monitoring, 24–40
long-term, 713–723
Monjita, Black-and-white, 267
Moore, I. T., see Class, A. M., 438
Moorhen, Common, 260, 921
Moreno, J., see Ruiz-de-Castaneda, R., 20
Morrison, M. L., see Vormwald, L. M., 834
Morus bassunas, 85
moth, gypsy, 352–361
Mountain-Tanager, Black-chested, 32
Buff-breasted, 32
Scarlet-bellied, 32
Mountain-Toucan, Gray-breasted, 30
Mulcahy, D. M., see Hatch, S. A., 340
Mulvihill, R. S., see Mattson, B. J., 412
Murre, Common, 147
Thick-billed, 85, 147, 572
Murrelet, Ancient, 572–580
Marbled, 141
Xantus's, 140–149
Myadestes unicolor, 22
Myiarchus, 12
crinitus, 21, 255–265, 362–371, 494, 496, 497, 921
sagrae, 21
tuberculifer, 21
tyrannulus, 21
Myiobius sulphureipygius, 21
Myioborus melanocephalus, 21
miniatus, 22
Myiodynastes, 12
luteiventris, 21
Myiopagis viridicata, 12
Myiopsitta monachus, 267, 270
Myiotheretes fumigatus, 31
striaticollis, 31
Myiozetes similis, 21

N

Naka, L. N., see Anderson, D. L., 7; see O'Neill, J. P., 869
Nebraska, 223–232
Negrito, Austral, 727, 728, 731
Neophron percnopterus, 477
nest, 177–182
attendance, 223–232
density, 223–232
site selection, 183–193, 209–222, 762–767
survival, 183–193, 419–428, 619–628, 629–636
nestling, 691–700
Nevada, 209–222
Newlon, K. R. and V. S. Saab, Nest-Site Selection and Nest Survival of Lewis's Woodpecker in Aspen Riparian Woodlands, 183
Newton, J., see Robb, G. N., 475
New York, 284–297, 915–923
New Zealand, 71–79
niche partitioning, 795–805
Nicolai, C. A., see Sedinger, J. S., 511
Night-Heron, Black-crowned, 260
Nightjar, Band-winged, 29
Nigro, D. A., see Taylor, A. R., 779
Nisbet, I. C. T., see McNair, D. B., 709
Nol, E., see Wiancko, E., 41
Notharchus, 12
hyperrhynchus, 20
Nothura maculosa, 270 , 727
Nuthatch, Red-breasted, 819
White-breasted, 505, 507, 819
Nyctea scandiaca, 539
Nyctibius grandis, 19
Nycticorax nycticorax, 260
Nycticryphes semicollaris, 727
Nyctidromus albicollis, 19

O

Oceanodroma leucorhoa, 798, 803
tristrami, 526
Ochthoeca cinnamomeiventris, 31
frontalis, *31*
rufipectoralis, 31
Oddy, D. M., see Carter, G. M., 629
Oenanthe oenanthe, 2
Ohio, 400–411, 899–906
O'Loghlen, A. L., V. Ellis, D. R. Zaratzian, L. Merrill, and S. I. Rothstein, Cultural Evolution and Long-Term Stability in a Dialect Population of Brown-headed Cowbirds, 449
Olson, G. S., see Glenn, E. M., 159
O'Neill, J. P., D. F. Lane, and L. N. Naka, A Cryptic New Species of Thrush (Turdidae: *Turdus*) from Western Amazonia, 869
Oncostoma cinereigulare, 21
Ontario, 597–607
Onychorhynchus coronatus, 21

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Opororнis agilis, 819
formosus, 16, 22
philadelphia, 655–663, 819, 923
tolmiei, 276, 277, 278, 655–663
Oppel, S., A. N. Powell, and M. G. Butler, King Eider Foraging Effort during the Pre-Breeding Period in Alaska, 52
Oreoscoptes montanus, 420
Oreothlypis celata, 50, 819, 828, 829, 865, 922
luciae, 260
peregrina, 22, 50, 819, 922
ruficapilla, 50, 819, 922
Oriole, Baltimore, 381, 382, 587, 923
Bullock's, 381, 382, 587
Cuban, 51
Epaulet, 270
Ornithion, 12
semiflavum, 13, 21
Ortalis vetula, 19
Ortiz-Pulido, R., see Díaz-Valenzuela, R., 177
Osprey, 102, 103, 104, 276, 278, 543, 762–767, 921
Osteodontornis orri, 3
Ovenbird, 50, 284–297, 400–411, 647, 817, 818, 819, 821, 822, 823, 840, 922
Owl, Barred, 160, 162, 163, 165, 169, 171, 173, 581–589, 901
Burrowing, 115, 230, 727
Great Horned, 91, 110, 548
Rufous-banded, 29
Short-eared, 135, 539, 727
Snowy, 539
Spotted, 159–176, 509, 581–589
Ural, 68, 534
Oystercatcher, American, 126
Eurasian, 121, 125

P

Pachyramphus, 12
aglaiae, 21
major, 21
Pacific Ocean, South, 71–79
Painted-Snipe, South American, 727
Pampa-Finch, Great, 270, 271, 727, 730
Panama, 194–199, 806–816
Pandion haliaetus, 102, 278, 543, 762–767, 921
Panyptila cayennensis, 19
Papp, J. M., see Bloom, P. H., 538
Parada, A., see Wiancko, E., 41
Parakeet, Monk, 267, 270
parasitism, brood, 385–394
Pardirallus sanguinolentus, 727
parental care, 825–833
Parkesia motacilla, 16, 22, 412–418, 495, 496, 497, 498, 923
noveboracensis, 16, 22, 50, 288, 819, 923
Parula americana, 50, 493, 495, 496, 497, 819, 922
Parula, Northern, 50, 493, 495, 496, 497, 819, 922
Parus major, 408, 477, 553, 591, 595, 856
Passer domesticus, 1, 115, 270, 462–468, 483–489, 691–700, 856, 857
Passerculus sandwichensis, 803, 819, 923
Passerella iliaca, 917, 923
Passerina amoena, 260, 382
caerulea, 260
ciris, 50
cyanea, 50, 260, 382, 459, 495, 496, 497, 819, 923
Patagioenas, 12
fasciata, 27
flavirostris, 19
leucocephala, 50
nigrirostris, 19
plumbea, 13
Paxton, E. H., T. C. Theimer, and M. K. Sogge, Tamarisk Biocontrol Using Tamarisk Beetles: Potential Consequences for Riparian Birds in the Southwestern United States, 255; P. Unitt, M. K. Sogge, M. Whitfield, and P. Keim, Winter Distribution of Willow Flycatcher Subspecies, 608
Peer, B. D., C. E. McIntosh, M. J. Kuehn, S. I. Rothstein, and R. C. Fletcher, Complex Biogeographic History of *Lanius* Shrikes and Its Implications for the Evolution of Defenses against Avian Brood Parasitism, 385
Pelecanus erythrorhynchos, 251, 252
occidentalis, 250, 251, 252
Pelican, American White, 251, 252
Brown, 250, 251, 252
Pellegrini, A. R., S. Wright, W. K. Reisen, B. Treiterer, and H. B. Ernest, Annual Survival of House Finches in Relation to West Nile Virus, 233
Penelope montagnii, 29
purpurascens ,19
Penguin, Adélie, 323
Chinstrap, 147, 857
Crested, 317
King, 323
Magellanic, 316–325, 856
Rockhopper, 317
Pennsylvania, 412–418
Pernis apivorus, 102, 136
Peru, 869–880
Peters, J. L., see Wilson, R. E., 747
Peterson, A. T., Effects of Climate Change on Birds, edited by A. P. Møller, W. Fieldler, and P. Berthold, 924
Peterson, H. T., see Schukman, J. M., 372
Peterson, S. M., see Streby, H. M., 817
Petrel, Bonin, 519, 526
Bulwer's, 521
Gray, 521
Herald, 526
Jouanin's, 526
Kermadec, 526
Leach's Storm, 798, 803
Murphy's, 526
Parkinson's, 72, 521
Tristram's Storm, 526
Westland, 71–79, 521
White-chinned, 72, 74, 76, 78, 521
Petrochelidon pyrrhonota, 260, 922
Petroica longipes, 908
Pewee, Eastern Wood, 21, 494, 497, 819, 921

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Phacellodomus striaticollis, 270, 727
Phaethornis longirostris, 20
striigularis, 20
Phainopepla, 209–222
Phainopepla nitens, 209–222
Phalacrocorax africanus, 251
atriceps, 85, 251, 528–537
bougainvillii, 578
capensis, 251
carbo, 86, 249, 251
harrisi, 252
magellanicus, 86
neglectus, 251
pelagicus, 80–88
Phalarope, Red, 124, 125, 780, 784, 786, 788, 789, 792
Red-necked, 125, 780, 784, 785, 786, 787, 788, 789, 791, 792
Wilson's, 125, 727
Phalaropus fulicarius, 124, 125, 780, 784, 786, 788, 789, 792
lobatus, 125, 780, 784, 785, 786, 787, 788, 789, 791, 792
tricolor, 125, 727
phenology, 490–500, 915–923
Pheucticus chrysogaster, 32
ludovicianus, 22, 219, 382, 819, 820, 821, 839, 923
melanocephalus, 382
Phillips, R. A, see Landers, T. J., 71
Philomachus pugnax, 121, 125
philopatry, 119–128, 735–746, 768–778
Phoebastria albatrus, 67
immutabilis, 62
nigripes, 1, 61–70
Phoebe, Black, 260, 373
Eastern, 372–384, 921
Say's, 372–384
Phrygilus unicolor, 32
Phyllomyias uropygialis, 30
Phylloscopus trochiloides, 661
phylogeny, 385–394, 518–527
phylogeography, 806–816
Piaya, 12
cayana, 13, 19
Pica hudsonia, 421
nuttalli, 844
pica, 903
Picoides borealis, 362–371
fumigatus, 20
pubescens, 352–361, 480, 494, 497, 819
villosus, 354, 812, 819
Piculus rivolii, 30
Picumnus olivaceus, 20
Pigeon, Band-tailed, 157
Picazuro, 270
Rock, 157
White-crowned, 50
Wood, 157
pigments, plumage, 881–889
Pionus, 12, 17
menstruus, 13
senilis, 12, 19
Pipilo erythrophthalmus, 356, 495, 497
Pipit, American, 922
Correndera, 270, 727, 728, 731
Short-billed, 270
Yellowish, 673
Pipra mentalis, 21
Piranga, 12
leucoptera, 22
ludoviciana, 276–277, 278, 279, 505, 507
olivacea, 13, 22, 819, 820, 821, 823, 923
rubra, 13, 21, 260, 495, 496, 497
Pitangus sulphuratus, 270, 727, 728
plants, invasive, 255–265, 419–428
plasticity, phenotypic, 528–537
Platalea ajaja, 260
Platyrinchus cancrominus, 21
Plegadis chihi, 260, 270, 727
Plover, American Golden, 727, 728, 729, 731
Black-bellied, 921
Kentish, 125, 126
Ringed, 125
Semipalmated, 125, 921
plumage, color, 907–914
cycle, 907–914
wear, 881–889
Plushcap, 32
Pluvialis apricaria, 136
dominica, 727, 728, 729, 731
squatarola, 921
Poecile atricapillus, 395–399, 819
carolinensis, 494, 497
gambeli, 505, 506
Polioptila, 12
caerulea, 495, 497, 922
lembeyei, 50
melanura, 260
plumbea, 22
polymorphism, plumage, 678–690
Polystictus pectoralis, 271
population dynamics, 511–517
trends, 490–500, 511–517
Populus tremuloides, 183–193
Porzana carolina, 921
spiloptera, 725, 727, 732
Porzig, E. L., K. E. Dybala, T. Gardali, G. Ballard, G. R. Geupel, and J. A. Wiens, Forty-five Years and Counting: Reflections from the Palomarin Field Station on the Contribution of Long-Term Monitoring and Recommendations for the Future, 713
Post-fledging, 150–158, 400–411, 429–437, 709–712, 817–824, 834–842
Post van der Burg, M., see Giovanni, M. D., 223
Powell, A. N., see Oppel, S., 52; see Taylor, A. R., 779
prairie, tallgrass, 429–437
predation, 129–139, 400–411, 629–636
differential, 362–371
nest, 825–833, 899–906
prey, selection, 395–399
Procellaria aequinoctialis, 72, 521

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

cinerea, 521
parkinsoni, 72, 521
westlandica, 71–79, 521
Progne subis, 922
Protonotaria citrea, 493, 495, 497
Psarocolius, 12
montezuma, 23
wagleri, 11, 13, 23
Pseudastur, 17
Pseudocolaptes boissonneautii, 30
Pseudoleistes virescens, 266, 270, 727, 728, 730, 731
Psilorhinus morio, 13, 22
Ptarmigan, White-tailed, 306–315
Pterodroma heraldica, 526
hypoleuca, 519, 526
neglecta, 526
ultima, 526
Pteroglossus, 22
torquatus, 11, 13, 20
Pterophanes cyanopterus, 29
Ptychoramphus aleuticus, 147
Puffinus assimilis, 518, 519, 520, 521, 522, 523, 524, 525, 526
atrodorsalis, 521, 524
auricularis, 519, 520, 525
bailloni, 518, 519, 520, 521, 524
bannermani, 526
baroli, 518, 519, 520, 521, 523, 524, 525, 526
boydi, 519, 520, 521, 522, 523, 524, 525, 526
bryani, 518–527
carneipes, 521, 524
creatopus, 521, 524
dichrous, 521, 524, 525, 526
gavia, 521, 524
gravis, 521, 524
griseus, 521, 524
huttoni, 521, 524
lherminieri, 518, 519, 520, 521, 522, 523, 524, 525, 526
mauretanicus, 521, 524
myrtae, 519, 520, 521, 522, 523, 524, 525, 526
nativitatis, 521, 524
newelli, 519, 520, 521, 522, 524, 525
opisthomelas, 521, 522, 523, 524, 525
pacificus, 521, 524
persicus, 521, 524
polynesiae, 521, 524, 525, 526
puffinus, 518, 520, 521, 524, 525, 526
subalaris, 518, 520, 521, 524, 526
tenuirostris, 521, 524
yelkouan, 521, 524
Puffleg, Sapphire-vented, 29, 34
Pygmy-Owl, Andean, 29
Pygoscelis adeliae, 323
antarctica, 147, 857
Pyle, P., A. J. Welch, and R. C. Fleischer, A New Species of Shearwater (*Puffinus*) Recorded from Midway Atoll, Northwestern Hawaiian Islands, 518
Pyrilia haematotis, 11, 13, 19
Pyrrhomyias cinnamomea, 31
Pyrrhuloxia, 260

Q

Quail, Gambel's 260
Quail-Dove, Key West, 50
Quintana, F., see Svagelj, W. S., 528
Quiscalus mexicanus, 23
niger, 51
quiscula, 899, 901, 902

R

Rail, Galapagos, 250, 253
Plumbeous, 727
Virginia, 921
Rallus limicola, 921
Ramphastos, 12
sulfuratus, 11, 13, 20
tucanus, 13
Ramphocaenus melanurus, 22
range expansion, 538–546, 762–767, 806–816
Raven, Chihuahuan, 260
Common, 309
Rayner, M. J., see Landers, T. J., 71
Reboreda, J. C., see Di Giacomo, A. S., 619; see Facchinetti, C., 907
Rebstock, G. A., and P. E. Boersma, Parental Behavior Controls Incubation Period and Asynchrony of Hatching in Magellanic Penguins, 316
recolonization, 572–580
recruitment, 511–517, 547–554
Redstart, American, 50, 817, 819, 821, 822, 922
Redwing, 491
Reed-Finch, Long-tailed, 727
refueling rate, 129–139, 284–297
Regulus calendula, 819, 922
satrapa, 819
Reisen, W. E., see Pellegrini, A. R., 232
Repenning, M., see Areta, J. I., 664, 678
reproduction, 177–182
effort, 555–564
success, 547–554, 619–628
synchrony, 438–448
resource, availability, 41–51
selection, 306–315
restoration, island, 572–580
ponderosa pine forest, 501–510
Reynolds, S. J., see Robb, G. N., 475
Rhamphomicron microrhynchum, 29
Rhea americana, 271, 727, 728, 731
Rhea, Greater, 271, 727, 728, 731
Rhynchocyclus brevirostris, 21
Rhynchortyx cinctus, 21
Rhytipterna, 12
holyerythra, 21
Rijke, A. M., and W. A. Jesser, The Water Penetration and Repellency of Feathers Revisited, 245

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Riparia riparia, 922
Rising, G. R., see DeLeon, R. L., 915
RNA isolation, 483–489
Roadrunner, Greater, 260
Robb, G. N. R. A. McDonald, R. Inger, S. J. Reynolds, J. Newton, R. A. R. McGill, D. E. Chamberlain, T. J. E. Harrison, and S. Bearhop, Using Stable-Isotope Analysis as a Technique for Determining Consumption of Supplementary Foods by Individual Birds, 475–482
Robin, American, 652, 819, 820, 821, 881–889
European, 604, 605
North Island, 908
Rock, D. F., see Barrowclough, G. F., 581
Rodewald, A. D., and L. J. Kearns, Shifts in Dominant Nest Predators along a Rural-to-Urban Landscape Gradient, 899; see Vitz, A. C., 400
Rohwer, S., A. Viggiano, and J. M. Marzluff, Reciprocal Tradeoffs Between Molt and Breeding in Albatrosses, 61
Roller, European, 594
Ronconi, R. A., see Steenweg, R. J., 795
Rothstein, S. I., see O'Loghlen, A. L., 449; see Peer, B. D., 385
Rowe, K. M. C., and P. J. Weatherhead, Assortative Mating in Relation to Plumage Traits Shared by Male and Female American Robins, 881Rowe, K. M. C., and P. J. Weatherhead, Assortative Mating in Relation to Plumage Traits Shared by Male and Female American Robins, 881
Ruehmann, M. B., M. J. Desmond, and W. R. Gould, Effects of Smooth Brome on Brewer's Sparrow Nest Survival in Sagebrush Steppe, 419
Ruff, 121, 125
Ruiz-de-Castaneda, R., A. I. Vela, V. Briones, and J. Moreno, Bacterial Loads on Eggshells of the Pied Flycatcher: Environmental and Maternal Factors, 200
Rynchotus rufescens, 727

S

Saab, V. A., see Newlon, K. R., 183
Sage, G. K., see Booms, T. L., 768
sagebrush, 419–428
Sage-Grouse, Greater, 421
Saltator coerulescens, 22
Saltator, Grayish, 22
Samuel, M. D., see Shorey, R. I., 735
Sandercock, B. K., see Casey, A. E., 119
Sandpiper, Buff-breasted, 125, 724, 725, 727, 728, 729, 731, 732
Common, 124, 125
Least, 921
Pectoral, 921
Purple, 125
Rock, 132
Semipalmated, 779, 780, 781, 782, 784, 785, 786, 787, 788, 789, 790, 791, 792, 921
Sharp-tailed, 129–139
Solitary, 921
Spotted, 125, 921
Upland, 119–128
Western, 125, 779, 780, 781, 784, 785, 786, 789, 790, 791, 792
White-rumped, 791
Sapphirewing, Great, 29
Sapsucker, Red-breasted, 585
Yellow-bellied, 50, 352–361, 819
Saskatchewan, 555–564
Savoca, M. S., D. N. Bonter, B. Zuckerberg, J. L. Dickinson, and J. C. Ellis, Nesting Density is an Important Factor Affecting Chick Growth and Survival in the Herring Gull, 565
Saxicola torquatus, 826
Sayornis nigricans, 260–373
phoebe, 372–384, 921
saya, 372–384
Scaup, Greater, 58
Lesser, 298–305
Schacht, W. H., see Giovanni, M. D., 223
Schempf, P. F., see Booms, T. L., 768
Schiffornis, Thrush-like, 21, 812
Schiffornis turdina, 21, 812
Schueck, L.S., see Kochert, M.N., 89
Schukman, J. M., A. Lira-Noriega, and A. T. Peterson, Multiscalar Ecological Characterization of Say's and Eastern Phoebes and Their Zone of Contact in the Great Plains, 372
Schwabl, H., see Fontaine, J. J., 825
Sclerurus guatemalensis, 20
Scolopax minor, 921
Scoter, White-winged, 55, 58
Scott, M. J., see Bloom, P. H., 538
Screamer, Southern, 270, 727
Scribner, K. T., see Shorey, R. I., 735
Scrub-Jay, Florida, 629–636, 851, 908
Island, 851
Western, 843–852, 903
Scytalopus unicolor, 30
Sedinger, J. S., and C. A. Nicolai, Recent Trends in First-Year Survival for Black Brant Breeding in Southwestern Alaska, 511; see Crampton, L. H., 209
Seedeater, Band-tailed, 32, 36
Black-and-tawny, 679
Black-bellied, 672, 674, 679, 686, 688
Capped, 679, 680, 686, 687, 688
Chestnut, 672, 674, 678–690, 908
Chestnut-bellied, 679
Dark-throated, 673, 674, 679, 686, 687, 688, 908
Entre Ríos, 679, 688
Gray, 672
Lined, 665
Marsh, 672, 674, 679, 686, 687, 688
Paramo, 32, 35
Plain-colored, 32, 36
Plumbeous, 672
Ruddy-breasted, 674, 679
Rufous-rumped, 679, 686, 688, 908
Rusty-collared, 672
Tawny-bellied, 664–690, 907–914
White-throated, 672
Seewagen, C. L., C. D. Sheppard, E. J. Slayton, and C. G. Guglielmo, Plasma Metabolites and Mass Changes of Migratory Landbirds Indicate Adequate Stopover Refueling in a Heavily Urbanized Landscape, 284
Seipe, S. H., see Millsap, B. A., 326

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Seiurus aurocapilla, 16, 22, 50, 284–297, 400–411, 647, 817, 818, 819, 821, 822, 823, 840, 922
Selenidera, 12
spectabilis, 20
selection, sexual, 881–889
Serpophaga subcristata, 270
Setophaga ruticilla, 22, 50, 817, 819, 821, 822, 922
Shag, European, 85, 86
Sheartail, Mexican, 177–182
Shearwater, Audubon's, 518, 519, 520, 521, 522, 523, 524, 526
Balearic, 521, 524
Bannerman's, 526
Black-vented, 521, 522, 523, 524, 525, 526
Bryan's, 518–527
Buller's, 521, 524
Christmas, 521, 524
Cory's, 85, 521, 524
Flesh-footed, 521, 524
Fluttering, 521, 524
Galapagos, 518, 520, 521, 524, 526
Great, 521, 524
Hutton's, 521, 524
Little, 518, 519, 520, 521, 522, 523, 524, 525, 526
Macaronesian, 518, 519, 521, 523, 524, 525, 526
Manx, 518, 519, 521, 524, 525, 526
Newell's, 519, 520, 521, 522, 524, 525
Persian, 521, 524
Pink-footed, 521, 524
Short-tailed, 521, 524
Sooty, 521, 524
Streaked, 521, 524, 526
Townsend's, 520, 521, 525
Wedge-tailed, 521, 524
Yelkouan, 521, 524
Sheppard, C. D., see Seewagen, C. L., 284
Shoji, A., A. Sugiyama, and M. A. Brazil, The Status and Breeding Biology of Ospreys in Hokkaido, Japan, 762
Shorey, R. I., K. T. Scribner, J. Kanefsky, M. D. Samuel, and S. V. Libants, Intercontinental Gene Flow among Western Arctic Populations of Lesser Snow Geese, 735
Shoveler, Northern, 921
Shrike, Loggerhead, 385, 421, 431
Sialia mexicana, 505, 506, 508, 839, 840, 913
Sicalis flaveola, 270
luteola, 270, 727, 730, 731
Siefferman, L., see Surmacki, A., 590
Sierra-Finch, Plumbeous, 32, 36
Sieving, K. E., see Kapper J. J. Jr., 262
Simarra, B., see Wilson, R. E., 747
Sisk, T. D., see Battin, J., 501
Siskin, Hooded, 32, 36, 270
Sitta canadensis, 819
carolinensis, 505, 507, 819
Slayton, E.J., see Seewagen, C.L., 284
snake, rat, 263–371
Snipe, Andean, 29
South American, 727
South American Painted, 727
Softtail, Plain, 879
Sogge, M. K., see Paxton, E. H., 608
Somateria mollissima, 53, 796, 798, 803
spectabilis, 52–60
song, 449–461, 655–663
Sonsthagen, S. A., see Wilson, R. E., 747
Sora, 921
South Carolina, 646–654
Souza, L. E., see Crosbie, S. P., 843
Sparrow, Brewer's, 419–428
Chipping, 276, 277, 278, 505, 507, 819
Clay-colored, 819
Fox, 917, 923
Grasshopper, 240, 429–437, 731
House, 1, 115, 270, 462–468, 483–489, 691–700, 856, 857
Lincoln's, 923
Rufous-collared, 32, 270, 438–448, 673, 727
Sage, 420
Savannah, 803, 819, 923
Song, 260, 480, 819, 826
Swamp, 819
White-crowned, 276, 277, 278, 438–448, 457, 819
White-throated, 288, 290, 291, 819
Zapata, 48, 51
Spartonoica maluroides, 271, 724, 725, 727, 732
speciation, 326–339, 655–663, 664–690, 747–761, 869–880
Spheniscus magellanicus, 316–325, 856
Sphyrapicus ruber, 585
varius, 50, 352–361, 819
Spindalis, Western, 51
Spindalis zena, 51
Spinetail, Azara's, 30, 34
Bay-capped Wren, 271, 724, 725, 727, 732
Line-cheeked, 30
Sulphur-throated, 727
White-browed, 30, 34
Spinus tristis, 819
Spiza americana, 435, 839, 840
Spizaetus melanoleucus, 15
ornatus, 15, 19
tyrannus, 15, 19
Spizella breweri, 419–428
pallida, 819
passerina, 276, 277, 278, 505, 507, 819
Spoonbill, Roseate, 260
Sporophila albogularis, 672
bouvreuil, 679, 680, 686, 687, 688
castaneiventris, 679
cinnamomea, 672, 674, 678–690, 908
collaris, 672
hypochroma, 679, 686, 688, 908
hypoxantha, 664–690, 907–914
intermedia, 672
lineola, 665
melanogaster, 672, 674, 679, 686, 688
minuta, 674, 679
nigrorufa, 679
palustris, 672, 674, 679, 686, 687, 688

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

pileata, 679, 680, 686, 688
plumbea, 672
ruficollis, 673, 674, 679, 686, 687, 688, 908
zelichi, 679, 688
stable-isotope analysis, 475–482, 555–564, 646–654, 795–805, 860–868
staging, 779–794
Starfrontlet, Rainbow, 29, 34
Starling, European, 68, 249, 250, 251, 830, 910
Rosy, 562
Steenweg, R. J., R. A. Ronconi, and M. L. Leonard, Seasonal and Age-Dependent Dietary Partitioning between the Great Black-backed and Herring Gulls, 795
Stelgidopteryx serripennis, 22, 260, 922
Stercorarius longicaudus, 135
parasiticus, 135
Sterna hirundo, 921
Stolen, E. D., see Carter, G. M., 629
Stonechat, Common, 826
stopover, 89–106, 284–297, 597–607, 779–794, 860–868
Stork, Maguari, 270, 727
Storm-Petrel, 250
Leach's, 798, 803
Tristram's, 526
Streby, H. M., S. M. Peterson, T. L. McAllister, and D. E. Andersen, Use of Early-Successional Managed Northern Forest by Mature-Forest Species during the Post-Fledging Period, 817
Streptopelia capicola, 661
turtur, 157
vinacea, 661
Streptoprocne zonaris, 19
Strix occidentalis, 159–176, 509, 581–589
uralensis, 68, 534
varia, 160, 581–589, 901
Sturnella defilippi, 267
loyca, 270
magna, 436, 839, 840
neglecta, 223–232
superciliaris, 270
Sturnus roseus, 562
vulgaris, 68, 249, 830, 910
Styrsky, J. N., and J. D. Brawn, Annual Fecundity of a Neotropical Bird During Years of High and Low Rainfall, 194
Sugiyama, A., see Shoji, A., 762
Suiriri affinis, 626
islerorum, 626
Sunangel, Purple-throated, 29, 34
Sunbeam, Shining, 29
supplementary feeding, 475–482
Surmacki,A., L. Siefferman, and H.-W. Yuan, Effects of Sunlight Exposure on Carotenoid-Based and Structural Coloration of the Blue-tailed Bee-eater, 590
survival, 159–176, 233–238, 511–517
chick, 565–571
nest, 419–428
postfledging, 150–158, 400–411, 429–437
suture zone, 581–589, 655–663
Svagelj, W. S., and F. Quintana, Egg-Size Variation in the Imperial Cormorant: On the Importance of Individual Effects, 528
Swallow, Bank, 922
Barn, 114, 116, 382, 698, 854, 856, 913
Cliff, 260, 922
Northern Rough-winged, 260, 922
Tree, 114, 116, 853–859, 922
Swan, Bewick's, 55
Whooper, 1
Swanson, D. L., *Ecological and Environmental Physiology of Birds*, by J. E. P. W. Bicudo, W. A. Buttemer, M. A. Chappell, J. T. Pearson, and C. Bech, 701
Swift, Alpine, 856
Chimney, 19, 921
Vaux's, 19
Sylvia borin, 598
Synallaxis azarae, 30
Synthliboramphus antiquus, 572–580
hypoleucus, 140–149
Syrigma sibilatrix, 270

T

Tachuri, Bearded, 271
Tachycineta bicolor, 114, 853–859, 922
Tachyphonus, 12
cristatus, 13
Taeniopygia guttata, 856, 857
Takekawa, J.Y., see Hamilton, C.D., 140
tamarisk, 255–265
Tanager, Blue-and-black, 31
Rufous-chested, 31, 34, 35
Scarlet, 819, 820, 821, 823, 923
Summer, 260, 495, 496, 497
Western, 276–277, 278, 279, 505, 507
Tangara, 11, 12
chilensis, 13
punctata, 13
vassorii, 31
Tapaculo, Unicolored, 30
Tapera naevia, 673
Taylor, A. R., R. B. Lanctot, A. N. Powell, S. J. Kendall, and D. A. Nigro, Residence Time and Movements of Postbreeding Shorebirds on the Northern Coast of Alaska, 779
Taylor, P. D., see Mills, A. M., 597; see Mitchell, G. W., 711
Teal, Blue-winged, 747–761, 921
Cinnamon, 747–761
telemetry, 71–79, 80–88, 140–149, 150–158, 340–351, 597–607, 779–794
Templeton, C. N., Black-capped Chickadees Select Spotted Knapweed Seedheads with High Densities of Gall Fly Larvae, 395
Terenotriccus erythrurus, 21
Terenura spodioptila, 13
Teretistris fornsi, 50
Tern, Black, 921
Caspian, 921
Common, 921
Thalassarche chrysostoma, 67
melanophris, 67
Thalurania, 12
colombica, 13, 20

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Thamnophilus anabatinus, 21
atrinucha, 21, 198
Thlypopsis ornata, 31
Thomas, S. E., see Bloom, P. H., 538
Thornbill, Brown, 407
Freckle-breasted, 270
Purple-backed, 29
Thornbird, Freckle-breasted, 727
Thorpe, P. A., see Houdek, B. J., 853
Thrasher, Brown, 260
Crissal, 260
Pearly-eyed, 115
Sage, 442, 421
Thraupis, 12
abbas, 22
Thripadectes flammulatus, 30
Thripophaga fusciceps, 879
Thrush, Black-billed, 870, 871
Clay-colored, 870, 872, 873, 875, 876, 877, 878
Cocoa, 872, 873, 874, 875, 876, 877, 878, 879
Ecuadorian, 870, 872, 873, 875, 876, 877, 878
Gray-cheeked, 50 , 922
Great, 31
Hauxwell's, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879
Hermit, 287, 290, 291, 292, 293, 295, 597–607, 646–654, 819, 821, 823, 828, 829
Lawrence's, 870, 873, 879
Pale-breasted, 870, 873, 875, 876
Pale-vented, 873, 875, 876, 879
Red-legged, 50
Rufous-bellied, 270, 873, 875, 876, 877, 878
Spectacled, 869, 870, 872, 873, 875, 876, 877, 878
Swainson's, 284–297, 597–607, 819, 840, 865, 884, 922
Unicolored, 870, 872, 873, 875, 876, 877, 878
Várzea, 869–880
White-necked, 873, 875, 876
Wood, 285, 290–293, 401, 408, 647 , 819, 821, 822, 823, 839, 840, 865. 899, 900, 901, 922
Thryomanes bewickii, 260
Thryothorus leucotis, 643
ludovicianus, 495, 497, 643
maculipectus, 22
nigricapillus, 812, 813
pleurostictus, 637–645
rufalbus, 643
Thurber, B. G., see Mills, A. M., 597
Tiaris olivaceus, 51
Tilmatura dupontii, 20
Tinamou, Elegant Crested, 271
Spotted, 270, 727
Tinoco, B. A., see Latta, S. C., 24
Tit, Blue, 68, 475–482, 856, 910
Great, 408, 477, 553, 591, 595, 856
Titmouse, Tufted, 480, 495, 496, 497
Tit-Tyrant, Tufted, 31
Tityra, 12
inquisitor, 21
semifasciata, 13, 21
Todus multicolor, 50
Tody, Cuban, 50
Toews, D. P. L., see Kenyon, H. L., 655
Tolmomyias, 12
assimilis, 13
sulphurescens, 21
Torreornis inexpectata, 48, 51
Towhee, Eastern, 356, 495, 497
Toxostoma crissale, 260
rufum, *260*
Trainbearer, Black-tailed, 20
Green-tailed, 20
transcriptomics, 483–489
trap, ecological, 255–265
Treehunter, Fammulated, 30
Treerunner, Pearled, 30
Treiterer, B., see Pellegrini, A. R., 233
Tringa flavipes, 727, 921
melanoleuca, 917, 921
solitaria, 921
Troglodytes aedon, 270, 643, 828, 829, 899, 901, 922
hiemalis, 819
pacificus, 656, 661
solstitialis, 31
troglodytes, 643, 656, 661
Trogon, Black-throated, 20
Collared, 20
Gartered, 20
Masked, 30
Slaty-tailed, 30
Trogon caligatus, 20
collaris, 20
massena, 20
personatus, 30
rufus, 20
Tryngites subruficollis, 724, 725, 727, 728, 729, 731, 732
Tuftedcheek, Streaked, 30
Turdus albicollis, 873, 875, 876
assimilis, 22
fumigatus, 872, 873, 874, 875, 876, 877, 878, 879
fuscater, 31
grayi, 31, 870, 872, 873, 875, 876, 877, 878
haplochrous, 870, 872, 873, 875, 876, 877, 878
hauxwelli, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879
ignobilis, 870, 871
iliacus, 491
lawrencei, 870, 873, 879
leucomelas, 870, 873, 875, 876
maculirostris, 870, 872, 873, 875, 876, 877, 878
merula, 407, 910
migratorius, 652, 819, 820, 821, 881–889
nudigenis, 869, 870, 872, 873, 875, 876, 877, 878
obsoletus, 873, 875, 876, 879
plumbeus, 50
rufiventris, 270, 873, 875, 876, 877, 878
sanchezorum, 869–880
Turtle-Dove, European, 157
Tyrannulet, Tawny-rumped, 30

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

White-banded, 31
White-crested, 270
Tyrannus caudifasciatus, 50
savana, 727, 728
tyrannus, 219, 921
Tyrant, Cattle, 270, 727
Spectacled, 270, 271, 727, 728, 731
Strange-tailed, 267, 619–628
Tyre, A. J., see Giovanni, M. D., 223
Tryngites subruficollis, 125

U

ultraviolet coloration, 691–700
radiation, 590–596
Unitt, P., see Paxton, E. H., 608
urban adaptation, 284–297, 899–906
Uria aalge, 147
lomvia, 85, 147, 572
Uruguay, 664–677

V

vagrancy, 538–546
Vancouver Island, 306–315
Vanellus chilensis, 124, 125, 270, 727, 728, 731
várzea, 869–880
Veery, 287, 290, 291, 819, 820, 821, 823, 860–868, 922
Vehrencamp, S. L., see Cramer, E. R. A., 637
Vela, A. I., see Ruiz-de-Castaneda, R., 200
Velvetbreast, Mountain, 29, 34
Veniliornis nigriceps, 30
Veracruz, 177–182
Verdin, 260
Vermivora, 12
chrysoptera, 819, 820, 922
cyanoptera, 922
Viggiano, A., see Rohwer, S., 61
Violetear, Sparkling, 29
Vireo, 11, 12
belli, 260
crassirostris, 50
flavifrons, 20, 50, 494, 497, 819, 922
gilvus, 21, 922
griseus, 50, 494, 496, 497, 922
gundlachi, 50
olivaceus, 11, 13, 21, 219, 493, 494, 496, 497, 818, 819, 820, 821, 922
philadelphicus, 21, 819, 922
plumbeus, 505, 506
solitarius, 922
Vireo, Bell's, 260
Blue-headed, 922
Cuban, 50
Philadelphia, 21, 819, 922
Plumbeous, 505, 506
Red-eyed, 11, 13, 21, 219, 493, 494, 496, 497, 818, 819, 820, 821, 922
Thick-billed, 48, 50
Warbling, 21, 922
White-eyed, 50, 494, 496, 497, 922
Yellow-throated, 20, 50, 494, 497, 819, 922
Vireolanius, 5, 12
leucotis, 13
pulchellus, 21
virus, West Nile, 233–238, 843, 844
vision, 907–914
Vitz, A. C., and A. D. Rodewald, Influence of Condition and Habitat Use on Survival of Post-Fledging Songbirds, 400
vocalizations, 664–677
Vormwald, L. M., M. L. Morrison, H. A. Mathewson, M. C. Cocimano, and B. A. Collier, Survival and Movements of Fledgling Willow and Dusky Flycatchers, 834
Vulture, Egyptian, 477
Oriental White-backed, 476
Turkey, 276, 278, 917, 921

W

Wada, H., see Class, A. M., 438
Walters, E. L., see Koenig, W. D., 352
Warbler, Audubon's, 276, 277, 278
Bay-breasted, 22, 922
Black-and-white, 50, 288, 290, 817, 819, 821, 922
Blackburnian, 819, 922
Black-crested, 31
Blackpoll, 50, 709–712, 922
Black-throated Blue, 50, 288, 290, 922
Black-throated Green, 22, 656, 819, 922
Blue-winged, 922
Canada, 819, 923
Cape May, 50, 922
Cerulean, 922
Chestnut-sided, 459, 819, 922
Connecticut, 819
Garden, 598
Golden-cheeked, 903
Golden-winged, 819, 820, 922
Grace's, 504, 505, 507, 509
Greenish, 661
Hooded, 16, 22, 50, 408, 495, 497, 822, 836, 839, 840, 923
Lucy's, 260
MacGillivray's, 276, 277, 278, 655–663
Magnolia, 50, 819, 922
Mourning, 655–663, 819, 923
Nashville, 50, 819, 922
Orange-crowned, 50, 276, 277, 278, 279, 819, 828, 829, 865, 922
Oriente, 50
Palm, 47, 50, 922
Pine, 495, 496, 497, 819, 821, 922
Prairie, 50, 922
Prothonotary, 493, 495, 497
Red-faced, 828, 829
Reed, 605
Russet-crowned, 31, 34
Swainson's, 45, 50, 890–898
Tennessee, 50, 819, 922
Townsend's, 656
Wilson's, 256, 294, 819, 822, 923
Worm-eating, 50, 400–411, 818, 840

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use

Yellow, 43, 50, 260, 819, 922
Yellow-rumped, 284–297, 505, 506, 508, 656, 661, 819
Yellow-throated, 50
Warkentin, I. G., see Mitchell, G. W., 711
Waterthrush, Louisiana, 16, 22, 412–418, 495, 496, 497, 498, 923
Northern, 50, 288, 290, 291, 819, 923
Waxwing, Cedar, 819
wear, plumage, 881–889
weather, 159–176, 194–199, 274–283
Weatherhead, P. J., see Rowe, K. M. C., 881
Welch, A. J., see Pyle, P., 518
Wennerberg, L., see Lindström, A., 129
Wheatear, Northern, 2
Whitestart, Spectacled, 31
Whitfield, M., see Paxton, E. H., 608
Wiancko, E., E. Nol, A. Parada, and D. M. Burke, Landbird Richness and Abundance in Three Coastal Habitats Near Resorts in Cayo Coco, Cuba, 41
Wikelski, M., see Lindström, A., 129
Wilson, R. E., M. D. Eaton, S. A. Sonsthagen, J. L. Peters, K. P. Johnson, B. Simarra, and K. G. McCracken, Speciation, Subspecies Divergence, and Paraphyly in the Cinnamon Teal and Blue-winged Teal, 747
Wilsonia canadensis, 22, 819, 923
citrina, 16, 22, 50, 408, 495, 497, 822, 836, 839, 840, 923
pusilla, 22, 256, 294, 819, 822, 865, 866, 923
Winkler, K., Middle America, Not Mesoamerica, is the Accurate Term for Biogeography, 5; see Miller, M. J., 806
winter distribution, 340–351, 608–618
ecology, 646–654
Wisely, S. M., see Casey, A. E., 119
Woodbridge, B., see Kochert, M. N., 89; see Briggs, C. W., 547
Woodcock, American, 921
Woodcreeper, Narrow-billed, 270
Wedge-billed, 20, 812
woodland, aspen, 183–193
Woodpecker, Bar-bellied, 30
Crimson-mantled, 30
Cuban, 50
Downy, 352–361, 480, 494, 497, 819
Green-barred, 270, 727
Hairy, 354, 357, 358, 359, 812, 819
Lewis's, 183–193
Pileated, 354–359, 494, 497
Red-bellied, 354–359, 494, 497
Red-cockaded, 362–371
Red-headed, 352–361
West Indian, 50
Wood-Pewee, Eastern, 21, 494, 497, 819, 921
Woodstar, White-bellied, 30
Wrangel Island, 735–746
Wren, Banded, 637–645
Bay, 812, 813
Bewick's, 260
Bicolored, 643
Buff-breasted, 643
Cactus, 260
Carolina, 495, 497, 643
Grass, 31, 36
House, 270, 643, 828, 829, 899, 901, 922
Marsh, 922
Mountain, 31
Pacific, 656, 661
Rufous-and-white, 643
Sedge, 727
Song, 198
Stripe-backed, 642
Winter, 643, 656, 661, 819
Wren-Spinetail, Bay-capped, 271, 724, 725, 727, 732
Wright, S., see Pellegrini, A. R., 233
Wyoming, 419–428

X

Xanthocephalus xanthocephalus, 260
Xanthopsar flavus, 267
Xenops minutus, 20
Xiphidiopicus percussus, 50
Xiphocolaptes promeropirhynchus, 20
Xipholena punicea, 13
Xiphorhynchus, 12
flavigaster, 20
susurrans, 20

Y

Yellow-Finch, Grassland, 270, 727, 730, 731
Yellowlegs, Greater, 917, 921
Lesser, 727, 921
Yellowthroat, Common, 50, 260, 288, 290–293, 493, 495, 497, 819, 865, 923
Yuan, H.-W., see Surmacki, A., 590

Z

Zaratzian, D. R., see O'Loghlen, A. L., 449
Zenaida asiatica, 50, 230, 260
auriculata, 270
aurita, 50
macroura, 155, 260, 494, 497
Zimmerius, 12
gracilipes, 13
vilissimus, 16, 21
zone, contact, 372–384
suture or hybrid, 581–589, 655–663
Zonotrichia albicollis, 288, 819
capensis, 32, 270, 438–448, 673, 727
leucophrys, 438–448, 457, 459, 819
Zuckerberg, B., see Savoca, M. S., 555

Downloaded From: https://complete.bioone.org/journals/The-Condor on 25 Apr 2024
Terms of Use: https://complete.bioone.org/terms-of-use