

A NEW NORTH AMERICAN RECORD FOR HALIASPIS NAKAHARAI (HEMIPTERA: STERNORRHYNCHA: DIASPIDIDAE)

Authors: Smith, Trevor Randall, Cave, Ronald D., and Hodges, Greg S.

Source: Florida Entomologist, 89(3): 414-415

Published By: Florida Entomological Society

URL: https://doi.org/10.1653/0015-4040(2006)89[414:ANNARF]2.0.CO;2

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

A NEW NORTH AMERICAN RECORD FOR *HALIASPIS NAKAHARAI* (HEMIPTERA: STERNORRHYNCHA: DIASPIDIDAE)

TREVOR RANDALL SMITH¹, RONALD D. CAVE² AND GREG S. HODGES³
¹Department of Entomology and Nematology, University of Florida, PO Box 110620, Gainesville, FL 32611, U.S.A.

(e-mail: trsmith@ufl.edu)

²Indian River Research & Education Center, University of Florida, 2199 S Rock Rd., Ft. Pierce, FL 34945-3138, U.S.A. (e-mail: rdcave@ifas.ufl.edu)

³Division of Plant Industry, Florida Department of Agriculture and Consumer Services, 1911 SW 34th St., Gainesville FL 32608-1268 (e-mail: hodgesg@doacs.state.fl.us)

While searching for the prey of the newly described scale-feeding beetle *Cybocephalus kathrynae* T. R. Smith (Smith & Cave 2006) on the coastal sand dunes of Bahia Honda State Park, Monroe Co., Florida, we collected a diaspidid scale on seashore dropseed, *Sporobolus virginicus* (L.) Kunth (Poaceae), in a habitat dominated by sea oats, *Uniola paniculata* L (Poaceae) (Fig. 1). The scale was identified as *Haliaspis nakaharai* Howell, which

represents a new North American record for this species. Prior to this record, *H. nakaharai* had only been collected in Puerto Rico and Vieques Island on the same host plant species. Voucher specimens are deposited in the Florida State Collection of Arthropods, Gainesville, FL, and labeled as follows: USA: Florida, Monroe Co., Bahia Honda State Park, N24°39′54″-W81°15′21″; V-14-2005; Trevor Smith & R. D. Cave (E2005-2555-301).



Fig. 1. Collection site at Bahia Honda State Park.

We suspect that H. nakaharai may occur throughout the range S. virginicus, which is distributed along the coastal areas of the Gulf states and the Caribbean. This grass is very important in maintaining coastal dune habitats. Seashore dropseed has extensive root systems with long rhizomes connecting one grass clump to another, similar to sea oats, which help anchor the dunes. While much of the seashore dropseed at the collection site was infested with H. nakaharai, nowhere did we observe any population densities that could be considered anything but slight. Many scales showed indications of predation. On the same scale-infested plants we observed several individuals of the coccinellids Chilocorus cacti (L.), Exochomus childreni childreni Mulsant, and Naemia seriata seriata (Melsheimer). None of the scales appeared to be parasitized.

These scales can be identified with the original illustrations and description (Howell 1978) or keyed with the "Key to species of *Haliaspis* of Puerto Rico" (Colón-Ferrer & Medina-Gaud 1998).

We thank Howard Frank for reviewing a draft of the manuscript. This research was supported in part by a grant from the Florida Department of Agriculture and Consumer Services (DACS 7276186-12) and approved for publication as IR-REC series No. 020602.

SUMMARY

Haliaspis nakahari Howell is recorded from North America for the first time. The species was taken in Bahia Honda State Park, Florida, on seashore dropseed, *Sporobolus virginicus* (L.) Kunth.

REFERENCES CITED

COLÓN-FERRER, M., AND S. Medina-gaud. 1998. In Contributions to the systematics of the Diaspidis (Homoptera: Diaspididae) of Puerto Rico. University of Puerto Rico, Mayagüez Campus, Agric. Experiment Station, Dept. of Crop Protection, Rio Piedras, Puerto Rico, 258 pp.

HOWELL, J. O. 1978. Three new species of armored scales from Mexico and Puerto Rico. Ann. Entomol. Soc. Am. 71: 401-407.

SMITH, T. R., AND R. D. CAVE. 2006. The Cybocephalidae (Coleoptera) of America north of Mexico. Ann. Entomol. Soc. Am. (in press).