



## Quality Deer Serum Without a Centrifuge

Author: Kerr, Kenneth D.

Source: Journal of Wildlife Diseases, 23(1) : 173-174

Published By: Wildlife Disease Association

URL: <https://doi.org/10.7589/0090-3558-23.1.173>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## Quality Deer Serum Without a Centrifuge

**Kenneth D. Kerr**, Forest Wildlife Populations and Research Group, Minnesota Department of Natural Resources, 1201 E. Hwy. 2, Grand Rapids, Minnesota 55744, USA

There is seldom a centrifuge available to extract serum from bloods drawn from wildlife during field operations. However, by letting whole blood clot, retract and settle overnight the supernatant serum can be decanted. Tasker (1978, Cornell Vet. 68: 480–505) found that storing clotted bovine whole blood for 3 days at room temperature did not cause significant changes in test values for total protein, albumin, urea nitrogen, creatinine, bilirubin, lactic dehydrogenase (LDH), creatine phosphokinase (CPK), sodium, chloride, calcium, alkaline phosphatase (ALP), or cholesterol, but did cause significant changes in glutamic oxalacetic transaminase (GOT), potassium and glucose. Laessig et al. (1976, Am. J. Clin. Pathol. 66: 598–604) found that prolonged contact of human serum with the clot caused significant changes in test results of glucose, LDH, and potassium. This report demonstrates potential changes in the quality of serum of white-tailed deer (*Odocoileus virginianus*) when it is recovered without centrifugation.

Seven blood samples were taken from five white-tailed deer (two of the deer were bled twice) immobilized with a Rompun (xylazine)-Sernylan(phencyclidine-HCl)-Sparine(promazine-HCl) or a Sernylan-Sparine combination (Seal, 1969, Fed. Proc. 28: 1410–1419). Samples were drawn from the jugular vein using Becton-Dickinson Vacutainer® holders with 20-ga needles and #6432 silicone coated col-

lection tubes. Each blood sample was paired by drawing into two separate collection tubes. One sample of each pair was handled in the traditional way by centrifuging, pouring the serum into 16 × 100 mm disposable culture tubes, recentrifuging and pouring into 13 × 100 mm polystyrene screw-cap vials within 6 hr of being drawn. The remaining sample of each pair was allowed to clot, retract and settle overnight at room temperature. After 16–24 hr, the serum was poured off the clot into 13 × 100 mm polystyrene screw-cap vials avoiding transfer of red cells.

All samples were analyzed quantitatively for glucose, urea nitrogen, creatinine, total protein, albumin, globulins, sodium, potassium, calcium, magnesium, total lipid, cholesterol, GOT, glutamic pyruvic transaminase (GPT), LDH, CPK and ALP using methods as described by Fuller et al. (1985, J. Wildl. Dis. 21: 29–32), and copper, iron and zinc using a method modified from Watkins et al. (1971, Microchem. J. 16: 14–23).

The results from the centrifuged samples were compared with those from the non-centrifuged samples using paired *t*-tests ( $\alpha = 0.01$ ). Only LDH and glucose of the tested parameters showed significant differences between the centrifuged and non-centrifuged sera. LDH concentrations averaged 22.3% higher in the noncentrifuged sample, while glucose concentrations were 6.0% lower. The loss of glucose can be prevented by placing a portion of the original whole blood sample in fluoride (Major, 1923, J. Am. Med. Assoc. 81: 1952) for the glucose assay. Three additional assays, GOT, CPK and sodium,

---

Received for publication 7 April 1986.

showed potential differences ( $0.05 < P < 0.01$ ), but the percent changes were less than the coefficients of variation for each test making the differences negligible. A large change in zinc was observed in two of the seven sample pairs, and probably represents contamination, possibly from the vacutainer stopper (Nackowski et al., 1977, *Am. Ind. Hyg. Assoc. J.* 38: 503–508).

In light of these results, it appears that clotting overnight and decanting is a viable alternative to centrifugation for recovering white-tailed deer serum provided LDH is not a necessary parameter. It should be noted that in our experience this technique recovers less serum per unit volume of whole blood than is recovered by centrifugation.

*Journal of Wildlife Diseases*, 23(1), 1987, p. 174  
© Wildlife Disease Association 1987

## EDITORIAL ACKNOWLEDGMENTS . . .

The following people, in addition to the Assistant Editors and members of the Editorial Board, have provided assistance by reviewing articles from 1 September 1985 through 1 September 1986. The editor hereby expresses his sincere appreciation.

Terry E. Amundson, Roy C. Anderson, Jack H. Arundel, George Baer, Craig R. Baird, Gordon F. Bennett, Herman A. Berkhoff, Ian Beveridge, William J. Bigler, Chris Brand, Mary Brown, William Buck, Claus Buergelt, Michael J. Burrige, Albert O. Bush, Daryl D. Buss, Maron Calderwood-Mays, Charles Calisher, Andrew Carey, Alain G. Chabaud, Bruce Christensen, Donald Clark, John E. Cooper, Charles H. Courtney, Murray D. Dailey, A. J. DaMassa, Robert B. Davies, Jack Debbie, Josh Dein, David Detweiler, J. P. Dubey, Ruth M. Duncan, Jon D. Dunsmore, Donald W. Duszynski, Bernard C. Easterday, John V. Ernst, J. F. Evermann, Oscar Fletcher, Vagn F. Flyger, William J. Foreyt, Murray E. Fowler, Albert W. Franzmann, J. K. Frenkel, Milton Friend, Michael Gaines, P. C. C. Garnham, Jack M. Gaskin, E. Paul J. Gibbs, Harold C. Gibbs, Martha Gray, Pat Gullett, William J. Hadlow, J. C. Haigh, Robert P. Hanson, John Harvey, Alex W. L. Hawley, Gary Heinz, Roger Herman, Werner Heuschele, Charles P. Hibler, B. J. Hill, Gerald Hoff, Glenn L. Hoffman, John C. Holmes, William T. Hubbert, Charles Issel, David A. Jessup, David Johnston, Lars Karstad, Forest Kellogg, R. A. Khan, Newton Kingston, George V. Kollias, Jr., John Krebs, Terry Kreeger, Murray W. Lankester, Ralph Lichtenfels, Andy Main, Leonard C. Marcus, Leo Margolis, Wayne R. Marion, Malcolm McDonald, Steve McOrist,

Lena Measures, William Medway, Barry Miller, Janice Moore, B. L. Munday, Paul L. Nicoletti, Carl A. Osborne, David Pass, B. D. Perry, W. Plowright, Paul Presidente, Annie K. Prestwood, Jessie Price, Margo J. Pybus, Robert L. Rausch, Lyle A. Renecker, Tonie E. Rocke, Bruce Rosenquist, M. D. Ruff, George Ruth, Steve Schmitt, Lynn Seigfried, Robert Sellers, Emmett Shotts, J. L. Shupe, Louis Sileo, A. W. Smith, Brian W. Souter, R. Speare, Terry Spraker, Michael K. Stoskopf, Richard K. Stroud, Charles O. Thoen, Nancy Thomas, E. Tom Thorne, Jan Thorsen, Ted Tsai, G. Uilenberg, Martin Van Der Maaten, Charles van Riper III, Neylan A. Vedros, P. M. Wallis, Thomas Walton, Douglas Watts, Elizabeth S. Williams, James E. Williams, Ronald Windingstad, Ken Wolf, R. E. Wolke, P. T. K. Woo, George Woods, David E. Worley, Ronald Yedloutschnig, Thomas Yuill, Randall L. Zarnke, David Zoromski.

Again I thank my very capable editorial assistant, Gabriele M. Forrester, for her hard work and devotion to excellence.

In closing out my term as editor I would like to throw some verbal "bouquets" to the staff at Allen Press. They have been extremely helpful and their expertise and high degree of professionalism have enhanced the status of the Journal considerably. I would especially like to thank Arly Allen, Constance Allen, Lynne Frost, and Sharon Kindall. I count it a privilege to have worked with each of them and many others at 1041 New Hampshire St., Lawrence, Kansas.

—Donald J. Forrester, Editor