



Index to typifications of names in Willdenowia 41(2)

Source: Willdenowia, 41(2) : 390-391

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.41.41222>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index to typifications of names in Willdenowia 41(2)

<i>Abutilon schaeferi</i> Ulbr.	256
<i>Alexandra lemannii</i> Bunge	225
<i>Anthericum apicicolum</i> K. Krause	258
<i>Anthericum diphylum</i> Dinter	258
<i>Anthericum glutinosum</i> Dinter	258
<i>Aster schaeferi</i> Dinter	254
<i>Belowia paradoxa</i> Bunge	225
<i>Euphorbia coccinea</i> Raf., non Roth	307
<i>Euphorbia erythrophylla</i> [“erithrophylla”] Bertol.	307
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch	307
<i>Euphorbia spartiformis</i> Mobayen [epitype]	271
<i>Gnidia suavissima</i> Dinter	258
<i>Hermannia seitziana</i> Engl.	257
<i>Jacquinia brunnescens</i> Urb.	287
<i>Lachenalia klinghardtiana</i> Dinter	258
<i>Lebeckia cinerea</i> var. <i>schaeferi</i> Dinter	255
<i>Oldenlandia schaeferi</i> K. Krause	256
<i>Pelargonium grandicalcaratum</i> R. Knuth	256
<i>Pelargonium mirabile</i> Dinter	255
<i>Pelargonium squarrosum</i> Dinter, nom. illeg.	256
<i>Pleuradena coccinea</i> Raf.	307
<i>Ranunculus binatus</i> Kit. ex Rchb.	241
<i>Salicornia perennans</i> Willd.	236
<i>Salicornia prostrata</i> Pall., nom. illeg.	236
<i>Schanginia inderiensis</i> Bunge	226
<i>Schoberia acuminata</i> C. A. Mey.	223
<i>Schoberia dendroides</i> C. A. Mey.	223
<i>Schoberia glauca</i> Bunge	226
<i>Schoberia leiosperma</i> C. A. Mey.	223
<i>Schoberia microsperma</i> C. A. Mey.	223
<i>Schoberia transoxana</i> Bunge	226
<i>Solanum schaeferi</i> Dammer	257

<i>Suaeda arcuata</i> Bunge	227
<i>Suaeda baccifera</i> Pall.	218
<i>Suaeda linifolia</i> Pall.	220
<i>Suaeda microphylla</i> Pall.	220
<i>Suaeda physophora</i> Pall.	220
<i>Viscum schaeferi</i> Engl. & K. Krause	256