Appendix II. Natural Hosts of Cuterebra in North America (Classification chiefly after Hall 1981 and Anderson and Jones 1984)

[This list does not include animals that have been recorded as hosts of Cuterebra but that are certainly aberrant or accidental. Also it does not include Metacuterebra spp. and Alouattamyia, Neotropical genera found in the tropical and subtropical parts of Central America and Mexico, nor does it include species tested in the laboratory but not found infested in nature. Old World mammals such as Mus, Rattus, and Oryctolagus really do not belong in the list because they are non-native and hence not natural hosts, but it is convenient to include them for reference in the classification of lagomorphs and rodents. The right-hand column contains references or annotations for each host.]

Order Lagomorpha (rabbits and hares) Family Ochotonidae (pikas)

Ochotona princeps (Richardson) Baird and Smith 1979

Family Leporidae (rabbits and hares)

Lepus alleni Mearns, antelope jack rabbit	
L. americanus Erxleben, snowshoe rabbit	No published record, but possibly the host of <i>C. buccata</i> from Nova Scotia, misidentified as <i>C</i> "horripilum" by Walker 1849
L. californicus Gray, black-tailed jack rabbit	Numerous records, publ. and unpubl.
L. callotis Wagler white-sided jack rabbit	Townsend 1892
L. eremicus J.A. Allen = L. californicus eremicus	
L. texanus Waterhouse = L. californicus texianus	
L. townsendii Bachman, white- tailed jack rabbit	Palmer 1896 (teste Seton 1929)
Oryctolagus cuniculus (Linnaeus), domestic rabbit	Honess and Winter 1956, Jacobson et al. 1978, Weisbroth et al. 1973
<i>Romerolagus diazi</i> (Diaz), volcano rabbit	Mexico [Washington]
Sylvilagus Gray (cottontail rabbits) S. aquaticus (Bachman), swamp rabbit	Farlow et al. 1969, Hunt 1959