

An analysis of and index to new Acari described in Systematic & Applied Acarology (1996–2007)

Authors: Xue, Xiao-Feng, and Zhang, Zhi-Qiang

Source: Systematic and Applied Acarology, 13(3) : 279-304

Published By: Systematic and Applied Acarology Society

URL: <https://doi.org/10.11158/saa.13.3.15>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

An analysis of and index to new Acari described in *Systematic & Applied Acarology* (1996–2007)

XIAO-FENG XUE^{1,2} & ZHI-QIANG ZHANG²

¹Department of Entomology, Nanjing Agricultural University, Nanjing, Jiangsu 210095, China

²Landcare Research, 231 Morrin Road, St. Johns, Auckland 1072, New Zealand

Corresponding author: zhangz@landcareresearch.co.nz

Abstract

This paper provides an analysis of and index to new Acari described in *Systematic & Applied Acarology* during the last twelve years (1996–2007). A total of 336 papers was published during this period, with taxonomic papers accounting for 60%. Among the 208 taxonomic papers, 143 papers (68.8%) contain descriptions of new taxa or new names. These papers contain a total of 264 new taxa (new names), with three families, 31 genera/subgenera and 230 species. Among these, only two are new species names proposed for previously occupied homonyms; all others are newly established taxa. Most new taxa/names (85.2%) are of the Acariformes. Among the 225 new taxa (new names) of the Acariformes, most (93.3%) are of the Trombidiformes. New taxa/names are distributed in 40 families of Trombidiformes, 10 families of Sarcoptiformes and 7 families of Mesostigmata. Most families have only one to three new taxa/names: 19 families with 1 new taxon, 13 families with 2 new taxa, and 6 families with 3 new taxa. There are 116 authors for new taxa/names, with an average of two taxa/names per author (maximum 37, minimum 1). Most authors (70%) described one to three new taxa/names each: 38 authors with 1 new taxon, 31 authors with 2 new taxa, and 12 authors with 3 new taxa. Geographically, these authors are from 22 countries in Asia, Africa, Australasia, Europe, South America and North America, with a strong representation by authors in the Asia-Pacific region.

Key words: new taxa, new names, survey, historic trends, taxonomic literature

Introduction

Systematic & Applied Acarology (SAA) was founded in 1996 and has been continually published since. It was issued annually during the first ten years, during which an average of 53 authors from 12 countries published on average 27 papers each with an average of 21 new taxa in 202 pages each year (Zhang 2005). SAA was a primarily a journal of systematic acarology, because 64% of the papers published during the first decade were on systematics, morphology and evolution (Zhang 2005).

In the last two years, the frequency of publication of SAA was increased to semiannual in 2006 and quarterly in 2007, allowing more papers (31.5 papers in 251 pages per year during 2006–2007 versus 27.3 papers in 202 pages per year during 1996–2005) to be published more rapidly (Zhang 2008). In addition to the increase of number of authors (69 per year during 2006–2007 versus 53 per year during 1996–2005), there was also an increase in the diversity of authors from different countries during the last two years (18 countries per year during 2006–2007 versus 12 countries per year during 1996–2005) and the increased degree of international collaboration in papers published in the last two years (Zhang 2008). As a result, SAA has become increasingly international.

The purpose of this paper is to provide an analysis of and index to new Acari described/named in this international journal of systematic acarology during the last twelve years. Article 8

(Recommendation 8A) of the *International Code of Zoological Nomenclature* (The International Commission on Zoological Nomenclature 1999) urges authors and editors to ensure that new scientific names and other nomenclatural acts are made widely known. This paper is written with this purpose in mind and will be provided free online for open access to ensure wide dissemination.

Analyses of papers, new taxa and authors

Number of papers and new taxa by year of publication

A total of 336 papers was published in SAA during 1996–2007, with taxonomic papers accounting for 60% (Table 1). Over the years, the journal has become increasingly more ‘taxonomic’ in that the proportion of taxonomic papers was on average less than 50% (also each year less than 60%) during the first four years but exceeded 60% each year in the last eight years (Fig. 1).

Among the 208 taxonomic papers, 143 papers (68.8%) contain descriptions of new taxa or new names (Table 1). The temporal pattern shows two obvious peaks in the proportion of taxonomic papers with new taxa or new names—volume 6 in 2001 and volume 11 in 2006 (Fig. 2).

TABLE 1. A summary of number of papers and new mite taxa published in *Systematic & Applied Acarology* during 1996–2007.

Year	Number of articles*			Number of new taxa (names)			
	All	Taxonomic	With new taxa	Total	Family-group	Genus-group	Species-group
1996	28	16	9	18	0	2	16
1997	41	20	14	15	0	0	15
1998	32	12	9	14	2	1	11
1999	29	15	12	30	0	12	18
2000	24	18	14	27	0	2	25
2001	30	19	16	35	0	2	33
2002	23	14	10	19	1	4	14
2003	20	12	6	10	0	0	10
2004	28	22	14	24	0	1	23
2005	18	14	10	19	0	3	16
2006	28	23	17	35	0	3	32
2007	35	23	12	18	0	1	17
Total	336	208	143	264	3	31	230

* Including full length research papers, short notes and editorials.

During 1996–2007, a total of 264 new taxa (new names) was described in 143 papers, with three families, 31 genera/subgenera and 230 species. Among these, only two are new species names proposed for previously occupied homonyms; all others are newly established taxa.

The number of new taxa each year varied greatly with two peaks—volume 6 in 2001 and volume 11 in 2006 (Fig. Table 1). On average, there were 22 new taxa described each year.

Taxonomic distribution of new taxa

The distribution of new taxa/names is extremely uneven among different higher taxa (Table 2). Among the 264 new taxa (new names), most (85.2%) are of the Acariformes. Among the 225 new

taxa (new names) of the Acariformes, most (93.3%) are of the Trombidiformes. New taxa/names are distributed in 40 families of Trombidiformes, 10 families of Sarcoptiformes and 7 families of Mesostigmata (Table 2). The top ten families (with number of new taxa/names in parenthesis) are Erythraeidae (49), Phytoseiidae (25), Walchiidae (22), Tarsonemidae (16), Eriophyidae (11), Stigmaeidae (11), Cunaxidae (8), Trombidiidae (8), Diptilomiopidae (7), and Trombiculidae (6). The Camerobiidae shares with Trombiculidae in having six new taxa, but the former has two new genera and four new species while the latter has six new species. These families combined account for 64% of the all new taxa/names described. Most families have only one to three new taxa/names: 19 families with 1, 13 families with 2, 6 families with 3.




FIGURE 1. Proportion of taxonomic papers published in *Systematic & Applied Acarology* during 1996–2007.




FIGURE 2. Proportion of taxonomic papers with new taxa published in *Systematic & Applied Acarology* during 1996–2007.

Author contributions

There are 116 authors for new taxa/names (see Author index for full details). This translates to 2.3 taxa/names per author. The top ten authors are: R. Haitlinger of Poland (37), A. Saboori of Iran (30), T.-H. Wen of China (27), Z.-Q. Zhang of New Zealand (23), J.-Z. Lin of China (22), Q.-H. Fan

of China (20), G.J. de Moreas of Brazil (19), M.G.C. Gondim Jr of Brazil (15), V. Pesic of Serbia and Montenegro (13), and A. Goldarazena of Spain (11). Most authors (70%) described one to three new taxa/names each: 38 authors with 1 new taxon, 31 authors with 2 two new taxa, and 12 authors with 3 new taxa.

TABLE 2. Taxonomic distribution of new mite taxa published in *Systematic & Applied Acarology* during 1996–2007.

Higher taxa	Number of new taxa (names)			
	Total	Family-group	Genus-group	Species-group
Acariformes	225	3	29	193
Trombidiformes	210	3	28	179
Amphotrombiidae	3	1	1	1
Anisitsiellidae	1	-	-	1
Axonopsidae	1	-	-	1
Barbutiidae	2	-	-	2
Camerobiidae	6	-	-	6
Cheyletidae	2	-	-	2
Crotalomorphidae	3	1	1	1
Cunaxidae	8	-	-	8
Diptilomiopidae	7	-	1	6
Eriophyidae	11	-	-	11
Erythraeidae	49	-	-	49
Eutrombidiidae	3	-	-	3
Hydryphantidae	2	-	-	2
Hygrobatidae	3	-	-	3
Johnstonianidae	2	-	-	2
Leeuwenhoeekiidae	2	-	-	2
Limnesiidae	1	-	-	1
Mecognathidae	1	1	-	-
Microtrombidiidae	4	-	2	2
Neothrombiidae	5	-	2	3
Phytoptidae	1	-	-	1
Podapolipidae	5	-	-	5
Pontarachnidae	1	-	-	1
Pseudocheylidae	2	-	-	2
Pterygosomatidae	1	-	-	1
Pyemotidae	1	-	-	1
Raphignathidae	4	-	-	4
Sperchontidae	2	-	-	2
Stigmaeidae	11	-	-	11
Tarsonemidae	16	-	-	16

.....to be continued

TABLE 2. (continued)

Higher taxa	Number of new taxa (names)			
	Total	Family-group	Genus-group	Species-group
Teneriffiidae	1	-	-	1
Tenuipalpidae	4	-	-	4
Tetranychidae	4	-	-	4
Torrenticolidae	1	-	-	1
Trombellidae	1	-	-	1
Trombiculidae	6	-	2	4
Trombidiidae	8		1	7
Unionicolidae	1	-	-	1
Walchiidae	22	-	17	5
Xenocaligonellidae	2	-	1	1
Sarcoptiformes	15	0	1	14
Canestriniidae	1	-	-	1
Carabodidae	1	-	-	1
Epilohmanniidae	2	-	-	2
Glycyphagidae	1	-	-	1
Heteroptidae	2		1	1
Lohmanniidae	2	-	-	2
Oppiidae	2	-	-	2
Psorergatidae	1	-	-	1
Tegoribatidae	2	-	-	2
Zetomotrichidae	1	-	-	1
Parasitiformes	39	0	2	37
Mesostigmata	39	0	2	37
Ameroseiidae	1	-	-	1
Ascidae	1	-	-	1
Laelapidae	4	-	-	4
Macronyssidae	3	-	-	3
Otopheidomenidae	2	-	1	1
Phytoseiidae	25	-	-	25
Trachytidae	3	-	1	2

Geographically, the authors are distributed among the following countries or regions (number of authors in parenthesis): China (39), Iran (17), Brazil (8), USA (8), India (5), Pakistan (5), Poland (5), Spain (4), Australia (3), Canada (3), Turkey (3), Lebanon (2), The Netherlands (2), South Africa (2), UK (2), Cape Verde (1), Hong Kong (1), Israel (1), Japan, (1), Malaysia (1), Mongolia (1), New Zealand (1), Serbia and Montenegro (1). Authors from the Asia-Pacific region are strongly represented.

Lists of new family, genus and species-group taxa

New taxa are listed alphabetically within each group. For each new family name, the following information is given: scientific name, author, year of publication, first page of formal description, type genus designation (in parenthesis), and the mite order to which it belongs. For each new genus (subgenus) name, the following information is given: scientific, author, year of publication, first page of formal description, type species designation (in parenthesis), and the mite family to which it belongs. For each new species name, the following information is given: scientific name, author, year of publication, first page of formal description, number of figures (in parenthesis) and the mite family to which it belongs.

Family-group taxa

- Amphotrombiidae Zhang, 1998: 161 (type genus by original designation *Amphotrombium* Zhang, 1998)—Acariformes
Crotalomorphidae Lindquist & Krantz, 2002: 130 (type genus by original designation *Crotalomorpha* Lindquist & Krantz, 2002)—Acariformes
Mecognathidae Gerson & Walter, 1998: 145 (type genus by original designation *Mecognatha* Wood, 1967)—Acariformes

Genus-group taxa

- Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41 (type species by original designation *Polyaspinus tuberculatus* Womersley, 1961)—Trachytidae
Amarucoptes Haitlinger, 2001: 112 (type species by original designation *Amarucoptes busannae* Haitlinger, 2001)—Heterocoptidae
Amphotrombium Zhang, 1998: 161 (type species by original designation *Amphotrombium jenseni* Zhang, 1998)—Amphotrombiidae
Crotalomorpha Lindquist & Krantz, 2002: 133 (type species by original designation *Crotalomorpha camini* Lindquist & Krantz, 2002)—Crotalomorphidae
Duplimedia Wen, 2006: 253 (type species by original designation *Gahrliepia armigera* Fernandes & Kulkarni, 2003)—Walchiidae
Duplisetia Wen, 1999: 174 (type species by original designation *Gahrliepia gemina* Traub & Morrow, 1955)—Walchiidae
Duplisetia (Starkia) Wen, 1999: 175 (type species by original designation *Gahrliepia starki* Lakshana & Dohany, 1972)—Walchiidae
Echinopsis Fan & Chen, 1996: 126 (type species by original designation *Echinopsis fukiensis* Fan & Chen, 1996)—Xenocaligonellidae
Leptotrombidium (*Monosignum*) Wen, 2001: 189 (type species by original designation *Leptotrombidium* (*Monosignum*) *zhongi* Wen, 2001)—Trombiculidae
Montenegtrombium Saboori & Pesic, 2006: 231 (type species by original designation *Montenegtrombium milicae* Saboori & Pesic, 2006)—Microtrombidiidae
Nadchatramia Wen, 1999: 174 (type species by original designation *Gahrliepia micropotamogalei* Nadchatram & Puylaert, 1987)—Walchiidae
Neohoderus Chen, Wei & Qin, 2004: 69 (type species by original designation *Neohoderus choerospondias* Chen, Wei & Qin, 2004)—Diptilomiopidae
Nepaliella Wen, 1999: 173 (type species by original designation *Schoengastiella unsternala* Nadchatram & Fernandes, 1989)—Walchiidae
Opiliotrombium Zhang & Fan, 2005: 156 (type species by original designation *Opiliotrombium*

akatarawa Zhang & Fan, 2005)—Neothrombiidae
Orthopteroiseius Mo, 1996: 201 (type species by original designation *Orthopteroiseius sinicus* Mo, 1996)—Otopheidomenidae
Oskootrombium Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 247 (type species by original designation *Oskootrombium prasadi* Saboori, Bagheri & Haddad, 2006)—Trombidiidae
Parvisetia Wen & Cui, 2000: 165 (type genus by original designation *Gahrlepiea parviseta* Nadchatram, 1989)—Walchiidae
Ripiaspichia (*Cupiaspichia*) Wen, 1999: 172 (type species by original designation *Gahrlepiea cupa* Traub & Evans, 1957)—Walchiidae
Ripiaspichia (*Parmulichia*) Wen, 1999: 172 (type species by original designation *Gahrlepiea parmulaseta* Brown, 1997)—Walchiidae
Ripiaspichia (*Suzukia*) Wen, 1999: 172 (type species by original designation *Walchia sawaii* Suzuki, 1975)—Walchiidae
Scrobiculata (*Squamulata*) Wen & Cui, 2000: 167 (type genus by original designation *Gahrlepiea decora* Womersley, 1952)—Walchiidae
Southcottella Saboori, 2002: 185 (type species by original designation *Southcottella nematii* Saboori, 2002)—Neothrombiidae
Tanautarsala Brown, 2007: 223 (type species by original designation *Tanautarsala callithrix* Brown, 2007)—Trombiculidae
Walchia (*Breviaspichia*) Wen, 1999: 171 (type species by original designation *Walchia ogatai* Sasa & Teramura, 1951)—Walchiidae
Walchia (*Disparunguia*) Wen, 1999: 171 (type species by original designation *Schoengastiella disparunguis* Oudemans, 1929)—Walchiidae
Walchia (*Goffia*) Wen, 1999: 171 (type species by original designation *Walchia lorentzi* Goff. 1984)—Walchiidae
Walchia (*Traudia*) Wen, 1999: 180 (type species by original designation *Walchia traubobi*, Wen, 1999)—Walchiidae
Walchia (*Ventralia*) Wen, 1999: 171 (type species by original designation *Walchia huensis* Wen, 1984)—Walchiidae
Walchia (*Wenia*) Wen, 2002: 195 (type species by original designation *Walchia acugastia* Wen, Yu & Yang, 1984)—Walchiidae
Walchia (*Zhangzia*) Wen, 2002: 199 (type species by original designation *Walchia cordiopelta* Wen & Xiang, 1984)—Walchiidae
Yemenitrombium Saboori, Ueckermann & Harten, 2005: 163 (type species by original designation *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005)—Microtrombidiidae

Species group taxa

Abrolophus iraninejadi Saboori & Hajiqanbar, 2005: 149 (figs 1–7)—Erythraeidae
Abrolophus mirabelae Haitlinger, 2007: 57 (figs 1–8)—Erythraeidae
Abrolophus neobrevicollis Zhang & Goldarazena, 1996: 127 (figs 1–8)—Erythraeidae
Abrolophus unimiri Haitlinger, 2006: 84 (figs 1–8)—Erythraeidae
Abrolophus welbourni Yao, Snider & Snider, 2000: 150 (figs 1–11)—Erythraeidae
Aceria cordata Navia, 1999: 137 (figs 1–7)—Eriophyidae
Aceria pintoii Ferreira & Flechtman, 1997: 185 (figs 15–22)—Eriophyidae
Aceria yunnanensis Dong & Hong, 1998: 199 (replacement name for *Eriophyes artemisia* Xin & Dong, 1982)—Eriophyidae
Acroseius womersleyi Błoszyk, Halliday & Dylewska, 2005: 48 (figs 15–40)—Trachytidae
Allothrombium monochaetum Goldarazena & Zhang, 1997: 220 (figs 1–6)—Trombidiidae
Allothrombium polikarpi Haitlinger, 2006: 116 (figs 41–48)—Trombidiidae

Amarucoptes busannae Haitlinger, 2001: 113 (figs 1–13)—Heterocoptidae
Amblyseius dicircellatus Wu & Ou, 1999: 107 (figs 16–19)—Phytoseiidae
Amphotrombium jenseni Zhang, 1998: 162 (figs 1–21)—Amphotrombiidae
Amblyseius euterpes Guedes, Gondim & Moraes, 2001: 68 (figs 1–4)—Phytoseiidae
Amblyseius geonomae Guedes, Gondim & Moraes, 2001: 69 (figs 5–9)—Phytoseiidae
Amblyseius igarassuensis Guedes, Gondim & Moraes, 2001: 71 (figs 10–14)—Phytoseiidae
Amblyseius neopascalii Wu & Ou, 2001: 103 (figs 7–12)—Phytoseiidae
Amblyseius tenuis Wu & Ou, 2001: 103 (figs 1–6)—Phytoseiidae
Ameroseius qinghaiensis Li & Yang, 2000: 65 (figs 1–10)—Ameroseiidae
Andrevella persiangulfia Saboori, Hajiqaanbar & Kamali, 2007: 48 (figs 1–9)—Erythraeidae
Annectacarus hammerae Shiji, Haq & Ramani, 2007: 230 (figs 1–6)—Lohmanniidae
Anoplocheylus brevisetosus Ueckermann & Khanjani, 2004: 59 (figs 12–14)—Pseudocheylidae
Anoplocheylus malayeriensis Ueckermann & Khanjani, 2004: 55 (figs 1–7)—Pseudocheylidae
Asperoseius paraheveae Wu & Ou, 2002: 125 (figs 11–15)—Phytoseiidae
Atractides caspicus Pesic, Dinipour, Vafaei & Saboori, 2007: 217 (figs 1–5)—Hygrobatidae
Atractides garhwali Pesic, Kumar & Kumar, 2007: 162 (figs 10–17)—Hygrobatidae
Austroteneriffia kamalii Ueckermann & Khanjani, 2002: 168 (figs 1–14)—Teneriffiidae
Axonopsis (Vicinaxonopsis) caspica Pesic & Saboori in Pesic *et al.*, 2006: 214 (figs 7–14)—
 Axonopsidae
Balaustium innocentae Haitlinger, 2006: 95 (figs 46–54)—Erythraeidae
Balaustium zhangii Saboori, 2001: 171 (figs 1–16)—Erythraeidae
Barbutia australia Fan, Walter & Proctor, 2003: 112 (figs 1–41)—Barbutiidae
Barbutia longinqua Fan, Walter & Proctor, 2003: 125 (figs 42–51)—Barbutiidae
Boetophela cassandrae Haitlinger & Chmielewski, 2004: 196 (figs 1–6)—Canestriniidae
Brevipalpus sahii Hasan, Wakil & Bashir, 2004: 104 (fig. 1)—Tenuipalpidae
Brevipalpus tiwanensis Hasan, Wakil & Bashir, 2004: 105 (fig. 2)—Tenuipalpidae
Calepitrimerus litseae Wei, Feng & Huang, 1999: 147 (figs 17–24)—Eriophyidae
Caligohomus durus Fan & Walter, 2004: 82 (figs 4–6, pl. 1)—Stigmaeidae
Carastrum sanurensis Haitlinger, 2006: 220 (figs 1–8)—Erythraeidae
Charletonia kalithensis Haitlinger, 2006: 108 (figs 1–8)—Erythraeidae
Charletonia lombokensis Haitlinger, 2006: 222 (figs 9–19)—Erythraeidae
Charletonia samosensis Haitlinger, 2006: 110 (figs 9–19)—Erythraeidae
Cheletonella juglandis Xia, Zhu & Ye, 1999: 150 (figs 1–3)—Cheyletidae
Chrysomelobia oneili Moraes, Husband & Lofego, 1999: 131 (figs 1–13)—Podapolipidae
Crotalomorpha camini Lindquist & Krantz, 2002: 136 (figs 1–13)—Crotalomorphidae
Cryptacarus keralensis Shiji, Haq & Ramani, 2007: 232 (figs 7–12)—Lohmanniidae
Cunaxa jatoiensis Bashir & Afzal, 2006: 64 (figs 1–6)—Cunaxidae
Daidalotarsonemus cornus Lin, Chen & Zhang, 1998: 139 (fig. 2)—Tarsonemidae
Daidalotarsonemus digital Lin, Chen & Zhang, 1998: 137 (fig. 1)—Tarsonemidae
Daidalotarsonemus duolamella Lin, Chen & Zhang, 1998: 141 (fig. 3)—Tarsonemidae
Dendroptus tricollis Lin & Chen in Lin *et al.*, 2004: 142 (figs 1–6)—Tarsonemidae
Diplothrombium zbigniewi Haitlinger, 2001: 179 (figs 1–7)—Johnstoniidae
Diptacus liangfengjiangensis Chen, Wei & Qin, 2004: 75 (figs 15–20)—Diptilomiopidae
Diptilomiopus acronychia Chen, Wei & Qin, 2004: 72 (figs 11–14)—Diptilomiopidae
Diptilomiopus combreti Wei & Lu, 2001: 117 (figs 8–15)—Diptilomiopidae
Diptilomiopus illicii Wei & Lu, 2001: 115 (figs 1–7)—Diptilomiopidae
Echinopsis fukiensis Fan & Chen, 1996: 124 (figs 1–7)—Xenocaligonellidae
Epilohmannia shtanchaevae Bayartogtokh, 2000: 199 (figs 30–36)—Epilohmanniidae
Epilohmannia spathuloides Bayartogtokh, 2000: 196 (figs 23–29)—Epilohmanniidae
Epitimerus ipomoeae Wei, Feng & Huang, 1999: 143 (figs 1–8)—Eriophyidae

Erythraeus (Erythraeus) berninensis Haitlinger, 2007: 62 (figs 9–18)—Erythraeidae
Erythraeus (Erythraeus) garmsaricus Saboori, Goldarazena & Khajeali, 2004: 168 (figs 14–23)—Erythraeidae
Erythraeus (Erythraeus) hypertrichotus Saboori, Goldarazena & Khajeali, 2004: 163 (figs 1–13)—Erythraeidae
Erythraeus (Erythraeus) kacperi Haitlinger, 2004: 158 (figs 1–8)—Erythraeidae
Erythraeus (Erythraeus) moeritzensis Haitlinger, 2007: 66 (figs 19–29)—Erythraeidae
Erythraeus (Erythraeus) yangshounicus Haitlinger, 2006: 86 (figs 9–19)—Erythraeidae
Erythraeus (Erythraeus) zhangii Haitlinger, 2006: 88 (figs 20–30)—Erythraeidae
Erythraeus (Zaracarus) iranicus Saboori & Akrami, 2001: 159 (figs 1–11)—Erythraeidae
Erythraeus (Zaracarus) kastaniensis Haitlinger, 2006: 111 (figs 20–30)—Erythraeidae
Erythraeus (Zaracarus) kharrazii Saboori, 2000: 125 (figs 1–7)—Erythraeidae
Erythraeus (Zaracarus) passidonicus Haitlinger, 2006: 114 (figs 20–30)—Erythraeidae
Erythraeus (Zaracarus) rajabii Saboori, 2000: 127 (figs 8–17)—Erythraeidae
Erythraeus preciosus Goldarazena & Zhang, 1998: 153 (figs 6–10, 12)—Erythraeidae
Erythraeus shojaii Saboori & Babolmorad, 2000: 119 (figs 1–10)—Erythraeidae
Erythraeus southcotti Goldarazena & Zhang, 1998: 149 (figs 1–5, 11)—Erythraeidae
Euseius tikriti Bayan, Merheb, 2006: 51 (fig. 1)—Phytoseiidae
Eustigmaeus erciyesiensis Doğan, Ayyildiz & Fan, 2003: 132 (figs 1–21)—Stigmaeidae
Eustigmaeus sculptus Doğan, Ayyildiz & Fan, 2003: 139 (figs 22–29)—Stigmaeidae
Eutrombidium djordjevici Saboori & Pesic, 2006: 237 (figs 1–8)—Eutrombidiidae
Eutrombidium sepaqosariani Saboori, Nemati & Mosaddegh, 2000: 183 (figs 1–7)—Eutrombidiidae
Eutrombidium sorbasiensis Mayoral & Barranco, 2004: 183 (figs 1–6)—Eutrombidiidae
Fungitarsonemus kawakawa Lin & Zhang, 2005: 85 (figs 1–12)—Tarsonemidae
Fungitarsonemus kerikeri Lin & Zhang, 2005: 98 (figs 25–36)—Tarsonemidae
Fungitarsonemus kohia Lin & Zhang, 2005: 91 (figs 13–24)—Tarsonemidae
Fungitarsonemus tawa Lin & Zhang, 2005: 105 (figs 37–42)—Tarsonemidae
Galendromimus paulista Zacarias & Moraes, 2001: 97 (fig. 2)—Phytoseiidae
Gamasellodes tatricus Gwiazdowicz & Walter, 2005: 62 (figs 1–5)—Ascidae
Gareria taiwanensis Wen, 2000: 173 (figs 1–5)—Walchiidae
Grallacheles nanfengensis Xia, Ye & Zhu, 1997: 173 (figs 1–3)—Cheyletidae
Grandjeanella bella Zhang & Goldarazena, 1996: 138 (figs 17–24)—Erythraeidae
Grandjeanella haitlingeri Goldarazena & Zhang, 1997: 231 (figs 1–8)—Erythraeidae
Grandjeanella multisetosa Zhang & Goldarazena, 1996: 133 (figs 9–16)—Erythraeidae
Hirstiella diolii Baker, 1998: 183 (figs 1–24)—Pterygosomatidae
Hygrobat es gangeticus Pesic, Kumar & Kumar, 2007: 162 (figs 1–9)—Hygrobatidae
Hypoaspis (Cosmolaelaps) hefeiensis Xu & Liang, 1996: 193 (figs 17–23)—Laelapidae
Hypoaspis (Cosmolaelaps) reticulatus Xu & Liang, 1996: 191 (figs 9–16)—Laelapidae
Hypoaspis (Geolaelaps) postreticulatus Xu & Liang, 1996: 189 (figs 1–8)—Laelapidae
Iphiseiodes setillus Guedes, Gondim & Moraes, 2001: 75 (figs 15–19)—Phytoseiidae
Johnstoniana rudolfi Haitlinger, 2006: 101 (figs 62–68)—Johnstonianidae
Knorella geonomae Gondim, Flechtmann & Moraes, 2000: 105 (fig. 3)—Eriophyidae
Knorella thailandica Hong, 1996: 206 (replacement name for *Knorella bambusae* Chandrapatya, 1993)—Eriophyidae
Ledermulleriopsis meilingensis Hu, Xia & Chen, 1997: 167 (figs 1–5)—Stigmaeidae
Ledermulleriopsis verricula Fan & Liu, 1999: 155 (figs 1–8)—Stigmaeidae
Leptus adaminae Haitlinger, 2004: 150 (figs 9–16)—Erythraeidae
Leptus balicus Haitlinger, 2006: 227 (figs 25–32)—Erythraeidae
Leptus coloanensis Haitlinger, 2006: 91 (figs 31–37)—Erythraeidae

Leptus esmailii Saboori & Ostovan, 2000: 143 (figs 1–10)—Erythraeidae
Leptus filipinae Haitlinger, 2000: 132 (figs 1–8)—Erythraeidae
Leptus fozicus Haitlinger, 2004: 152 (figs 17–24)—Erythraeidae
Leptus guilinicus Haitlinger, 2006: 93 (figs 38–45)—Erythraeidae
Leptus hospeticus Haitlinger, 2002: 177 (figs 1–9)—Erythraeidae
Leptus iguacuicus Haitlinger, 2004: 147 (figs 1–8)—Erythraeidae
Leptus kamalii Irvanlou & Saboori, 2001: 165 (figs 1–10)—Erythraeidae
Leptus laviniacus Haitlinger, 2002: 180 (figs 10–18)—Erythraeidae
Leptus nikanori Haitlinger, 2000: 132 (figs 9–15)—Erythraeidae
Leptus onnae Haitlinger, 2000: 137 (figs 24–31)—Erythraeidae
Leptus simonettae Haitlinger, 2000: 137 (figs 16–23)—Erythraeidae
Leptus singhi Saboori & Arbabi, 2003: 175 (figs 1–9)—Erythraeidae
Leptus ubudicus Haitlinger, 2006: 225 (figs 20–24)—Erythraeidae
Leptus zhangii Saboori & Atamehr, 1999: 159 (figs 1–7)—Erythraeidae
Ledermuelleriopsis giresuniensis Doğan & Ayyildiz, 2003: 145 (figs 1–6)—Stigmaeidae
Leptotrombidium (Monosignum) shenzhense Wen, 2001: 192 (figs 7–11)—Trombiculidae
Leptotrombidium (Monosignum) zhongii Wen, 2001: 190 (figs 1–6)—Trombiculidae
Limnesia (Limnesia) microplatus Wen & Zhu, 2001: 155 (figs 1–9)—Limnesiidae
Litarachna brasiliensis Smit, 2007: 141 (figs 1–5)—Pontarachnidae
Mabulatrachus iranici Akrami & Coetzee, 2007: 248 (figs 1–9)—Zetomotrichidae
Macronyssus emeiensis Zhou, Wang & Wang, 1996: 184 (figs 1–10)—Macronyssidae
Macronyssus fujianensis Zhou, Wang & Wang, 1996: 187 (figs 11–20)—Macronyssidae
Macronyssus macroscutatus Baker & Beccaloni, 2006: 169 (Figs 1–10)—Macronyssidae
Mediolata petilus Doğan & Ayyildiz, 2004: 92 (figs 8–14)—Stigmaeidae
Medioppia bipectinata Akrami & Subías, 2007: 241 (figs 1–4)—Oppiidae
Momorangia gabini Haitlinger, 2004: 179 (figs 1–8)—Erythraeidae
Monatractides garhwaliensis Pesic, Kumar & Kumar, 2007: 209 (figs 14–20)—Torrenticolidae
Montenegtrombium milicae Saboori & Pesic, 2006: 233 (figs 1–6)—Microtrombidiidae
Neocunaxoides boltoides Lin in Lin *et al.*, 2001: 145 (figs 1–7)—Cunaxidae
Neocunaxoides fani Lin in Lin *et al.*, 2001: 148 (figs 8–14)—Cunaxidae
Neocunaxoides ovatus Lin in Lin *et al.*, 2003: 103 (figs 1–9)—Cunaxidae
Neohoderus choerospondias Chen, Wei & Qin, 2004: 70 (figs 1–5)—Diptilomiopidae
Neophyllobius astragalusi Khanjani & Ueckermann, 2002: 162 (figs 9–17)—Camerobiidae
Neophyllobius camelli Khanjani & Ueckermann, 2002: 164 (figs 18–25)—Camerobiidae
Neophyllobius ferrugineus Fan, 2001: 140 (figs 7–13)—Camerobiidae
Neophyllobius foliosetosus Fan, 2001: 138 (figs 1–6)—Camerobiidae
Neophyllobius persiaensis Khanjani & Ueckermann, 2002: 160 (figs 1–8)—Camerobiidae
Neophyllobius punctulatus Fan, 2001: 142 (figs 14–20)—Camerobiidae
Neoscirula saitoi Lin in Lin & Zhang, 2002: 146 (figs 9–16)—Cunaxidae
Neoseiulus recifensis Guedes, Gondim & Moraes, 2001: 77 (figs 20–24)—Phytoseiidae
Neoseiulus veigai Guedes, Gondim & Moraes, 2001: 78 (figs 25–28)—Phytoseiidae
Neotarsonemoides triquetrus Lin & Zhang, 1996: 173 (figs 1–2)—Tarsonemidae
Neothrombium mojdehii Saboori & Ostovan, 2001: 203 (figs 1–11)—Neothrombiidae
Neotrombicula (Digenualea) silvestris Ma, Yang & Chen, 2002: 207 (figs A–F)—Trombiculidae
Nilotonia iranica Pesic in Pesic *et al.*, 2005: 143 (figs 21–30)—Anisitsiellidae
Notostrix butiae Gondim, Flechtman & Moraes, 2000: 100 (fig. 1)—Eriophyidae
Notostrix nasutiformes Gondim, Flechtman & Moraes, 2000: 102 (fig. 2)—Eriophyidae
Odontocephus beijingensis Wang, 1997: 237 (figs 1–4, 7–24)—Carabodidae
Opiliotrombium akatarawa Zhang & Fan, 2005: 156 (figs 1–4)—Neothrombiidae
Okiseius xizangensis Wu, Lan & Liang, 1997: 146 (figs 23–27)—Phytoseiidae

Orthopteroiseius sinicus Mo, 1996: 201 (figs 1–13)—Otopheidomenidae
Oskootrombium prasadi Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 248 (figs 1–6)—
 Trombidiidae
Oxybrachioppia glabriseta Wang & Shen in Shen *et al.*, 1999: 122 (figs 1–2)—Oppiidae
Paraamblyseius multicircularis Guedes, Gondim & Moraes, 2001: 79 (figs 29–32)—Phytoseiidae
Parabonzia zhangii Lin in Lin & Zhang, 2002: 143 (figs 1–8)—Cunaxidae
Paratrombium welbourni Goldarazena & Zhang, 1997: 227 (figs 1–6)—Trombidiidae
Parobia alipilus Seeman & Nahrung, 2005: 112 (figs 1–5)—Podapolipidae
Parobia captivus Seeman & Nahrung, 2005: 130 (figs 13–18)—Podapolipidae
Parobia gimlii Seeman & Nahrung, 2005: 118 (figs 6–8)—Podapolipidae
Parobia lawsoni Seeman & Nahrung, 2005: 124 (figs 9–12)—Podapolipidae
Phytoseius (Dubininellus) longchuanensis Wu, 1997: 156 (figs 1–5)—Phytoseiidae
Phytoseius (Phytoseius) malaysianus Ehara, 2006: 177 (figs 1–7)—Phytoseiidae
Phytoseius wangii Wu & Ou, 1998: 121 (figs 1–4)—Phytoseiidae
Podothrombium manolatesicus Haitlinger, 2006: 119 (figs 49–56)—Trombidiidae
Podothrombium xianicum Haitlinger, 2006: 98 (figs 55–61)—Trombidiidae
Pollux kovalamicus Haitlinger, 2002: 173 (figs 1–8)—Erythraeidae
Polyaspinus tasmanicus Błoszyk & Halliday, 2000: 54 (figs 11–15)—Trachytidae
Propilus syagris Gondim, Flechtmann & Moraes, 2000: 107 (fig. 4)—Phytoptidae
Protzia beyazoglui Pesic & Turan, 2006: 206 (figs 1–12)—Hydryphantidae
Protzia sepaosgariani Pesic & Saboori in Pesic *et al.*, 2006: 74 (figs 1–12)—Hydryphantidae
Proprioiseius aculeatus Moraes & Denmark, 1999: 100 (figs 6–9)—Phytoseiidae
Proprioiseius gibbus Moraes & Denmark, 1999: 99 (figs 1–5)—Phytoseiidae
Proprioiseius retroacuminatus Zacarias & Moraes, 2001: 96 (fig. 1)—Phytoseiidae
Pseudoparasitus (Gymnolaelaps) submyrmecophila Xu & Liang, 1996: 195 (figs 24–31)—
 Laelapidae
Pseudostigmaeus ueckermanni Fan & Liu, 1999: 156 (figs 9–12)—Stigmaeidae
Psorergatoides nyctali Baker, 2005: 68 (figs 1–17)—Psorergatidae
Pyemotes moseri Yu & Liang, 1996: 167 (figs 1–7)—Pyemotidae
Raphignathus aciculatus Fan in Fan & Yin, 2000: 91 (figs 25–32)—Raphignathidae
Raphignathus evidus Fan in Fan & Yin, 2000: 94 (figs 38–42)—Raphignathidae
Raphignathus hsiufui Fan in Fan & Yin, 2000: 94 (figs 43–46)—Raphignathidae
Raphignathus membranatus Fan in Fan & Yin, 2000: 93 (figs 33–37)—Raphignathidae
Rhyncaphytopius acer Chen, Wei & Qin, 2004: 71 (figs 6–10)—Diptilomiopidae
Schizotetranychus hidayahae Yusof & Zhang, 2003: 155 (figs 1–9)—Tetranychidae
Schoengastiella (Dureniella) irani Wen & Saboori, 2004: 191 (figs 1–2)—Walchiidae
Schoengastiella wufi Wen, 2005: 170 (figs 1–2)—Walchiidae
Scirula papillata Lin, 1997: 169 (figs 1–6)—Cunaxidae
Scutascirus triangulum Lin in Lin *et al.*, 2001: 150 (figs 15–22)—Cunaxidae
Shunsennia (Parashunsennia) marmota Wen & Ma, 1997: 212 (figs 1–4)—Leeuwenhoeekiidae
Southcottella nematii Saboori, 2002: 185 (figs 1–13)—Neothrombiidae
Sperchon garhwalensis Kumar, Kumar & Pesic, 2007: 35 (figs 10–19)—Sperchontidae
Sperchon indicus Kumar, Kumar & Pesic, 2007: 32 (figs 1–9)—Sperchontidae
Steneotarsonemus concavuscutum Lofego & Gondim, 2006: 195 (figs 1–12)—Tarsonemidae
Steneotarsonemus longicarpus Lin & Zhang, 1997: 177 (fig. 1)—Tarsonemidae
Steneotarsonemus stipa Lin & Liu, 1999: 127 (figs 1–6)—Tarsonemidae
Stigmaeus mazandaranicus Faraji & Ueckermann, 2006: 70 (Figs 1–6)—Stigmaeidae
Storchia cuneata Fan & Chen, 1997: 164 (figs 1–10)—Stigmaeidae
Summersiella camphorae Fan & Zhang, 2002: 154 (figs 15–26)—Stigmaeidae
Tanautarsala callithrix Brown, 2007: 224 (figs 1–2)—Trombiculidae

Tarsonemus yali Lin & Zhang, 2006: 181 (figs 1–12)—Tarsonemidae
Tenuipalpus jawadii Hasan, Wakil & Bashir, 2004: 98 (fig. 2)—Tenuipalpidae
Tenuipalpus waqasii Hasan, Wakil & Bashir, 2004: 97 (fig. 1)—Tenuipalpidae
Tergilatus camelliae Wei, Feng & Huang, 1999: 144 (figs 9–16)—Eriophyidae
Tetra striata Navia, 1999: 140 (figs 8–14)—Eriophyidae
Tetranychus arifi Yusof & Zhang, 2003: 163 (figs 10–18)—Tetranychidae
Tetranychus ismaili Yusof & Zhang, 2003: 167 (figs 19–27)—Tetranychidae
Tetranychus ogmophallos Ferreira & Flechtmann, 1997: 181 (figs 1–14)—Tetranychidae
Trombella ahmadii Saboori, Nemati & Mosaddegh, 2001: 183 (figs 1–10)—Trombellidae
Trombidium southcotti Zhang & Saboori, 1996: 157 (figs 1–20)—Trombidiidae
Typhlodromips ariri Guedes, Gondim & Moraes, 2001: 82 (figs 33–37)—Phytoseiidae
Typhlodromips cananeiensis Guedes, Gondim & Moraes, 2001: 84 (figs 38–44)—Phytoseiidae
Typhlodromips jucara Guedes, Gondim & Moraes, 2001: 85 (figs 45–49)—Phytoseiidae
Typhlodromus abboudieus Bayan & Merheb, 2006: 53 (fig. 2)—Phytoseiidae
Typhlodromus cuii Wu & Ou, 1998: 133 (figs 1–4)—Phytoseiidae
Umbellozetes combinatus Wang & Solho in Shen *et al.*, 1999: 124 (figs 5–6)—Tegoribatidae
Umbellozetes squamaceus Wang & Shen in Shen *et al.*, 1999: 123 (figs 3–4)—Tegoribatidae
Unionicola (Polyatax) lumbaria Wen & Zhu, 1998: 171 (figa 1–13)—Unionicolidae
Walchia marmota Wen & Zhou, 1997: 215 (figs 1–6)—Walchiidae
Walchia traubobi Wen, 1999: 180 (figs 1–4)—Walchiidae
Whartonia furcappa Wen & Zhou in Wen *et al.*, 2001: 195 (figs 1–6)—Leeuwenhoeekiidae
Xenotarsonemus biangulus Lin in Lin *et al.*, 2000: 111 (figs 1–2)—Tarsonemidae
Xenotarsonemus bihamus Lin in Lin *et al.*, 2000: 115 (fig. 3)—Tarsonemidae
Xenotarsonemus ligula Lin & Zhang, 1996: 177 (fig. 3)—Tarsonemidae
Yemenitrombium nairae Saboori, Ueckermann & Harten, 2005: 164 (figs 1–11)—
 Microtrombidiidae
Zibethacarus beeri Fashing & Burton, 2007: 168 (figs 1–14)—Glycyphagidae

Author index

Afzal, M. (Pakistan; 1 spp.) *Cunaxa jatoiensis* Bashir & Afzal, 2006: 64.
 Akrami, Mohammad Ali (Iran; 3 spp.) *Erythraeus (Zaracarus) iranicus* Saboori & Akrami, 2001: 159; *Mabulatrachus iranicus* Akrami & Coetzee, 2007: 248; *Medioppia bipectinata* Akrami & Subías, 2007.
 Arbabi, Masoud (Iran; 1 spp.) *Leptus singhi* Saboori & Arbabi, 2003: 175.
 Atamehr, Ahmad (Iran; 1 spp.) *Leptus zhangii* Saboori & Atamehr, 1999: 159.
 Ayyildiz, Nusret (Turkey; 4 spp.) *Eustigmaeus erciyesiensis* Doğan, Ayyildiz & Fan, 2003: 132; *Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139; *Ledermuelleriopsis giresuniensis* Doğan & Ayyildiz, 2003:145; *Mediolata petilus* Doğan & Ayyildiz, 2004: 92.
 Babolmorad, Mehri (Iran; 1 spp.) *Erythraeus shojaii* Saboori & Babolmorad, 2000: 119.
 Bagheri, Mohammad (Iran; 2 spp.) *Oskootrombium* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 247; *Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 248.
 Baker, Anne S. (UK; 3 spp.) *Hirstiella diolii* Baker, 1998: 183; *Macronyssus macroscutatus* Baker & Beccaloni, 2006: 169; *Psorergatoides nyctali* Baker, 2005: 68.
 Barranco, Pablo (Spain; 1 spp.) *Eutrombidium sorbasiensis* Mayoral & Barranco, 2004: 183.
 Bashir, M. Hamid (Pakistan; 1 spp.) *Cunaxa jatoiensis* Bashir & Afzal, 2006: 64.
 Bashir, Faiza (Pakistan; 4 spp.) *Brevipalpus sahii* Hasan, Wakil & Bashir, 2004: 104; *Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105; *Tenuipalpus jawadii* Hasan, Wakil & Bashir, 2004: 98; *Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97.

- Bayan, Ali (Lebanon; 2 spp.) *Euseius tikriti* Bayan & Merheb, 2006: 51; *Typhlodromus abboudieus* Bayan & Merheb, 2006: 53.
- Bayartogtokh, Badamdorj (Mongolia; 2 spp.) *Epilohmannia shtanchaevae* Bayartogtokh, 2000: 199; *Epilohmannia spathuloides* Bayartogtokh, 2000: 196.
- Beccaloni, Janet (UK; 1 spp.) *Macronyssus macroscutatus* Baker & Beccaloni, 2006: 169.
- Błoszyk, J. (Poland; 1 gen., 2 spp.) *Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41; *Acroseius womersleyi* Błoszyk, Halliday & Dylewska, 2005: 48; *Polyaspinus tasmanicus* Błoszyk & Halliday, 2000: 54.
- Brown, Wayne A. (USA; 1 gen., 1 spp.) *Tanautarsala* Brown, 2007: 223; *Tanautarsala callithrix* Brown, 2007: 224.
- Burton, Andrew (USA; 1 spp.) *Zibethacarus beeri* Fashing & Burton, 2007: 168.
- Chen, Hong-Jian (China; 1 spp.) *Neotrombicula (Digenualea) silvestris* Ma, Yang & Chen, 2002: 207.
- Chen, Jian-Wen (China; 1 gen., 3 spp.) *Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75; *Neohoderus* Chen, Wei & Qin, 2004: 69; *Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70; *Rhyncaphytoptus acer* Chen, Wei & Qin, 2004: 71.
- Chen, Qin-He (China; 3 spp.) *Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139; *Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137; *Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141.
- Chen, Xi-Wen (China; 1 spp.) *Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167.
- Chen, Yan (China; 1 gen., 2 spp.) *Echinopsis* Fan & Chen, 1996: 126; *Echinopsis fukiensis* Fan & Chen, 1996: 124; *Storchia cuneata* Fan & Chen, 1997: 164.
- Chmielewski, Wit (Poland; 1 spp.) *Boetophela cassandrae* Haitlinger & Chmielewski, 2004: 196.
- Coetzee, Louise (South Africa; 1 spp.) *Mabulatrichus iranicus* Akrami & Coetzee, 2007: 248.
- Denmark, H.A. (USA; 1 spp.) *Proprioseius aculeatus* Moraes & Denmark, 1999: 100.
- Dinipour, Abdollah (Iran; 1 spp.) *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217.
- Doğan, Salih. (Turkey; 4 spp.) *Eustigmaeus erciyesiensis* Doğan, Ayyildiz & Fan, 2003: 132; *Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139; *Ledermuelleriopsis giresuniensis* Doğan & Ayyildiz, 2003: 145; *Mediolata petilus* Doğan & Ayyildiz, 2004: 92.
- Dong, Hui-Qin (China; 1 spp.) *Aceria yunnanensis* Dong & Hong, 1998: 199.
- Dylewska, M. (Poland; 1 gen., 1 spp.) *Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41; *Acroseius womersleyi* Błoszyk, Halliday & Dylewska, 2005: 48.
- Ehara, Shôzô (Japan; 1 spp.) *Phytoseius (Phytoseius) malaysianus* Ehara, 2006: 177.
- Fan, Qing-Hai (China; 2 gen., 18 spp.) *Barbutia australia* Fan, Walter & Proctor, 2003: 112; *Barbutia longinqua* Fan, Walter & Proctor, 2003: 125; *Caligohomus durus* Fan & Walter, 2004: 82; *Echinopsis* Fan & Chen, 1996: 126; *Echinopsis fukiensis* Fan & Chen, 1996: 124; *Eustigmaeus erciyesiensis* Doğan, Ayyildiz & Fan, 2003: 132; *Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139; *Ledermuelleriopsis verricula* Fan & Liu, 1999: 155; *Neophyllobius ferrugineus* Fan, 2001: 140; *Neophyllobius foliosetosus* Fan, 2001: 138; *Neophyllobius punctulatus* Fan, 2001: 142; *Opilotrombium* Zhang & Fan, 2005: 156; *Opilotrombium akatarawa* Zhang & Fan, 2005: 156; *Pseudostigmaeus ueckermanni* Fan & Liu, 1999: 156; *Raphignathus aciculatus* Fan in Fan & Yin, 2000: 91; *Raphignathus evidus* Fan in Fan & Yin, 2000: 94; *Raphignathus hsiufui* Fan in Fan & Yin, 2000: 94; *Raphignathus membranatus* Fan in Fan & Yin, 2000: 93; *Storchia cuneata* Fan & Chen, 1997: 164; *Summersiella camphorae* Fan & Zhang, 2002: 154.
- Faraji, F. (The Netherlands; 1 spp.) *Stigmaeus mazandaranicus* Faraji & Ueckermann, 2006: 70.
- Fashing, Norman J. (USA; 1 spp.) *Zibethacarus beeri* Fashing & Burton, 2007: 168.
- Feng, Yuan-Bin (China; 3 spp.) *Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147; *Epitrimerus ipomoeae* Wei, Feng & Huang, 1999: 143; *Tergilatus camelliae* Wei, Feng & Huang, 1999: 144.

- Ferreira, Denise N.M. (Brazil; 2 spp.) *Aceria pinto* Ferreira & Flechtmann, 1997: 185; *Tetranychus ogmophallos* Ferreira & Flechtmann, 1997: 181.
- Flechtmann, Carlos H.W. (Brazil; 6 spp.) *Aceria pinto* Ferreira & Flechtmann, 1997: 185; *Knorella geonoma* Gondim, Flechtmann & Moraes, 2000: 105; *Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100; *Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102; *Propilus syagris* Gondim, Flechtmann & Moraes, 2000: 107; *Tetranychus ogmophallos* Ferreira & Flechtmann, 1997: 181.
- Gerson, Uri (Israel; 1 fam.) Mecognathidae Gerson & Walter, 1998: 145.
- Goldarazena, Arturo (Spain; 10 spp.) *Abrolophus neobrevicollis* Zhang & Goldarazena, 1996: 127; *Allothrombium monochaetum* Goldarazena & Zhang, 1997: 220; *Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168; *Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163; *Erythraeus preciosus* Goldarazena & Zhang, 1998: 153; *Erythraeus southcotti* Goldarazena & Zhang, 1998: 149; *Grandjeanella bella* Zhang & Goldarazena, 1996: 138; *Grandjeanella haitlingeri* Goldarazena & Zhang, 1997: 231; *Grandjeanella multisetosa* Zhang & Goldarazena, 1996: 133; *Paratrombium welbourni* Goldarazena & Zhang, 1997: 227.
- Gondim, Manoel Guedes Correa Jr. (Brazil; 15 spp.) *Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68; *Amblyseius geonoma* Guedes, Gondim & Moraes, 2001: 69; *Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71; *Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75; *Knorella geonoma* Gondim, Flechtmann & Moraes, 2000: 105; *Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77; *Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78; *Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100; *Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102; *Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79; *Propilus syagris* Gondim, Flechtmann & Moraes, 2000: 107; *Steneotarsonemus concavuscutum* Lofego & Gondim, 2006: 195; *Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82; *Typhlodromips cananeiensis* Guedes, Gondim & Moraes, 2001: 84; *Typhlodromips jucara* Guedes, Gondim & Moraes, 2001: 85.
- Guedes, Manoel (Brazil; 8 spp.) *Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68; *Amblyseius geonoma* Guedes, Gondim & Moraes, 2001: 69; *Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71; *Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75; *Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77; *Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78; *Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79; *Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82.
- Gui, Yan-Yun (China; 2 gen.) *Parvisetia* Wen & Gui, 2000: 165; *Scrobiculata (Squamulata)* Wen & Gui, 2000: 167.
- Gwiazdowicz, Dariusz J. (Poland; 1 spp.) *Gamasellodes tatricus* Gwiazdowicz & Walter, 2005: 62.
- Haddad, Karim Irani-Nejad (Iran; 2 spp.) *Oskootrombium Saboori*, Bagheri & Haddad in Saboori et al., 2006: 247; *Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori et al., 2006: 248.
- Haitlinger, Ryszard (Poland; 1 gen., 36 spp.) *Abrolophus mirabelae* Haitlinger, 2007: 57; *Abrolophus unimiri* Haitlinger, 2006: 84; *Allothrombium polikarpi* Haitlinger, 2006: 116; *Amarucoptes* Haitlinger, 2001: 112; *Amarucoptes busannae* Haitlinger, 2001: 113; *Balaustium innocentae* Haitlinger, 2006: 95; *Boetophela cassandrae* Haitlinger & Chmielewski, 2004: 196; *Carastrum sanurensis* Haitlinger, 2006: 220; *Charletonia kalithensis* Haitlinger, 2006: 108; *Charletonia lombokensis* Haitlinger, 2006: 222; *Charletonia samosensis* Haitlinger, 2006: 110; *Diplothrombium zbigniewi* Haitlinger, 2001: 179; *Erythraeus (Erythraeus) berninensis* Haitlinger, 2007: 62; *Erythraeus (Erythraeus) kacperi* Haitlinger, 2004: 158; *Erythraeus (Erythraeus) moeritzensis* Haitlinger, 2007: 66; *Erythraeus (Erythraeus) yangshounicus* Haitlinger, 2006: 86; *Erythraeus (Erythraeus) zhang* Haitlinger, 2006: 88; *Erythraeus (Zaracarus) kastaniensis* Haitlinger, 2006: 111; *Erythraeus (Zaracarus) passidonicus* Haitlinger, 2006: 114; *Johnstoniana rudolfi* Haitlinger, 2006: 101; *Leptus balicus* Haitlinger,

- 2006: 227; *Leptus adaminae* Haitlinger, 2004: 150; *Leptus colanensis* Haitlinger, 2006: 91; *Leptus filipinae* Haitlinger, 2000: 132; *Leptus fozicus* Haitlinger, 2004: 152; *Leptus guilnicus* Haitlinger, 2006: 93; *Leptus hospeticus* Haitlinger, 2002: 177; *Leptus iguacuicus* Haitlinger, 2004: 147; *Leptus laviniacus* Haitlinger, 2002: 180; *Leptus nikanori* Haitlinger, 2000: 132; *Leptus onnae* Haitlinger, 2000: 137; *Leptus simonettae* Haitlinger, 2000: 137; *Leptus ubudicus* Haitlinger, 2006: 225; *Momorangia gabini* Haitlinger, 2004: 179; *Podothrombium manolatesicus* Haitlinger, 2006: 119; *Podothrombium xianicum* Haitlinger, 2006: 98; *Pollux kovalamicus* Haitlinger, 2002: 173.
- Hajiqanbar, H. (Iran; 2 spp.) *Abrolophus iraninejadi* Saboori & Hajiqanbar, 2005: 149; *Andrevela persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48.
- Halliday, R.B. (Australia; 1 gen., 2 spp.) *Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41; *Acroseius womersleyi* Błoszyk, Halliday & Dylewska, 2005: 48; *Polyaspinus tasmanicus* Błoszyk & Halliday, 2000: 54.
- Haq, M.A. (India; 2 spp.) *Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230; *Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232.
- Harten, Antonius Van (Cape Verde; 1 gen., 1 spp.) *Yemenitrombium* Saboori, Ueckermann & Harten, 2005: 163; *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164.
- Hasan, Mansoor Ul (Pakistan; 4 spp.) *Brevipalpus sahii* Hasan, Wakil & Bashir, 2004: 104; *Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105; *Tenuipalpus jawadii* Hasan, Wakil & Bashir, 2004: 98; *Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97.
- Hong, Xiaoyue (China; 2 spp.) *Aceria yunnanensis* Dong & Hong, 1998: 199; *Knorella thailandica* Hong, 1996: 206.
- Hu, Si-Qin (China; 1 spp.) *Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167.
- Huang, Nai-Xiu (China; 3 spp.) *Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147; *Epitrimerus ipomoeae* Wei, Feng & Huang, 1999: 143; *Tergilatus camelliae* Wei, Feng & Huang, 1999: 144.
- Husband, R.W. (USA; 1 spp.) *Chrysomelobia oneili* Moraes, Husband & Lofego, 1999: 131.
- Irvanlou, Jafar Sadegh Karimi (Iran; 1 spp.) *Leptus kamalii* Irvanlou & Saboori, 2001: 165.
- Kamali, Karim (Iran; 1 spp.) *Andrevela persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48.
- Khajeali, Jahangir (Iran; 2 spp.) *Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168; *Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163.
- Khanjani, M. (Iran; 6 spp.) *Anoplocheylus brevisetosus* Ueckermann & Khanjani, 2004: 59; *Anoplocheylus malayeriensis* Ueckermann & Khanjani, 2004: 55; *Austroteneriffia kamalii* Ueckermann & Khanjani, 2002: 168; *Neophyllobius astragalusi* Khanjani & Ueckermann, 2002: 162; *Neophyllobius camelli* Khanjani & Ueckermann, 2002: 164; *Neophyllobius persiaensis* Khanjani & Ueckermann, 2002: 160.
- Krantz, G.W. (USA; 1 fam., 1 gen., 1 spp.) *Crotalomorpha* Lindquist & Krantz, 2002: 133; *Crotalomorpha camini* Lindquist & Krantz, 2002: 136; *Crotalomorphidae* Lindquist & Krantz, 2002: 130.
- Kumar, Kapil (India; 5 spp.) *Atractides garhwali* Pesic, Kumar & Kumar, 2007: 162; *Hygrobatas gangeticus* Pesic, Kumar & Kumar, 2007: 162; *Monatractides garhwaliensis* Pesic, Kumar & Kumar, 2007: 209; *Sperchon garhwalensis* Kumar, Kumar & Pesic, 2007: 35; *Sperchon indicus* Kumar, Kumar & Pesic, 2007: 32.
- Kumar, Neeraj (India; 5 spp.) *Atractides garhwali* Pesic, Kumar & Kumar, 2007: 162; *Hygrobatas gangeticus* Pesic, Kumar & Kumar, 2007: 162; *Monatractides garhwaliensis* Pesic, Kumar & Kumar, 2007: 209; *Sperchon garhwalensis* Kumar, Kumar & Pesic, 2007: 35; *Sperchon indicus* Kumar, Kumar & Pesic, 2007: 32.
- Lan, Wen-Min (China; 1 spp.) *Okiseius xizangensis* Wu, Lan & Liang, 1997: 146.
- Li, Chao (China; 1 spp.) *Ameroseius qinghaiensis* Li & Yang, 2000: 65.

- Liang, Lai-Rong (China; 6 spp.) *Hypoaspis* (*Cosmolaelaps*) *hefeiensis* Xu & Liang, 1996: 193; *Hypoaspis* (*Cosmolaelaps*) *reticulatus* Xu & Liang, 1996: 191; *Hypoaspis* (*Geolaelaps*) *postreticulatus* Xu & Liang, 1996: 189; *Okiseius xizangensis* Wu, Lan & Liang, 1997: 146; *Pseudoparasitus* (*Gymnolaelaps*) *submyrmecophila* Xu & Liang, 1996: 195; *Pyemotes moseri* Yu & Liang, 1996: 167.
- Lin, Jian-Zhen (China; 22 spp.) *Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139; *Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137; *Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141; *Dendroptus tricollis* Lin & Chen in Lin, Zhang & Chen, 2004: 142; *Fungitarsonemus kawakawa* Lin & Zhang, 2005: 85; *Fungitarsonemus kerikeri* Lin & Zhang, 2005: 98; *Fungitarsonemus kohia* Lin & Zhang, 2005: 91; *Fungitarsonemus tawa* Lin & Zhang, 2005: 105; *Neocunaxoides boltoides* Lin in Lin et al., 2001: 145; *Neocunaxoides fani* Lin in Lin et al., 2001: 148; *Neocunaxoides ovatus* Lin in Lin et al., 2003: 103; *Neoscirula saitoi* Lin in Lin & Zhang, 2002: 146; *Neotarsonemoides triquetrus* Lin & Zhang, 1996: 173; *Parabonzia zhangii* Lin in Lin & Zhang, 2002: 143; *Scirula papillata* Lin, 1997: 169; *Scutascirus triangulum* Lin in Lin et al., 2001: 150; *Steneotarsonemus longicarpus* Lin & Zhang, 1997: 177; *Steneotarsonemus stipa* Lin & Liu, 1999: 127; *Xenotarsonemus bihamus* Lin in Lin et al., 2000: 115; *Tarsonemus yali* Lin & Zhang, 2006: 181; *Xenotarsonemus biangulus* Lin in Lin et al., 2000: 111; *Xenotarsonemus ligula* Lin & Zhang, 1996: 177.
- Lindquist, E.E. (Canada; 1 fam., 1 gen., 1 spp.) *Crotalomorpha* Lindquist & Krantz, 2002: 133; *Crotalomorpha camini* Lindquist & Krantz, 2002: 136; Crotalomorphidae Lindquist & Krantz, 2002: 130.
- Liu, Ai-Ping (China; 1 spp.) *Steneotarsonemus stipa* Lin & Liu, 1999: 127.
- Liu, Xin (China; 2 spp.) *Ledermuelleriopsis verricula* Fan & Liu, 1999: 155; *Pseudostigmaeus ueckermanni* Fan & Liu, 1999: 156.
- Lofego, A.C. (Brazil; 2 spp.) *Chrysomelobia oneili* Moraes, Husband & Lofego, 1999: 131; *Steneotarsonemus concavuscutum* Lofego & Gondim, 2006: 195.
- Lu, Wen (China; 2 spp.) *Diptilomiopus combreti* Wei & Lu, 2001: 117; *Diptilomiopus illicii* Wei & Lu, 2001: 115.
- Ma, Li-Ming (China; 1 spp.) *Shunsennia* (*Parashunsennia*) *marmota* Wen & Ma, 1997: 212.
- Ma, Ying (China; 1 spp.) *Neotrombicula* (*Digenualea*) *silvestris* Ma, Yang & Chen, 2002: 207.
- Mayoral, Jaime G. (Spain; 1 spp.) *Eutrombidium sorbasiensis* Mayoral & Barranco, 2004: 183.
- Merheb, Bashar (Lebanon; 2 spp.) *Euseius tikriti* Bayan & Merheb, 2006: 51; *Typhlodromus abboudieus* Bayan & Merheb, 2006: 53.
- Mo, Cheng-Feng (Hong Kong; 1 gen., 1 spp.) *Orthopteroseius* Mo, 1996: 201; *Orthopteroseius sinicus* Mo, 1996: 201.
- Moraes, Gilberto Jose de (Brazil; 19 spp.) *Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68; *Amblyseius geonomae* Guedes, Gondim & Moraes, 2001: 69; *Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71; *Chrysomelobia oneili* Moraes, Husband & Lofego, 1999: 131; *Galendromimus paulista* Zacarias & Moraes, 2001: 97; *Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75; *Knorella geonomae* Gondim, Flechtmann & Moraes, 2000: 105; *Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77; *Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78; *Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100; *Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102; *Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79; *Propilus syagris* Gondim, Flechtmann & Moraes, 2000: 107; *Proprioseius aculeatus* Moraes & Denmark, 1999: 100; *Proprioseius gibbus* Moraes & Denmark, 1999: 99; *Proprioseius retroacuminatus* Zacarias & Moraes, 2001: 96; *Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82; *Typhlodromips cananeiensis* Guedes, Gondim & Moraes, 2001: 84; *Typhlodromips jucara* Guedes, Gondim & Moraes, 2001: 85.
- Mosaddegh, Mohammad Saeed (Iran; 2 spp.) *Eutrombidium sepasgosariani* Saboori, Nemati &

- Mosaddegh, 2000: 183; *Trombella ahmadii* Saboori, Nemati & Mossaddegh, 2001: 183.
- Nahrung, Helen F. (Australia; 4 spp.) *Parobia alipilus* Seeman & Nahrung, 2005:112; *Parobia captivus* Seeman & Nahrung, 2005: 130; *Parobia gimlii* Seeman & Nahrung, 2005: 118; *Parobia lawsoni* Seeman & Nahrung, 2005: 124.
- Navia, Denis (Brazil; 2 spp.) *Aceria cordata* Navia, 1999: 137; *Tetra striata* Navia, 1999: 140.
- Nemati, Alireza (Iran; 2 spp.) *Eutrombidium sepasgosariani* Saboori, Nemati & Mosaddegh, 2000: 183; *Trombella ahmadii* Saboori, Nemati & Mossaddegh, 2001: 183.
- Ostovan, Hadi (Iran; 2 spp.) *Leptus esmailii* Saboori & Ostovan, 2000: 143; *Neothrombium mojdehii* Saboori & Ostovan, 2001: 203.
- Ou, Jian-Feng (China; 6 spp.) *Amblyseius dicircellatus* Wu & Ou, 1999: 107; *Amblyseius neopascalis* Wu & Ou, 2001: 103; *Amblyseius tenuis* Wu & Ou, 2001: 103; *Asperoseius parahevae* Wu & Ou, 2002: 125; *Phytoseius wangii* Wu & Ou, 1998: 121; *Typhlodromus cuii* Wu & Ou, 1998: 133.
- Pesic, Vladimir (Serbia and Montenegro; 1 gen., 12 spp.) *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217; *Atractides garhwali* Pesic, Kumar & Kumar, 2007: 162; *Axonopsis (Vicinaxonopsis) caspica* Pesic & Saboori in Pesic, Saboori, Asdi & Vafaei, 2006: 214; *Eutrombidium djordjevici* Saboori & Pesic, 2006: 237; *Hygrobatas gangeticus* Pesic, Kumar & Kumar, 2007: 162; *Monatractides garhwaliensis* Pesic, Kumar & Kumar, 2007: 209; *Montenegtrombium* Saboori & Pesic, 2006: 231; *Montenegtrombium milicae* Saboori & Pesic, 2006: 233; *Nilotonia iranica* Pesic in Pesic et al., 2005: 143; *Protzia beyazoglui* Pesic & Turan, 2006: 206; *Protzia sepasgosariani* Pesic & Saboori in Pesic et al., 2006: 74; *Sperchon garhwalensis* Kumar, Kumar & Pesic, 2007: 35; *Sperchon indicus* Kumar, Kumar & Pesic, 2007: 32.
- Proctor, Heather C. (Canada; 2 spp.) *Barbutia australia* Fan, Walter & Proctor, 2003: 112; *Barbutia longinqua* Fan, Walter & Proctor, 2003: 125.
- Qin, Ai-Zhi (China; 1 gen., 4 spp.) *Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75; *Diptilomiopus acronychia* Chen, Wei & Qin, 2004: 72; *Neohoderus* Chen, Wei & Qin, 2004: 69; *Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70; *Rhyncaphytoptus acer* Chen, Wei & Qin, 2004: 71.
- Ramani, N. (India; 2 spp.) *Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230; *Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232.
- Saboori, Alireza (Iran; 4 gen., 26 spp.) *Abrolophus iraninejadi* Saboori & Hajiqanbar, 2005: 149; *Andrevella persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48; *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217; *Axonopsis (Vicinaxonopsis) caspica* Pesic & Saboori in Pesic et al., 2006: 214; *Balaustium zhangi* Saboori, 2001: 171; *Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168; *Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163; *Erythraeus (Zaracarus) iranicus* Saboori & Akrami, 2001: 159; *Erythraeus (Zaracarus) kharrazii* Saboori, 2000: 125; *Erythraeus (Zaracarus) rajabii* Saboori, 2000: 127; *Erythraeus shojaii* Saboori & Babolmorad, 2000: 119; *Eutrombidium djordjevici* Saboori & Pesic, 2006: 237; *Eutrombidium sepasgosariani* Saboori, Nemati & Mosaddegh, 2000: 183; *Leptus esmailii* Saboori & Ostovan, 2000: 143; *Leptus kamalii* Irvanlou & Saboori, 2001: 165; *Leptus singhi* Saboori & Arbabi, 2003: 175; *Leptus zhangi* Saboori & Atamehr, 1999: 159; *Montenegtrombium* Saboori & Pesic, 2006: 231; *Montenegtrombium milicae* Saboori & Pesic, 2006: 233; *Neothrombium mojdehii* Saboori & Ostovan, 2001: 203; *Oskootrombium* Saboori, Bagheri & Haddad in Saboori et al., 2006: 247; *Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori et al., 2006: 248; *Protzia sepasgosariani* Pesic & Saboori in Pesic et al., 2006: 74; *Schoengastiella (Dureniella) irani* Wen & Saboori, 2004: 191; *Southcottella* Saboori, 2002: 185; *Southcottella nematii* Saboori, 2002: 185; *Trombella ahmadii* Saboori, Nemati & Mossaddegh, 2001: 183; *Trombidium southcotti* Zhang & Saboori, 1996: 157; *Yemenitrombium* Saboori, Ueckermann & Harten,

- 2005: 163; *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164.
- Seeman, Owen (Australia; 4 spp.) *Parobia alipilus* Seeman & Nahrung, 2005:112; *Parobia captivus* Seeman & Nahrung, 2005: 13; *Parobia gimlii* Seeman & Nahrung, 2005: 118; *Parobia lawsoni* Seeman & Nahrung, 2005: 124.
- Shen, Jing (China; 2 spp.) *Oxybrachioppia glabriseta* Wang & Shen in Shen et al., 1999: 122; *Umbellozetes squamaceus* Wang & Shen in Shen et al., 1999: 123.
- Shiji, M.T. (India; 2 spp.) *Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230; *Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232.
- Smit, Harry (The Netherlands; 1 spp.) *Litarachna brasiliensis* Smit, 2007: 141.
- Snider, Renate M.(USA; 1 spp.) *Abrolophus welbourni* Yao, Snider & Snider, 2000: 150.
- Snider, Richard J.(USA; 1 spp.) *Abrolophus welbourni* Yao, Snider & Snider, 2000: 150.
- Subías, Luis S. (Spain; 1 spp.) *Medioppia bipectinata* Akrami & Subías, 2007: 241.
- Turan, Davut (Turkey; 1 spp.) *Protzia beyazoglui* Pesic & Turan, 2006: 206.
- Ueckermann, E.A. (South Africa; 1 gen., 8 spp.) *Anoplocheylus brevisetosus* Ueckermann & Khanjani, 2004: 59; *Anoplocheylus malayeriensis* Ueckermann & Khanjani, 2004: 55; *Austroteneriffia kamalii* Ueckermann & Khanjani, 2002: 168; *Neophyllobius astragalusi* Khanjani & Ueckermann, 2002: 162; *Neophyllobius camelli* Khanjani & Ueckermann, 2002: 164; *Neophyllobius persiaensis* Khanjani & Ueckermann, 2002: 160; *Stigmaeus mazandaranicus* Faraji & Ueckermann, 2006: 70; *Yemenitrombium* Saboori, Ueckermann & Harten, 2005: 163; *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164.
- Vafaei, Reza (Iran; 1 spp.) *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217.
- Wakil, Waqas (Pakistan; 4 spp.) *Brevipalpus sahii* Hasan, Wakil & Bashir, 2004: 104; *Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105; *Tenuipalpus jawadui* Hasan, Wakil & Bashir, 2004: 98; *Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97.
- Walter, David E. (Canada; 1 fam., 4 spp.) *Barbutia australia* Fan, Walter & Proctor, 2003: 112; *Barbutia longinqua* Fan, Walter & Proctor, 2003: 125; *Caligohomus durus* Fan & Walter, 2004: 82; Mecognathidae Gerson & Walter, 1998: 145; *Gamasellodes tatricus* Gwiazdowicz & Walter, 2005: 62.
- Wang, Dong-Qin (China; 2 spp.) *Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184; *Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187.
- Wang, Hui-Fu (China; 4 spp.) *Odontocephus beijingensis* Wang, 1997: 237; *Oxybrachioppia glabriseta* Wang & Shen in Shen et al., 1999: 122 ; *Umbellozetes combinatus* Wang & Solho in Shen et al., 1999: 124; *Umbellozetes squamaceus* Wang & Shen in Shen et al., 1999: 123.
- Wang, Shen-Rong (China; 2 spp.) *Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184; *Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187.
- Wei, Sui-Gai (China; 1 gen., 9 spp.) *Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147; *Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75; *Diptilomiopus acronychia* Chen, Wei & Qin, 2004: 72; *Diptilomiopus combreti* Wei & Lu, 2001: 117; *Diptilomiopus illicii* Wei & Lu, 2001: 115; *Epitrimerus ipomoeae* Wei, Feng & Huang, 1999: 143; *Neohoderus* Chen, Wei & Qin, 2004: 69; *Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70; *Rhyncaphytoptus acer* Chen, Wei & Qin, 2004: 71; *Tergilatus camelliae* Wei, Feng & Huang, 1999: 144.
- Wen, Chungen (China; 2 spp.) *Limnesia (Limnesia) microplatus* Wen & Zhu, 2001: 155; *Unionicola (Polytax) lumbaria* Wen & Zhu, 1998: 171.
- Wen, Ting-Huan (China; 5 gen., 13 subgen., 9 spp.) *Duplimedia* Wen, 2006: 253; *Duplisetia* Wen, 1999: 174; *Duplisetia (Starkia)* Wen, 1999: 175; *Gareria taiwanensis* Wen, 2000: 173; *Leptotrombidium (Monosignum)* Wen, 2001: 189; *Leptotrombidium (Monosignum) shenzhense* Wen, 2001: 192; *Leptotrombidium (Monosignum) zhongii* Wen, 2001: 190; *Nadchatramia* Wen, 1999: 174; *Nepaliella* Wen, 1999: 173; *Parvisetia* Wen & Cui, 2000: 165; *Ripiaspichia (Cupiaspichia)* Wen, 1999: 172; *Ripiaspichia (Parmulichia)* Wen, 1999: 172; *Ripiaspichia (Suzukia)* Wen, 1999: 172; *Schoengastiella (Dureniella) irani* Wen & Saboori,

- 2004: 191; *Schoengastiella wufi* Wen, 2005: 170; *Scrobiculata* (*Squamulata*) Wen & Cui, 2000: 167; *Shunsennia* (*Parashunsennia*) *marmota* Wen & Ma, 1997: 212; *Walchia* (*Breviaspichia*) Wen, 1999: 171; *Walchia* (*Disparungia*) Wen, 1999: 171; *Walchia* (*Goffia*) Wen, 1999: 171; *Walchia* (*Traudia*) Wen, 1999: 180; *Walchia* (*Ventralia*) Wen, 1999: 171; *Walchia* (*Wenia*) Wen, 2002: 195; *Walchia* (*Zhangzia*) Wen, 2002: 199; *Walchia marmota* Wen & Zhou, 1997: 215; *Walchia traubobi* Wen, 1999: 180; *Whartonia furcappa* Wen & Zhou in Wen et al., 2001: 195.
- Wu, Wei-Nan (China; 8 spp.) *Amblyseius dicircellatus* Wu & Ou, 1999: 107; *Amblyseius neopascalis* Wu & Ou, 2001: 103; *Amblyseius tenuis* Wu & Ou, 2001: 103; *Asperoseius parahevae* Wu & Ou, 2002: 125; *Okiseius xizangensis* Wu, Lan & Liang, 1997: 146; *Phytoseius* (*Dubininellus*) *longchuanensis* Wu, 1997: 156; *Phytoseius wangii* Wu & Ou, 1998: 121; *Typhlodromus cuii* Wu & Ou, 1998: 133.
- Xia, Bin (China; 3 spp.) *Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150; *Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173; *Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167.
- Xu, Xue-Nong (China; 4 spp.) *Hypoaspis* (*Cosmolaelaps*) *hefeiensis* Xu & Liang, 1996: 193; *Hypoaspis* (*Cosmolaelaps*) *reticulatus* Xu & Liang, 1996: 191; *Hypoaspis* (*Geolaelaps*) *postreticulatus* Xu & Liang, 1996: 189; *Pseudoparasitus* (*Gymnolaelaps*) *submyrmecophila* Xu & Liang, 1996: 195.
- Yang, Xi-Zheng (China; 2 spp.) *Ameroseius qinghaiensis* Li & Yang, 2000: 65; *Neotrombicula* (*Digenualea*) *silvestris* Ma, Yang & Chen, 2002: 207.
- Yao, Hong-Ren (USA; 1 spp.) *Abrolophus welbourni* Yao, Snider & Snider, 2000: 150.
- Ye, Rong (China; 2 spp.) *Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150; *Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173.
- Yu, Li-Chen (China; 1 spp.) *Pyemotes moseri* Yu & Liang, 1996: 167.
- Yusof, Othman (Malaysia; 3 spp.) *Schizotetranychus hidayahae* Yusof & Zhang, 2003: 155; *Tetranychus arifi* Yusof & Zhang, 2003: 163; *Tetranychus ismaili* Yusof & Zhang, 2003: 167.
- Zacarias, M.S. (Brazil; 2 spp.) *Galendromimus paulista* Zacarias & Moraes, 2001: 97; *Proprioiseius retroacuminatus* Zacarias & Moraes, 2001: 96.
- Zhang, Yan-Xuan (China; 6 spp.) *Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139; *Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137; *Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141; *Neotarsonemoides triquetrus* Lin & Zhang, 1996: 173; *Steneotarsonemus longicarpus* Lin & Zhang, 1997: 177; *Xenotarsonemus ligula* Lin & Zhang, 1996: 177.
- Zhang, Zhi-Qiang (New Zealand; 1 fam., 2 gen., 20 spp.) *Abrolophus neobrevicollis* Zhang & Goldarazena, 1996: 127; *Allothrombium monochaetum* Goldarazena & Zhang, 1997: 220; *Amphotrombiidae* Zhang, 1998: 161; *Amphotrombium* Zhang, 1998: 161; *Amphotrombium jenseni* Zhang, 1998: 162; *Erythraeus preciosus* Goldarazena & Zhang, 1998: 153; *Erythraeus southcotti* Goldarazena & Zhang, 1998: 149; *Fungitarsonemus kawakawa* Lin & Zhang, 2005: 85; *Fungitarsonemus kerikeri* Lin & Zhang, 2005: 98; *Fungitarsonemus kohia* Lin & Zhang, 2005: 91; *Fungitarsonemus tawa* Lin & Zhang, 2005: 105; *Grandjeanella bella* Zhang & Goldarazena, 1996: 138; *Grandjeanella haitlingeri* Goldarazena & Zhang, 1997: 231; *Grandjeanella multisetosa* Zhang & Goldarazena, 1996: 133; *Opiliotrombium* Zhang & Fan, 2005: 156; *Opiliotrombium akatarawa* Zhang & Fan, 2005: 156; *Paratrombium welbourni* Goldarazena & Zhang, 1997: 227; *Schizotetranychus hidayahae* Yusof & Zhang, 2003: 155; *Summersiella camphorae* Fan & Zhang, 2002: 154; *Tarsonemus yali* Lin & Zhang, 2006: 181; *Tetranychus arifi* Yusof & Zhang, 2003: 163; *Tetranychus ismaili* Yusof & Zhang, 2003: 167; *Trombidium southcotti* Zhang & Saboori, 1996: 157.
- Zhou, Man-Shu (China; 4 spp.) *Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184; *Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187; *Walchia marmota* Wen & Zhou,

1997: 215; *Whartonia furcappa* Wen & Zhou in Wen *et al.*, 2001: 195.
 Zhu, Zhi-Min (China; 4 spp.) *Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150; *Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173; *Limnesia (Limnesia) microplatus* Wen & Zhu, 2001: 155; *Unionicola (Polyatax) lumbaria* Wen & Zhu, 1998: 171.

Acknowledgement

Z.-Q Zhang acknowledges the supported by the New Zealand Foundation for Research, Science and Technology through the “Defining New Zealand's Land Biota” OBI. While this paper was prepared, X.-F. Xue was funded by the National Natural Science Foundation of China through a Youth Science Fund (Grant No. 30600058). We are grateful to Dr Owen Seeman (Queensland Museum) for reviewing the draft of this manuscript.

References

Publication date is important for papers with new names in zoological nomenclature and is thus provided in parenthesis at the end of each paper.

- Akrami, M.A. & Coetzee, L. (2007) *Mabulatrachus iranicus* (Acari: Oribatida: Zetomotrichidae): a new species from Iran. *Systematic & Applied Acarology*, 12, 245–251 (28 Dec.).
- Akrami, M.A. & Subías, L.S. (2007) Oppiid mites (Acari: Oribatida: Oppiidae) from Mazandaran province (Northern Iran), with a description of *Medioppia bipectinata* sp. n. *Systematic & Applied Acarology*, 12, 237–243 (28 Dec.).
- Baker, A.S. (1998) A new species of *Hirstiella* Berlese (Acari: Pterygosomatidae) from captive rhinoceros iguanas, *Cyclura cornuta* Bonnaterre (Reptilia: Iguanidae). *Systematic & Applied Acarology*, 3, 183–192 (1 Jul.).
- Baker, A. S. (2005) *Psorergatoides nyctali* (Prostigmata: Psorergatidae), a new mite species parasitizing the bat *Nyctalus noctula* (Mammalia: Chiroptera) in the British Isles. *Systematic & Applied Acarology*, 10, 67–74 (20 Aug.).
- Baker, A.S. & Beccaloni, J. (2006) *Macronyssus macroscutatus* (Mesostigmata: Macronyssidae), a new mite species from bats of the genus *Nyctalus* (Chiroptera: Vespertilionidae) in England. *Systematic & Applied Acarology*, 11, 167–174 (15 Oct.).
- Bashir, M.H. & Afzal, M. (2006) A new species of the genus *Cunaxa* (Acarina: Cunaxidae) from Pakistan. *Systematic & Applied Acarology*, 11, 63–68 (20 Mar.).
- Bayan, A & Merheb, B. (2006) Descriptions of two new phytoseiid mites (Acari: Mesostigmata: Gamasina) found in a grapevine orchard from Lebanon. *Systematic & Applied Acarology*, 11, 51–56 (20 Mar.).
- Bayartogtokh, B. (2000) Oribatid mites of the genus *Epilohmannia* (Acari: Oribatida: Epilohmanniidae) from Japan and Mongolia. *Systematic & Applied Acarology*, 5, 187–206 (1 Jul.).
- Błoszyk, J. & Halliday, R.B. (2000) Observations on the genus *Polyaspinus* Berlese 1916 (Acari: Trachytidae). *Systematic & Applied Acarology*, 5, 47–64 (1 Jul.).
- Błoszyk, J., Halliday, R.B. & Dylewska, M. (2005) *Acroseius womersleyi* gen. nov., sp. nov., a new genus and species of Uropodina from Australia (Acari: Trachytidae). *Systematic & Applied Acarology*, 10, 41–60 (20 Aug.).
- Brown, W.A. (2007) A new taxon of African chigger, *Tanautarsala callithrix* gen. nov., sp. nov. (Acari: Trombidioidea; Trombiculidae; Trombiculini), from the *Callithrix* monkey *Chlorocebus sabaeus* (L.) from The Gambia. *Systematic & Applied Acarology*, 12, 223–228 (28 Dec.).
- Chen, J.-W., Wei, S.-G. & Qin, A.-Z. (2004) A new genus and four new species of eriophyid mites (Acari: Diptilomiopidae) from Guangxi Province of China. *Systematic & Applied Acarology*, 9, 69–75 (31 Jul.).
- Doğan, S. & Ayyıldız, N. (2003) A new species of *Ledermuelleriopsis* (Acari: Stigmaeidae) from Turkey.

- Systematic & Applied Acarology*, 8, 145–148 (31 Jul.).
- Doğan, S. & Ayyildiz, N. (2004) Two species of raphignathoid mites from Turkey: *Eupalopsellus olandicus* Sellnick, 1949 (Acari: Eupalopsellidae) and *Mediolata petilus* sp. nov. (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 9, 89–95 (31 Jul.).
- Doğan, S., Ayyildiz, N. & Fan, Q.-H. (2003) Descriptions of two new species and a newly recorded species of *Eustigmaeus* from Turkey (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 8, 131–144 (31 Jul.).
- Dong, H.-Q. & Hong, X.-Y. (1998) *Aceria yunnanensis*, a new name for *Eriophyes artemisia* Xin & Dong (Acari: Eriophyidae). *Systematic & Applied Acarology*, 3, 199 (1 Jul.).
- Ehara, S. (2006) New records of phytoseiid mite species (Acari: Gamasida: Phytoseiidae) from Malaysia with description of a new species. *Systematic & Applied Acarology*, 11, 175–180 (15 Oct.).
- Fan, Q.-H. (2001) The genus *Neophyllobius* (Acari: Camerobiidae) from China. *Systematic & Applied Acarology*, 6, 137–144 (1 Jul.).
- Fan, Q.-H. & Chen, Y. (1996) A new genus of the family Xenocaligonellidae (Acari: Raphignathoidea). *Systematic & Applied Acarology*, 1, 123–126 (31 Jul.).
- Fan, Q.-H. & Chen, Y. (1997) The genus *Storchia*, with the description of a new species (Acari: Prostigmata: Stigmaeidae). *Systematic & Applied Acarology*, 2, 161–166 (31 Jul.).
- Fan, Q.-H. & Liu, X. (1999) New species of *Ledermuelleriopsis* Willmann and *Pseudostigmaeus* Wood from China (Acari: Prostigmata: Stigmaeidae). *Systematic & Applied Acarology*, 4, 153–158 (31 Jul.).
- Fan, Q.-H. & Walter, D. E. (2004) Genus *Caligohomus* Habeeb (Acari: Prostigmata: Stigmaeidae). *Systematic & Applied Acarology*, 9, 77–88 (31 Jul.).
- Fan, Q.-H., Walter, D. & Proctor, H. (2003) A review of the family Barbutiidae (Acari: Raphignathoidea), with the description of two new species from Australia. *Systematic & Applied Acarology*, 8, 107–130 (31 Jul.).
- Fan, Q.-H. & Yin, X.-M. (2000) The genus *Raphignathus* (Acari: Raphignathidae) from China. *Systematic & Applied Acarology*, 5, 83–98 (1 Jul.).
- Fan, Q.-H. & Zhang, Z.-Q. (2002) Mites of the genus *Summersiella* Gonzalez (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 7, 149–158 (31 Jul.).
- Faraji, F. & Ueckermann, E.A. (2006) A new species of *Stigmaeus* Koch from Iran (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 11, 69–72 (20 Mar.).
- Fashing, N. & Burton, A. (2007) *Zibethacarus beeri* (Astigmata: Glycyphagidae), a new mite species inhabiting vole nests in western Oregon, U.S.A. *Systematic & Applied Acarology*, 12, 167–176 (10 Sept.).
- Ferreira, D.N.M. & Flechtmann, C.H.W. (1997) Two new phytophagous mites from *Arachis pintoi* from Brazil. *Systematic & Applied Acarology*, 2, 181–188 (31 Jul.).
- Gerson, U. & Walter, D.E. (1998) Transfer of *Mecognatha* Wood from Stigmaeidae to Mecognathidae, fam. nov., a new synonymy, and a key to families of Raphignathoidea (Acari: Prostigmata). *Systematic & Applied Acarology*, 3, 145–147 (1 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1997) Notes on larvae of *Allothrombium* (Acari: Trombidiidae) in Navarra-Nafarroa (northern Spain) with description of a new species ectoparasitic on aphids (Homoptera: Aphididae). *Systematic & Applied Acarology*, 2, 219–226 (31 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1997) *Paratrombium welbourni* sp. nov. (Acari: Trombidiidae), an ectoparasite of aphids (Homoptera: Aphididae) in Spain. *Systematic & Applied Acarology*, 2, 227–230 (31 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1997) First record of larval *Grandjeanella* (Acari: Erythraeidae) from Heteroptera and description of a new species from Spain. *Systematic & Applied Acarology*, 2, 231–236 (31 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1998) New *Erythraeus* larvae (Acari: Erythraeidae) ectoparasitic on Aphidoidea (Homoptera) and Anthocoridae (Heteroptera). *Systematic & Applied Acarology*, 3, 149–158 (1 Jul.).
- Gondim, M.G.C. Jr, Flechtmann, C.H.W. & Moraes, G.J. de (2000) Mite (Arthropoda: Acari) associates of palms (Arecaceae) in Brazil. IV. Descriptions of four new species in the Eriophyoidea. *Systematic & Applied Acarology*, 5, 99–110 (1 Jul.).
- Guedes, M., Gondim, C. & de Moraes, G.J. (2001) Phytoseiid mites (Acari: Phytoseiidae) associated with palm trees (Arecaceae) in Brazil. *Systematic & Applied Acarology*, 6, 65–94 (1 Jul.).

- Gwiazdowicz, D. & Walter, D. (2005) *Gamasellodes tatricus* sp. nov. (Acari: Ascidae) from Poland. *Systematic & Applied Acarology*, 10, 61–66 (20 Aug.).
- Haitlinger, R. (2000) Four new species of *Leptus* Latreille (Acari: Prostigmata: Erythraeidae) from Central America. *Systematic & Applied Acarology*, 5, 131–142 (1 Jul.).
- Haitlinger, R. (2001) *Amarucoptes*, a new genus of the family Heterocoptidae (Acari, Astigmata). *Systematic & Applied Acarology*, 6, 111–114 (1 Jul.).
- Haitlinger, R. (2001) *Diplothrombium zbigniewi* sp. nov. (Acari: Prostigmata: Johnstonianidae), a new mite from Poland. *Systematic & Applied Acarology*, 6, 179–182 (1 Jul.).
- Haitlinger, R. (2002) *Pollux kovalamicus* sp. nov. (Acari: Prostigmata: Erythraeidae) from India. *Systematic & Applied Acarology*, 7, 173–175 (31 Jul.).
- Haitlinger, R. (2002) Two new species of *Leptus* Latreille, 1796 and the first record of *Leptus astrubali* Haitlinger, 1999 (Acari: Prostigmata: Erythraeidae) from India and Sri Lanka. *Systematic & Applied Acarology*, 7, 177–184 (31 Jul.).
- Haitlinger, R. (2004) Three new species of *Leptus* Latreille, 1796 and the first record of *Leptus onnae* Haitlinger, 2000 (Acari: Prostigmata: Erythraeidae) from Brazil. *Systematic & Applied Acarology*, 9, 147–156 (31 Jul.).
- Haitlinger, R. (2004) New records of mites (Acari: Prostigmata: Erythraeidae) from Cambodia and Myanmar, with a description of *Erythraeus* (Erythraeus) *kacperi* sp. nov. *Systematic & Applied Acarology*, 9, 157–161 (31 Jul.).
- Haitlinger, R. (2004) A new larval *Momorangia* (Acari: Prostigmata: Erythraeidae) from Kenya. *Systematic & Applied Acarology*, 9, 179–182 (31 Jul.).
- Haitlinger, R. (2006) Eight new species and new records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae, Johnstonianidae) from China including Macao. *Systematic & Applied Acarology*, 11, 83–105 (20 Mar.).
- Haitlinger, R. (2006) New records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae) from Samos, Greece, with descriptions of six new species. *Systematic & Applied Acarology*, 11, 107–123 (20 Mar.).
- Haitlinger, R. (2006) New species and new records of mites (Acari: Prostigmata: Erythraeidae) from Bali, Lombok and Linnga Islands, Indonesia. *Systematic & Applied Acarology*, 11, 219–230 (15 Oct.).
- Haitlinger, R. (2007) New records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae, Eutrombidiidae) from France, Liechtenstein and Switzerland, with descriptions of three new species. *Systematic & Applied Acarology*, 12, 55–72 (30 Apr.).
- Haitlinger, R. & Chmielewski, W. (2004) *Boetophela cassandrae* sp. nov. and the first record of *Tamarangia nimfae* Haitlinger, 1991 (Acari: Astigmata: Canestriniidae) from the Republic of South Africa. *Systematic & Applied Acarology*, 9, 195–199 (31 Jul.).
- Hasan, M.-U., Wakil, W. & Bashir, F. (2004) Genus *Tenuipalpus* (Acarina: Tenuipalpidae) from central Punjab, Pakistan. *Systematic & Applied Acarology*, 9, 97–101 (31 Jul.).
- Hasan, M.-U., Wakil, W. & Bashir, F. (2004) Mites of the genus *Brevipalpus* Donnadieu (Acari: Tenuipalpidae) from Soan area of Punjab, Pakistan. *Systematic & Applied Acarology*, 9, 103–107 (31 Jul.).
- Hong, X.-Y. (1996) *Knorella thailandica*, a new name for *Knorella bambusae* Chandrapatya and a key to world species of *Knorella* (Acari: Eriophyidae). *Systematic & Applied Acarology*, 1, 205–206 (31 Jul.).
- Hu, S.-Q., Xia, B. & Chen, X.-W. (1997) A new species of the genus *Ledermulleriopsis* from China (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 2, 167–168 (31 Jul.).
- International Commission on Zoological Nomenclature (1999) *International Code of Zoological Nomenclature. Fourth Edition*. The International Trust for Zoological Nomenclature, London, 306 pp.
- Irvanlou, J.S.K. & Saboori, A. (2001) *Leptus kamalii* sp. nov. (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 6, 165–169 (1 Jul.).
- Khanjani, M. & Ueckermann, E.A. (2002) Camerobiidae of Iran with descriptions of three new species (Acari: Camerobiidae). *Systematic & Applied Acarology*, 7, 159–166 (31 Jul.).
- Kumar, N., Kumar, K. & Pesic, V. (2007) Two new species of *Sperchon* Kramer (Acari: Hydrachnidia: Sperchontidae) from the Garhwal Himalayas (India). *Systematic & Applied Acarology*, 12, 31–36 (30 Apr.).

- Li, C. & Yang, X.-Z. (2000) *Ameroseius qinghaiensis* sp. nov., a new species from compost in Qinghai Province, Northwest China (Acari: Ameroseiidae). *Systematic & Applied Acarology*, 5, 65–67 (1 Jul.).
- Lin, J.-Z. (1997) A new species of the genus *Scirula* from Fujian, China (Acari: Cunaxidae). *Systematic & Applied Acarology*, 2, 169–172 (31 Jul.).
- Jin, J.-Z., Chen, Q.-H. & Zhang, Y.-X. (1998) Three new species of *Daidalotarsonemus* from Fujian, China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 3, 137–143 (1 Jul.).
- Lin, J.-Z. & Liu, A.-P. (1999) A new species of *Steneotarsonemus* from Inner Mongolia, China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 4, 127–129 (31 Jul.).
- Lin, J.-Z. & Zhang, Y.-X. (1996) Two new species of the Tarsoneminae from China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 1, 173–179 (31 Jul.).
- Lin, J.-Z. & Zhang, Y.-X. (1997) A new species of the genus *Steneotarsonemus* from Pakistan (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 2, 177–180 (31 Jul.).
- Lin, J.-Z. & Zhang, Y.-X. (2002) Two new species of the Bonziinae from China (Acari: Cunaxidae). *Systematic & Applied Acarology*, 7, 143–148 (31 Jul.).
- Lin, J.-Z. & Zhang, Z.-Q. (2005) New Zealand species of *Fungitarsonemus* Cromroy (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 10, 83–110 (20 Aug.).
- Lin, J.-Z. & Zhang, Z.-Q. (2006) A key to *Tarsonemus* females (Acari: Tarsonemidae) in China and description of a new species intercepted in New Zealand. *Systematic & Applied Acarology*, 11, 181–193 (15 Oct.).
- Lin, J.-Z., Zhang, Y.-X. & Chen, X. (2004) A new species and a new record of tarsonemid mites from China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 9, 141–146 (31 Jul.).
- Lin, J.-Z., Zhang, Y.-X. & Ji, J. (2001) Three new species of Cunaxidae from Fujian, China. *Systematic & Applied Acarology*, 6, 145–153 (1 Jul.).
- Lin, J.-Z., Zhang, Y.-X. & Ji, J. (2003) A new species of *Neocunaxoides* from Fujian, China (Acari: Cunaxidae). *Systematic & Applied Acarology*, 8, 101–106 (31 Jul.).
- Lin, J.-Z., Zhang, Y.-X. & Lin, G.-H. (2000) A new species of *Xenotarsonemus* and *Tarsonemus* from Nanjing, China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 5, 111–118 (1 Jul.).
- Lindquist, E.E. & Krantz, G.W. (2002) Description of, and validation of names for, the genus *Crotalomorpha* and the family Crotalomorphidae (Acari: Heterostigmata). *Systematic & Applied Acarology*, 7, 129–142 (31 Jul.).
- Lofego, A.C. & Gondim, M.G.C. Jr. (2006) A new species of *Steneotarsonemus* (Acari: Tarsonemidae) from Brazil. *Systematic & Applied Acarology*, 11, 195–203 (15 Oct.).
- Ma, Y., Yang, X.-Z. & Chen, H.-J. (2002) A new sand mite of the subgenus *Digenualea* from Qinghai, China (Acari: Trombiculidae: Neotrombicula). *Systematic & Applied Acarology*, 7, 207–208 (31 Jul.).
- Mayoral, J. & Barranco, P. (2004) A new species of the genus *Eutrombidium* Verdun (Acari: Eutrombidiidae) from southeastern Spain. *Systematic & Applied Acarology*, 9, 183–190 (31 Jul.).
- Mo, C.-F. (1996) A new genus and new species of the Otopheidomenidae (Acari: Mesostigmata) from longhorned grasshoppers. *Systematic & Applied Acarology*, 1, 199–204 (31 Jul.).
- Moraes, G.J. De & Denmark, H.A. (1999) The genus *Proprioseius* Chant (Acari: Phytoseiidae), with descriptions of two new species. *Systematic & Applied Acarology*, 4, 97–102 (31 Jul.).
- Moraes, G.J. De, Husband, R.W. & Lofego, A.C. (1999) A new species of *Chrysomelobia* (Acari: Podapolipidae) from Central America. *Systematic & Applied Acarology*, 4, 131–136 (31 Jul.).
- Navia, D. (1999) Two new eriophyid mites (Acari: Eriophyidae) from Zapote tree *Matisia cordata* (H. & B.) (Bombacaceae) from Colombia. *Systematic & Applied Acarology*, 4, 137–142 (31 Jul.).
- Pesic, V., Dinipour, A., Vafaei, R. & Saboori, A. (2007) The water mite (Acari: Hydrachnidia) fauna of running waters of Guilan Province (Northern Iran). *Systematic & Applied Acarology*, 12, 213–222 (28 Dec.).
- Pesic, V., Kumar, N. & Kumar, K. (2007) Two new species of water mites of the family Hygrobatidae (Acari: Hydrachnidia) from the Garhwal Himalayas (India). *Systematic & Applied Acarology*, 12, 161–166 (10 Sept.).
- Pesic, V., Kumar, N. & Kumar, K. (2007) A new species of *Monatractides* (Acari: Hydrachnidia: Torrenticolidae) and new records of other torrenticolid water mites from the Garhwal Himalayas (India). *Systematic & Applied Acarology*, 12, 205–212 (28 Dec.).
- Pesic, V., Saboori, A. & Asdi, M. (2005) New records of water mite species (Acari, Hydrachnidia) from Iran,

- with the description of one new species. *Systematic & Applied Acarology*, 10, 137–147 (20 Aug.).
- Pesic, V., Saboori, A., Asdi, M. & Jalaieian, M. (2006) New records of water mites (Acari: Hydrachnidia) from Khorassan Province (Iran), with the description of one new species. *Systematic & Applied Acarology*, 11, 73–82 (20 Mar.).
- Pesic, V., Saboori, A., Asdi, M. & Vafaei, R. (2006) New records of water mites (Acari: Hydrachnidia, Halacaroidae) from interstitial waters of Iran, with the description of one new species. *Systematic & Applied Acarology*, 11, 211–217 (15 Oct.).
- Pesic, V. & Turan, D. (2006) Water mite species of the genus *Protzia* Piersig (Acari: Hydrachnidia, Hydryphantidae) from Turkey, with the description of one new species. *Systematic & Applied Acarology*, 11, 205–210 (15 Oct.).
- Saboori, A. (2000) Two new larval erythraeinae mites (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 5, 125–130 (1 Jul.).
- Saboori, A. (2001) Descriptions of the larva, deutonymph and adult of *Balaustium zhangi* sp. nov. (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 6, 171–178 (1 Jul.).
- Saboori, A. (2002) A new genus and species of larval Neothrombiidae (Acari: Trombidioidea) from Iran. *Systematic & Applied Acarology*, 7, 185–190 (31 Jul.).
- Saboori, A. & Akrami, M.A. (2001) A new species of *Erythraeus* larva (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 6, 159–163 (1 Jul.).
- Saboori, A. & Arbabi, M. (2003) A new species of *Leptus* larva (Acari: Erythraeidae) from India. *Systematic & Applied Acarology*, 8, 175–182 (31 Jul.).
- Saboori, A. & Atamehr, A. (1999) A new larval *Leptus* Latreille (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 4, 159–163 (31 Jul.).
- Saboori, A., Bagheri, M., Haddad, K.I., Kamali, K. & Khanjani, M. (2006) A new genus and species of Trombididae (Acari: Trombidioidea) described from larvae ectoparasitic on *Hyalopterus pruni* (Aphidoidea: Aphididae) from Iran. *Systematic & Applied Acarology*, 11, 247–252 (15 Oct.).
- Saboori, A. & Babolmorad, M. (2000) A new larval mite (Acari: Erythraeidae) ectoparasitic on *Monosteira uncostata* (Hemiptera: Tingidae) from Iran. *Systematic & Applied Acarology*, 5, 119–123 (1 Jul.).
- Saboori, A., Goldarazena, A. & Khajaeali, J. (2004) Two new species of larval *Erythraeus* (Acari: Erythraeidae) from Iran with remarks on differential diagnoses. *Systematic & Applied Acarology*, 9, 163–178 (31 Jul.).
- Saboori, A. & Hajiqanbar, H. (2005) A new species of larval *Abrolophus* (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 10, 149–154 (20 Aug.).
- Saboori, A., Hajiqanbar, H. & Kamali, K. (2007) First record of the little known genus *Andrevella* Southcott, 1961 (Acari: Erythraeidae) from Iran, with a description of a new species. *Systematic & Applied Acarology*, 12, 47–54 (30 Apr.).
- Saboori, A., Nemati, A. & Mosaddegh, M.S. (2000) A new host record of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae), with description of a new species from Iran. *Systematic & Applied Acarology*, 5, 183–186 (1 Jul.).
- Saboori, A., Nemati, A. & Mossadegh, M.S. (2001) Second Asian larval *Trombella* Berlese, 1887 (Acari: Trombellidae), with description of a new species from Iran. *Systematic & Applied Acarology*, 6, 183–188 (1 Jul.).
- Saboori, A. & Ostovan, H. (2000) A new species of the genus *Leptus* Latreille, 1796 (Acari: Erythraeidae) ectoparasitic on sun pest, *Eurygaster integriceps* Puton (Hemiptera: Scutelleridae) from Iran. *Systematic & Applied Acarology*, 5, 143–147 (1 Jul.).
- Saboori, A. & Ostovan, H. (2001) A new species of larval *Neothrombium* Feider, 1959 (Acari: Neothrombidiidae) from Iran. *Systematic & Applied Acarology*, 6, 203–207 (1 Jul.).
- Saboori, A. & Pesic, V. (2006) A new genus and species of larval mites (Acari: Microtrombidiidae) from Montenegro. *Systematic & Applied Acarology*, 11, 231–236 (15 Oct.).
- Saboori, A. & Pesic, V. (2006) A new species of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae) from Montenegro. *Systematic & Applied Acarology*, 11, 237–245 (15 Oct.).
- Saboori, A., Ueckermann, E. & Harten, A. (2005) A new genus and species of larval mite (Acari: Microtrombidiidae) from Yemen. *Systematic & Applied Acarology*, 10, 163–168 (20 Aug.).
- Seeman, O. & Nahrung, H. (2005) New *Parobia* (Acari: Podapolipidae) parasitic on pestiferous paropsine

- beetles (Coleoptera: Chrysomelidae) in eucalypt plantations. *Systematic & Applied Acarology*, 10, 111–135 (20 Aug.).
- Shen, J., Wang, H.-F., Solhoy, T. & Xu, R.-M. (1999) Three new species of oribatid mites from Tibet, China (Acari: Oribatida). *Systematic & Applied Acarology*, 4, 121–126 (31 Jul.).
- Shiji, M.T., Haq, M.A. & Ramani, N. (2007) Two new species of lohmanniid mites (Acari: Oribatei) from Kerala, India. *Systematic & Applied Acarology*, 12, 229–231 (28 Dec.).
- Smit, H. (2007) *Litarachna brasiliensis* n. sp., the first member of the water mite family Pontarachnidae (Acari: Hydrachnidia) from South America. *Systematic & Applied Acarology*, 12, 141–146 (10 Sept.).
- Ueckermann, E.A. & Khanjani, M. (2002) A new species of the genus *Austroteneriffia* (Acari: Teneriffiidae) from Iran. *Systematic & Applied Acarology*, 7, 167–172 (31 Jul.).
- Ueckermann, E.A. & Khanjani, M. (2004) A revision of the genus *Anoplocheylus* Berlese (Acari: Pseudocheylidae), with the description of two new and re-description of four known species. *Systematic & Applied Acarology*, 9, 53–68 (31 Jul.).
- Wang, H.-F. (1997) First record of *Odontocephus* from China, with description of a new species (Acari: Oribatida: Carabodidae). *Systematic & Applied Acarology*, 2, 237–240 (31 Jul.).
- Wei, S.-G., Feng, Y.-B. & Huang, N.-X. (1999) Three new species of Phyllocoptinae (Acari: Eriophyidae) from China. *Systematic & Applied Acarology*, 4, 143–147 (31 Jul.).
- Wei, S.-G. & Lu, W. (2001) Two new species of the genus *Diptilomiopus* (Acari: Diptilomiopidae) from South China. *Systematic & Applied Acarology*, 6, 115–118 (1 Jul.).
- Wen, C.-G. & Zhu, Z.-M. (1998) A new species of the genus *Unionicola* from China (Acari: Unionicolidae). *Systematic & Applied Acarology*, 3, 171–174 (1 Jul.).
- Wen, C.-G. & Zhu, Z.-M. (2001) A new species of water mites in the genus *Limnesia* from Jiangxi, China (Acari: Limnesiidae). *Systematic & Applied Acarology*, 6, 155–157 (1 Jul.).
- Wen, T.-H. (1999) New taxa and tentative rearrangement of Walchiidae stat. n. with remarks on Trombiculoidea nec Welbourn, 1991 (Acari: Acariformes). *Systematic & Applied Acarology*, 3, 165–178 (31 Jul.).
- Wen, T.-H. (1999) *Traudia* sg. n., an intranasal sand-mite subgenus of *Walchia* with description of a new species (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 4, 179–184.
- Wen, T.-H. (2000) Description of a new sand-mite of the genus *Gateria* from Taiwan province (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 5, 173–176 (1 Jul.).
- Wen, T.-H. (2001) A new sand-mite subgenus *Monosignum* of *Leptotrombidium* with descriptions of two new species (Acariformes: Trombiculidae). *Systematic & Applied Acarology*, 6, 189–194 (1 Jul.).
- Wen, T.-H. (2005) Walchiid sand-mites in Xizang Autonomous Region (Tibet) of China with description of a new species of the genus *Schoengastiella* (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 10, 169–196 (20 Aug.).
- Wen, T.-H. (2006) A new sand-mite genus *Duplimedia* (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 11, 253–255 (15 Oct.).
- Wen, T.-H. & Gui, Y.-Y. (2000) Revision on the sand-mite tribe Gahrlepiini sensu Wen (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 5, 157–172 (1 Jul.).
- Wen, T.-H. & Ma, L.-M. (1997) A new sand mite of the genus *Shunsennia* from marmota with a key to Chinese species of the genus (Acariformes: Leeuwenhoeekiidae). *Systematic & Applied Acarology*, 2, 211–214 (31 Jul.).
- Wen, T.-H. & Saboori, A. (2004) A new species of sand-mite subgenus *Dureniella* from Iran (Acariformes: Walchiidae: Schoengastiellini). *Systematic & Applied Acarology*, 9, 191–194 (31 Jul.).
- Wen, T.-H. & Zhou, M.-S. (1997) A new species of *Walchia* (Acariformes: Trombiculidae: Walchiinae) parasitic on marmota. *Systematic & Applied Acarology*, 2, 215–218 (31 Jul.).
- Wen, T.H., Zhou, M.-S. & Jiang, Z.-Y. (2001) Description of a new sand-mite, *Whartonia furcappa* sp. nov. (Acariformes: Leeuwenhoeekiidae). *Systematic & Applied Acarology*, 6, 195–198 (1 Jul.).
- Wu, W.-N. (1997) A review of taxonomic studies of the genus *Phytoseius* (Acari: Phytoseiidae) from China. *Systematic & Applied Acarology*, 2, 149–160 (31 Jul.).
- Wu, W.-N., Lan, W.-M. & Liang, L.-R. (1997) Species of the genus *Okiseius* (Acari: Phytoseiidae) from China. *Systematic & Applied Acarology*, 2, 141–148 (31 Jul.).

- Wu, W.-N. & Ou, J.-F. (1998) A new species of the horridus species group of *Phytoseius* in China (Acari: Phytoseiidae). *Systematic & Applied Acarology*, 3, 121–124 (1 Jul.).
- Wu, W.-N. & Ou, J.-F. (1998) A new species of the rhenanus species group of genus *Typhlodromus* in China (Acari: Phytoseiidae). *Systematic & Applied Acarology*, 3, 133–136 (1 Jul.).
- Wu, W.-N. & Ou, J.-F. (1999) A new species group of the genus *Amblyseius*, with descriptions two new species (Acari: Phytoseiidae) from China. *Systematic & Applied Acarology*, 4, 103–110 (31 Jul.).
- Wu, W.-N. & Ou, J.-F. (2001) The obtusus species group of the genus *Amblyseius* (Acari: Phytoseiidae), with descriptions of two new species in China. *Systematic & Applied Acarology*, 6, 101–108 (1 Jul.).
- Wu, W.-N. & Ou, J.-F. (2002) The genus *Asperoseius* Chant (Acari: Phytoseiidae) in China. *Systematic & Applied Acarology*, 7, 123–128 (31 Jul.).
- Xia, B., Ye, R. & Zhu, Z.-M. (1997) A new species of the genus *Grallacheles* (Acari: Cheyletidae) from Jiangxi, China. *Systematic & Applied Acarology*, 2, 173–175 (31 Jul.).
- Xia, B., Zhu, Z.-M. & Ye, R. (1999) A new species of the genus *Cheletonella* (Acari: Cheyletidae) from China and a key to the species. *Systematic & Applied Acarology*, 4, 149–151 (31 Jul.).
- Xu, X.-N. & Liang, L.-R. (1996) Four new species of the Hypoaspidae (Acari: Laelapidae) from moss in China. *Systematic & Applied Acarology*, 1, 189–197 (31 Jul.).
- Yao, H.-R., Snider, R.J. & Snider, R.M. (2000) Larval and post-larval stages of a new *Abrolophus* species (Acari: Erythraeidae) from a deciduous forest in northern Michigan, USA. *Systematic & Applied Acarology*, 5, 149–155 (1 Jul.).
- Yu, L.-C. & Liang, L.-R. (1996) A new species of *Pyemotes* (Acari: Pyemotidae) parasitic on bark beetles (Coleoptera: Scolytidae) from Hebei, China. *Systematic & Applied Acarology*, 1, 167–171 (31 Jul.).
- Yusof, O. & Zhang, Z.-Q. (2003) Tetranychidae (Acari: Prostigmata) of Malay Peninsula: Checklist, key to genera and species and description of three new species. *Systematic & Applied Acarology*, 8, 149–173 (31 Jul.).
- Zacarias, M.S. & de Moraes, G.J. (2001) Two new species of phytoseiid mites (Acari: Phytoseiidae) from the State of São Paulo, Brazil. *Systematic & Applied Acarology*, 6, 95–100 (1 Jul.).
- Zhang, Z.-Q. (1998) An unusual early-derivative larva of Parasitengona (Acari: Prostigmata) and proposal of a new superfamily. *Systematic & Applied Acarology*, 3, 159–170 (1 Jul.).
- Zhang, Z.-Q. (2005) A decade of *Systematic & Applied Acarology*. *Systematic & Applied Acarology*, 10, 197–200.
- Zhang, Z.-Q. (2008) An observation on the consequences of increased frequency of journal issues. *Systematic & Applied Acarology Society*, 13, 159–160.
- Zhang, Z.-Q. & Fan, Q.-H. (2005) A new genus of Neothrombiidae (Acari: Trombidioidea) from New Zealand. *Systematic & Applied Acarology*, 10, 155–162 (20 Aug.).
- Zhang, Z.-Q. & Goldarazena, A. (1996) *Abrolophus* and *Grandjeanella* larvae (Acari: Erythraeidae) ectoparasitic on thrips (Thysanoptera: Thripidae). *Systematic & Applied Acarology*, 1, 127–144 (31 Jul.).
- Zhang, Z.-Q. & Saboori, A. (1996) Descriptions of the larva, deutonymph and adult of *Trombidium southcotti* sp. nov. (Acari: Trombididae) from Iran. *Systematic & Applied Acarology*, 1, 157–165 (31 Jul.).
- Zhou, M.-S., Wang, D.-Q. & Wang, S.-R. (1996) The genus *Macronyssus* (Acari: Macronyssidae) in China with descriptions of two new species. *Systematic & Applied Acarology*, 1, 181–187 (31 Jul.).

Accepted by O. Seeman: 28 Nov. 2008