

Systematic & Applied Acarology Volumes 1–8 (1996–2003): cumulative index to authors

Author: Zhang, Zhi-Qiang

Source: Systematic and Applied Acarology, 8(1) : 193-208

Published By: Systematic and Applied Acarology Society

URL: <https://doi.org/10.11158/saa.8.1.20>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Systematic & Applied Acarology Volumes 1–8 (1996–2003): cumulative index to authors

ZHI-QIANG ZHANG

Landcare Research, Private Bag 92170, Auckland, New Zealand

- ACUÑA, D.G., VENZAL, J.M., KEIRANS, J.E. & GUGLIELMONE, A.A. The genus *Amblyomma* Koch, 1844 (Acari: Ixodidae) in Chile, with new records of *A. argentine* Neumann, 1904 and *A. tigrinum* Koch, 1844. 8(2003): 85-88.
- AKRAMI, M.A. – see SABOORI, A. & AKRAMI, M.A.
- ALI, O. & BRENNAN, P. Development, feeding and reproduction of the predatory mite, *Hypoaspis miles* (Acari: Mesostigmata: Laelapidae) on different types of prey. 2(1997): 81-88.
- ALI, O. & BRENNAN, P. Observations on the feeding behaviour of *Hypoaspis miles* (Mesostigmata: Laelapidae). 5(2000): 41-43.
- ALI, O., DUNNE, R. & BRENNAN, P. Biological control of the scarid fly, *Lycoriella solani* by the predatory mite, *Hypoaspis miles* (Berlese) in mushroom crops. 2(1997): 71-80.
- ALMANZA, A. – see MIRANDA, R.J., QUINTERO, D. & ALMANZA, A.
- AMRINE, J.W., JR. – see ZHAO, S.-F. & AMRINE, J.W., JR.
- ANDREWS, A.H. – see BAKER, A. S., ANDREWS, A.H. & FOX, M.T.
- ANDREWS, R.H. – see JACKSON, J., BEVERIDGE, I., CHILTON, N.B., ANDREWS, R.H. & DIXON, B.
- ARBABI, M. – see SABOORI, A. & ARBABI, M.
- ARGOV, Y. – see PALEVSKY, E., ARGOV, Y., DAVID, T.B. & GERSON, U.
- AYYILDIZ, N. – see DOGAN, S., AYYILDIZ, N. & FAN, Q.-H.
- AYYILDIZ, N. – see DOGAN, S. & AYYILDIZ, N.
- BABOLMORAD, M. – see SABOORI, A. & BABOLMORAD, M.
- BADII, M.H., VARELA, S., FLORES, A.E. & LANDEROS, J. Temperature-based life history and life table parameters of Texas citrus mite on orange (Acari: Tetranychidae). 8(2003): 25-38.
- BAK, J.M. – see KELLY, C., KAMMANN, E., BAK, J.M. & MATHER, T.N.
- BAKER, A.S. A new species of *Hirstiella* Berlese (Acari: Pterygosomatidae) from captive rhinoceros iguanas, *Cyclura cornuta* Bonnaterra (Reptilia: Iguanidae). 3(1998): 183-192.
- BAKER, A. S., ANDREWS, A.H. & FOX, M.T. First record of the cattle itch mite, *Psorobia bos* (Prostigmata: Psorergatidae), in the Palaearctic region. 1(1996): 213-216.
- BAKER, A.S. & OSTOJA-STARZEWSKI, J.C. New distributional records of the mite *Parasitus mycophilus* (Acari: Mesostigmata), with a redescription of the male and first description of the deutonymph. 7(2002): 113-122.
- BAKER, G.T. – see SAKUNWARIN, S., CHANDRAPATYA, A. & BAKER, G.T.
- BAKER, G.T. – see THONGTAB, T., CHANDRAPATYA, A. & BAKER, G.T.
- BARBOUCHE, N. – see BOUDAGGA, H., BARBOUCHE, N., LAÂRIF, A. & HAMOUDA, M.H.B.
- BAYARTOGTOKH, B. Oribatid mites of the genus *Epilohmannia* (Acari: Oribatida: Epilohmanniidae) from Japan and Mongolia. 5(2000): 187-206.
- BEVERIDGE, I. – see JACKSON, J., BEVERIDGE, I., CHILTON, N.B., ANDREWS, R.H. & DIXON, B.
- BLOSZYK, J. & HALLIDAY, R.B. Observations on the genus *Polyaspinus* Berlese 1916 (Acari: Tetranychidae). 5(2000): 47-64.
- BLÜMEL, S. & WALZER, A. Efficacy of different release strategies of *Neoseiulus californicus* McGregor and *Phytoseiulus persimilis* Athias Henriot (Acari: Phytoseiidae) for the control of two-spotted spider mite (*Tetranychus urticae* Koch) on greenhouse cut roses. 7(2002): 35-48.

- BOUDAGGA, H., BARBOUCHE, N., LAÂRIF, A. & HAMOUDA, M.H.B. Morphological identification of the *Varroa* species (Acari: Varroidae) colonizing Tunisian apiaries. 8(2003): 97-100.
- BRENNAN, P. – see ALI, O. & BRENNAN, P.
- BRENNAN, P. – see ALI, O. & BRENNAN, P.
- BRENNAN, P. – see ALI, O., DUNNE, R. & BRENNAN, P.
- BU, G.-S. & LI, L.-S. Taxonomic notes on and key to known species of the genus *Rhizoglyphus* (Acari: Acaridae) from China. 3(1998): 179-182.
- CAI, Y.-Y. – see WEN, T.-H., CAI, Y.-Y., CHEN, X.-J., XIANG, L., WANG, B.-L. & ZHUANG, Y.-J.
- CAO, W.-C. – see ZHANG, P.H., XU, R.-M., CHEN, Z.-G., ZHANG, J.-S., CAO, W.-C. & ZHANG, Q.
- CAPELLINO, D. – see VENZAL, J.M., GONZÁLEZ, E.M., CAPELLINO, D., PEÑA, A.E. & GUGLIELMONE, A.A.
- CARRERA, M. – see RUIZ, M.F., ORCELLET, V.M., IRIARTE, J.A., CARRERA, M., & GUGLIELMONE, A.A.
- CASTRO, O. – see VENZAL, J.M., CASTRO, O., GUGLIELMONE, A.A. & KEIRANS, J.E.
- CHANDRAPATYA, A. – see SAKUNWARIN, S., CHANDRAPATYA, A. & BAKER, G.T.
- CHANDRAPATYA, A. – see THONGTAB, T., CHANDRAPATYA, A. & BAKER, G.T.
- CHANG, J.-P. – see XU, X.-N., LU, C.-K., CHANG, J.-P., PAN, R.-M. & SHAO, S.-B.
- CHEN, B. – see LI, L.-S., CHEN, B., XIA, J. & ZHANG, X.-W.
- CHEN, C.-P. – see ZHANG, Y.-X., ZHANG, Z.-Q., CHEN, C.-P., LIN, J.-Z. & CHEN, X.
- CHEN, M. & LUO, J.-C. Spatial pattern of *Eotetranychus pruni* (Acari: Tetranychidae) on apple trees and its data transformation. 3(1998): 69-74.
- CHEN, Q.-H. – see LIN, J.Z., CHEN, Q.-H. & ZHANG, Y.-X.
- CHEN, W. – see ZHANG, Y.-X., LIN, J.-Z., CHI, Y.-B., CHEN, W. & LIN, S.
- CHEN, W. – see ZHANG, Y.-X., YU, D.-Y., CHEN, W., CHI, Y.-B. & LIN, J.-Z.
- CHEN, X.-J. – see WEN, T.-H., CAI, Y.-Y., CHEN, X.-J., XIANG, L., WANG, B.-L. & ZHUANG, Y.-J.
- CHEN, X.-W. – see HU, S.-Q., XIA, B. & CHEN, X.-W.
- CHEN, Y. – see FAN, Q.-H. & CHEN, Y.
- CHEN, Y. – see FAN, Q.-H. & CHEN, Y.
- CHEN, Z.-G. – see ZHANG, P.H., XU, R.-M., CHEN, Z.-G., ZHANG, J.-S., CAO, W.-C. & ZHANG, Q.
- CHEN, H.-J. – see MA, Y., YANG, X.-Z. & CHEN, H.-J.
- CHEN, X.W. – see HU, S.-Q., WU, M.-H. & CHEN, X.W.
- CHEN, X. – see ZHANG, Y.-X., ZHANG, Z.-Q., CHEN, C.-P., LIN, J.-Z. & CHEN, X.
- CHENG, L.-S. – see HONG, X.-Y., DONG, H.Q., FU, Y.-G., CHENG, L.-S. & OLDFIELD, G.N.
- CHI, Y.-B. – see ZHANG, Y.-X., LIN, J.-Z., CHI, Y.-B., CHEN, W. & LIN, S.
- CHI, Y.-B. – see ZHANG, Y.-X., YU, D.-Y., CHEN, W., CHI, Y.-B. & LIN, J.-Z.
- CHILTON, N.B. – see JACKSON, J., BEVERIDGE, I., CHILTON, N.B., ANDREWS, R.H. & DIXON, B.
- CRUICKSHANK, R.H. Molecular markers for the phylogenetics of mites and ticks. 7(2002): 3-14.
- DAVID, T.B. – see PALEVSKY, E., ARGOV, Y., DAVID, T.B. & GERSON, U.
- DENG, X.-P. – see GUO, F.-Y., DENG, X.-P. & ZHAO, Z.-M.
- DENMARK, H.A. – see MORAES, G.J. De & DENMARK, H.A.
- DING, W. – see LIU, H., ZHAO, Z.-M., WANG, J.-J., LI, L.-S. & DING, W.
- DIXON, A.G.O. – see NUKENINE, E. N., DIXON, A.G.O., HASSAN, A.T. & ZALOM, F.G.
- DIXON, B. – see JACKSON, J., BEVERIDGE, I., CHILTON, N.B., ANDREWS, R.H. & DIXON, B.
- DOGAN, S. & AYYILDIZ, N. A new species of *Ledermuelleriopsis* (Acari: Stigmaeidae) from Turkey. 8(2003): 145-148.
- DOGAN, S., AYYILDIZ, N. & FAN, Q.-H. Descriptions of two new species and a newly recorded species of *Eustigmaeus* from Turkey (Acari: Stigmaeidae). 8(2003): 131-144.
- DONG, H.-Q. – see HONG, X.-Y., DONG, H.Q., FU, Y.-G., CHENG, L.-S. & OLDFIELD, G.N.
- DONG, H.-Q. – see HONG, X.-Y., Ji, J., MA, J.-X. & DONG, H.-Q.
- DONG, H.-Q. & HONG, X.-Y. *Aceria yunnanensis*, a new name for *Eriophyes artemisia* Xin & Dong (Acari: Eriophyidae). 3(1998): 199.
- DONG, H.-Q., ZHANG, W., YANG, S.-Q. & YANG, Y.-Y. Fingerprints of four species of spider mites (Acari: Tetranychidae) detected by RAPD. 2(1997): 47-50.
- DONG, Y.-C. Laboratory experiments on the effect of *Allothrombium ovatum* larvae (Acari: Trombididae) on

- the aphid *Rhopalosiphum padi* (Homoptera: Aphididae). 6(2001): 61-64.
- DONG, Y.-C. FENG, J.-N. & ZHANG, Z.-Q. Host selection by parasitic *Allothrombium ovatum* larvae (Acari: Trombidiidae) and mite- aphid population dynamics on cotton, wheat and rape. 3(1998): 97-104.
- DONG, Y.-C., RAN, R.-B. & XIANG, J.-Y. Biology of *Allothrombium ovatum* (Acari: Trombidiidae) and its controlling effect on *Aphis gossypii* (Homoptera: Aphididae). 1(1996): 35-40.
- DUAN, Y.-P. – see J.-X. WU, ZHANG, S.-Z. & DUAN, Y.-P.
- DUNNE, R. – see ALI, O., DUNNE, R. & BRENNAN, P.
- FAN, P.-F. – see WEN, T.-H. & FAN, P.-F.
- FAN, Q.-H. – see DOGAN, S., AYYILDIZ, N. & FAN, Q.-H.
- FAN, Q.-H. – see LI, L.-S. & FAN, Q.-H.
- FAN, Q.-H. & CHEN, Y. A new genus of the family Xenocaligonellidae (Acari: Raphignathoidea). 1(1996): 123-126.
- FAN, Q.-H. & CHEN, Y. The genus *Storchia*, with the description of a new species (Acari: Prostigmata: Stigmaeidae). 2(1997): 161-166.
- FAN, Q.-H. & LIU, X. New species of *Ledermuelleriopsis* Willmann and *Pseudostigmaeus* Wood from China (Acari: Prostigmata: Stigmaeidae). 4(1999): 153-158.
- FAN, Q.-H. & YIN, X.-M.. The genus *Raphignathus* (Acari: Raphignathidae) from China. 5(2000): 83-98
- FAN, Q.-H., WALTER, D.E. & PROCTOR, H.C. A review of the family Barbutiidae (Acari: Raphignathoidea), with the description of two new species from Australia. 8(2003): 107-130.
- FAN, Q.-H. & ZHANG, Z.-Q. Mites of the genus *Summersiella* Gonzalez (Acari: Stigmaeidae). 7(2002): 149-158.
- FAN, P.-F. – see WEN, T.-H. & FAN, P.-F.
- FAN, Q.-H. The genus *Neophylobius* (Acari: Camerobiidae) from China. 6(2001): 137-144.
- FENG, J.-N. – see DONG, Y.-C. FENG, J.-N. & ZHANG, Z.-Q.
- FENG, Y.-B. – see Wei, S.-G., FENG, Y.-B. & HUANG, N.-X.
- FERES, R.J.F. & MORAES, G. J. DE. Phytoseiid mites (Acari: Phytoseiidae) from woody areas in the State of São Paulo, Brazil. 3(1998): 125-132.
- FERNÁNDEZ, H.R. Structure of water mite taxocoenoses in two northwestern Argentinean sub-tropical sub-catchments. 8(2003): 55-66.
- FERREIRA, D.N.M. & FLECHTMANN, C.H.W. Two new phytophagous mites from *Arachis pintoi* from Brazil. 2(1997): 181-188.
- FLECHTMANN, C.H.W. – see FERREIRA, D.N.M. & FLECHTMANN, C.H.W.
- FLECHTMANN, C.H.W. – see GONDIM, M.G.C. Jr., FLECHTMANN, C.H.W. & MORAES, G.J. DE.
- FLECHTMANN, C.H.W. & SANTANA, D.L.Q. A preliminary note on mites on corn in Brazil with redescrptions of *Catarhinus tricholaenae* and *Oligonychus zeae* (Acari: Diptilomiopidae, Tetranychidae). 2(1997): 189-194.
- FLECHTMANN, C.H.W. – see PONTIER, K.J.B. & FLECHTMANN, C.H.W.
- FLORES, A.E. – see BADII, M.H., VARELA, S., FLORES, A.E. & LANDEROS, J.
- FOX, M.T. – see BAKER, A. S., ANDREWS, A.H. & FOX, M.T.
- FU, Y.-G. – see HONG, X.-Y., DONG, H.Q., FU, Y.-G., CHENG, L.-S. & OLDFIELD, G.N.
- FU, Y.-G., ZHANG, F.-G., PENG, Z.-Q., LIU, K. & JIN, Q. The effects of temperature on the development and reproduction of *Tetranychus piercei* McGregor (Acari: Tetranychidae) in banana. 7(2002): 69-76.
- FURTADO, I.P. & MORAES, G.J. DE. Biology of *Euseius citrifolius*, a candidate for the biological control of *Mononychellus tanajoa* (Acari: Phytoseiidae, Tetranychidae). 3(1998): 43-48.
- GERSON, U. Acarine pests of citrus: overview and non-chemical control. 8(2003): 3-12.
- GERSON, U. - see MOZES-KOCH, R. & GERSON, U.
- GERSON, U. – see PALEVSKY, E., ARGOV, Y., DAVID, T.B. & GERSON, U.
- GERSON, U. – see REUVENY, H., PALEVSKY, E. & GERSON, U.
- GERSON, U. & IZRAYLEVICH, S. A review of host utilization by *Hemisarcoptes* (Acari: Hemisarcoptidae) parasitic on scale insects. 2(1997): 33-42.
- GERSON, U. & WALTER, D. E. Transfer of *Mecognatha* Wood from Stigmaeidae to Mecognathidae, fam. nov., a new synonymy, and a key to families of Raphignathoidea (Acari: Prostigmata). 3(1998): 145-147.
- GOLDARAZENA, A. & ZHANG, Z.-Q. Notes on larvae of *Allothrombium* (Acari: Trombidiidae) in Navarra-Nafarroa (northern Spain) with description of a new species ectoparasitic on aphids (Homoptera: Aphid-

- idae). 2(1997): 219-226.
- GOLDARAZENA, A. & ZHANG, Z.-Q. Seasonal abundance of *Abrolophus neobrevicollis* larvae (Acari: Erythraeidae) ectoparasitic on *Thrips trehernei* (Thysanoptera: Thripidae) in the Basque Country (Spain). 3(1998): 93-96.
- GOLDARAZENA, A. – see ZHANG, Z.-Q. & GOLDARAZENA, A.
- GOLDARAZENA, A. & ZHANG, Z.-Q. First record of larval *Grandjeanella* (Acari: Erythraeidae) from Heteroptera and description of a new species from Spain. 2(1997): 231-236.
- GOLDARAZENA, A. & ZHANG, Z.-Q. New *Erythraeus* larvae (Acari: Erythraeidae) ectoparasitic on Aphidoidea (Homoptera) and Anthocoridae (Heteroptera). 3(1998): 149-158.
- GOLDARAZENA, A. & ZHANG, Z.-Q. Notes on *Allothrombium pulvinum* (Acari: Trombidiidae), a species new to the fauna of Spain. 1(1996): 209-212.
- GOLDARAZENA, A. & ZHANG, Z.-Q. *Paratrombium welbourni* sp. nov. (Acari: Trombidiidae), an ectoparasite of aphids (Homoptera: Aphididae) in Spain. 2(1997): 227-230.
- GONDIM, M.G.C. JR. & MORAES, G. J.DE. Phytoseiid mites (Acari: Phytoseiidae) associated with palm trees (Arecaceae) in Brazil. 6(2001): 65-94.
- GONDIM, M.G.C. Jr., FLECHTMANN, C.H.W. & MORAES, G.J. DE. Mite (Arthropoda: Acari) associates of palms (Arecaceae) in Brazil. IV. Descriptions of four new species in the Eriophyoidea. 5(2000): 99-110.
- GONZÁLEZ, E.M. – see VENZAL, J.M., GONZÁLEZ, E.M., CAPELLINO, D., PEÑA, A.E. & GUGLIELMONE, A.A.
- GU, X.-D. – see Lan, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X.
- GUAN, X.-C. – see LIU, J.-Z., JIANG, Z.-J., YIN, C.-M., ZOU, B.-X., SUN, R.-Y. & GUAN, X.-C.
- GUGLIELMONE, A.A. – see ACUÑA, D.G., VENZAL, J.M., KEIRANS, J.E. & GUGLIELMONE, A.A.
- GUGLIELMONE, A.A. – see RUIZ, M.F., ORCELLET, V.M., IRIARTE, J.A., CARRERA, M., & GUGLIELMONE, A.A.
- GUGLIELMONE, A.A. – see VENZAL, J.M., CASTRO, O., GUGLIELMONE, A.A. & KEIRANS, J.E.
- GUGLIELMONE, A.A. – see VENZAL, J.M., GONZÁLEZ, E.M., CAPELLINO, D., PEÑA, A.E. & GUGLIELMONE, A.A.
- GUI, Y.-Y. – see WEN, T.-H. & GUI, Y.-Y.
- GUO, F.-Y. & ZHAO, Z.-M. Feeding behaviour of omethoate-resistant spider mites (Acari: Tetranychidae): a study using electrical penetration graphs. 5(2000): 3-7.
- GUO, F.-Y., DENG, X.-P. & ZHAO, Z.-M. Finding the optimal conditions for assaying the activity of glutathion-S-aromatic group transferases in *Tetranychus cinnabarinus* (Acari: Tetranychidae). 2(1997): 63-70.
- GUO, F.-Y., ZHANG, Z.-Q. & ZHAO, Z.-M. Pesticide resistance of *Tetranychus cinnabarinus* (Acari: Tetranychidae) in China: a review. 3(1998): 3-7.
- GUO, T.-Y. – see SUN, Y., GUO, T.-Y., XU, R.-M. & ZHANG, P.-H.
- GUO, T.-Y. & XU, R.-M. Seasonal dynamics of *Haemaphysalis longicornis* in the Western Mountain area of Beijing, China. 5(2000): 45-46.
- GUO, X.-G. Clusters of ectoparasitic gamasid mites and their small mammal hosts in different habitat regions in western Yunnan. 4(1999): 39-48.
- GUO, X.-G. Host-specificity and host-selection of gamasid mites (Acari: Gamasina). 3(1998): 29-34.
- GUO, X.-G. Spatial pattern analysis of *Laelaps echidninus* and *Laelaps nuttalli* using Iwao1s method and a significance test of random deviation (Acari: Laelapidae). 2(1997): 89-94.
- GUO, X.-G. Species-abundance distribution and expected species estimation of the gamasid mite community in western Yunnan, China. 4(1999): 49-56.
- GUO, Z.-Z. – see YANG, X.-L., SHEN, M.-Q., XIONG, J.-W. & GUO, Z.-Z.
- GUO, Z.-Z. – see ZHI, J.-R., GUO, Z.-Z. & XIONG, J.-W.
- HAITLINGER, R. *Amarucoptes*, a new genus of the family Heterocoptidae (Acari, Astigmata). 6(2001): 111-114.
- HAITLINGER, R. Four new species of *Leptus* Latreille (Acari: Prostigmata: Erythraeidae) from Central America. 5(2000): 131-14.
- HAITLINGER, R. *Pollux kovalamicus* sp. nov. (Acari: Prostigmata: Erythraeidae) from India. 7(2002): 173-175.
- HAITLINGER, R. Two new species of *Leptus* Latreille, 1796 and the first record of *Leptus astrubali* Haitlinger, 1999 (Acari: Prostigmata: Erythraeidae) from India and Sri Lanka. 7(2002): 177-184.

- HAITLINGER, R. *Diplothrombium zbigniewi* sp. nov. (Acari: Prostigmata: Johnstonianidae), a new mite from Poland. 6(2001): 179-182.
- HALLIDAY, R.B. – see BLOSZYK, J. & HALLIDAY, R.B.
- HAMOUDA, M.H.B. – see BOUDAGGA, H., BARBOUCHE, N., LAÂRIF, A. & HAMOUDA, M.H.B.
- HASSAN, A.T. – see NUKENINE, E. N., DIXON, A.G.O., HASSAN, A.T. & ZALOM, F.G.
- HATAMI, B. – see SABOORI, A., HOSSEINI, M. & HATAMI, B.
- HONG, X.-Y. – see DONG, H.-Q. & HONG, X.-Y.
- HONG, X.-Y. & DONG, H.-Q. Review of economic eriophyoid mites in China. 2(1997): 17-32.
- HONG, X.-Y. & ZHANG, Z.-Q. A cladistic analysis of the Eriophyoidea (Acari: Prostigmata): tests of monophyly of families. 1(1996): 107-122.
- HONG, X.-Y. *Knorella thailandica*, a new name for *Knorella bambusae* Chandrapatya and a key to world species of *Knorella* (Acari: Eriophyidae). 1(1996): 205-206.
- HONG, X.-Y., DONG, H.-Q., FU, Y.-G., CHENG, L.-S. & OLDFIELD, G.N. Relationships between eriophyoid mites and their host plants, with a case review of Eriophyoidea fauna of China. 6(2001): 119-136.
- HONG, X.-Y., Ji, J., MA, J.-X. & DONG, H.-Q. Tests of host plant suitability of the tea pink mite, *Acaphylla theae* (Eriophyoidea: Eriophyidae), at different temperatures. 3(1998): 63-68.
- HOSSEINI, M. – see SABOORI, A., HOSSEINI, M. & HATAMI, B.
- HU, R.-J. & HYLAND, K. E. Prevalence and seasonal activity of the wasp parasitoid, *Ixodiphagus hookeri* (Hymenoptera: Encyrtidae) in its tick host, *Ixodes scapularis* (Acari: Ixodidae). 2(1997): 95-100.
- HU, R.-J. & HYLAND, K. E.. Human babesiosis in the United States: a review with emphasis on its tick vector. 2(1997): 3-16
- HU, S.-Q., WU, M.-H. & CHEN, X.W. The effect of relative humidity on the development of the predatory mite *Agistemus terminalis* (Quayle) (Acari: Stigmaeidae). 6(2001): 51-53.
- HU, S.-Q., XIA, B. & CHEN, X.-W. A new species of the genus *Ledermulleriopsis* from China (Acari: Stigmaeidae). 2(1997): 167-168.
- HU, R.-J., HYLAND, K. E. & OLIVER, H. J. Jr. A review on the use of *Ixodiphagus* wasps (Hymenoptera: Encyrtidae) as natural enemies for the control of ticks (Acari: Ixodidae). 3(1998): 19-28.
- HUAN, Z.-L. – see XU, G.-L., WU, H.-J., HUAN, Z.-L., MO, G.-M. & WAN, M.
- HUANG, C.-Q. – see LAN, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X.
- HUANG, F.-S. – see WANG, K., HUANG, F.-S., ZHONG, B.-Y., SHAN, D.-Z. & LI, Q.
- HUANG, N.-X. – see Wei, S.-G., FENG, Y.-B. & HUANG, N.-X.
- HUSBAND, R.W. – see MORAES, G.J. De, HUSBAND, R.W. & LOFEGO, A.-C.
- HYLAND, K. E. – see HU, R.-J. & HYLAND, K. E.
- HYLAND, K. E. – see HU, R.-J., HYLAND, K. E. & OLIVER, H. J. Jr.
- IRIARTE, J.A. – see RUIZ, M.F., ORCELLET, V.M., IRIARTE, J.A., CARRERA, M., & GUGLIELMONE, A.A.
- IRVANLOU, J.S.K. & SABOORI, A. *Leptus kamalii* sp. nov. (Acari: Erythraeidae) from Iran. 6(2001): 165-169.
- J.-X. WU, ZHANG, S.-Z. & DUAN, Y.-P. Studies on the effect of the sticky-plate method in investigations of the winter grain mite, *Penthaleus major* (Acari: Penthaleidae). 3(1998): 83-87.
- JACKSON, J., BEVERIDGE, I., CHILTON, N.B., ANDREWS, R.H. & DIXON, B. Morphological comparison of the adult and larval stages of the Australian ticks *Ixodes holocyclus* Neumann, 1899 and *I. cornuatus* Roberts, 1960 (Acari : Ixodoidea). 7(2002): 91-108.
- JACOBSON, R. – see ZHANG, Z.-Q. & JACOBSON, R.
- JAMALI, M., KAMALI, K., SABOORI, A. & NOWZARI, J. Biology of *Zetzellia mali* (Ewing) (Acari: Stigmaeidae) in Karaj, Iran. 6(2001): 55-60.
- JI, J. – see LIN, J.-Z., ZHANG, Y.-X. & JI, J.
- JI, J. – see ZHANG, Y.-X., LIN, J.-Z., ZHANG, Z.-Q., SAITO, Y. & JI, J.
- JI, J. – see HONG, X.-Y., Ji, J., MA, J.-X. & DONG, H.-Q.
- JI, J. – see ZHANG, Y.-X., JI, J., ZHANG, Z.-Q. & LIN, J.-Z.
- JI, J. – see ZHANG, Y.-X., ZHANG, Z.-Q., JI, J. & LIN, J.-Z.
- JI, J. – see LIN, J.-Z., ZHANG, Y.-X. & JI, J.
- JIANG, Y. – see LAN, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X.

X.

- JIANG, Z.-J. – see LI, Y.-P., YAO, W.-B. & JIANG, Z.-J.
 JIANG, Z.-J. – see LIU, J.-Z., JIANG, Z.-J., YIN, C.-M., ZOU, B.-X., SUN, R.-Y. & GUAN, X.-C.
 JIANG, Z.-J. – see LIU, J.-Z., ZHAO, X.-Y., LIU, S.-G. & JIANG, Z.-J.
 JIANG, Z.-Y. – see WEN, T.-H., ZHOU, M.-S. & JIANG, Z.-Y.
 JIN, D.-C., LI, L.-S. & WILES, R. The structure and evolution of male cauda and petiole with a cladistic analysis of Chinese species of the genus *Arrenurus* (Acari: Arrenuridae). 2(1997): 195-210.
 JIN, Q. – see FU, Y.-G., ZHANG, F.-G., PENG, Z.-Q., LIU, K. & JIN, Q.
 JING, Z.-Q. – see QIAN, J., WU, Q.-H., JING, Z.-Q. & WANG, H.-B.
- KAMALI, K. – see SABOORI, A. & KAMALI, K.
 KAMALI, K. – see JAMALI, M., KAMALI, K., SABOORI, A. & NOWZARI, J.
 KAMMANN, E. – see KELLY, C., KAMMANN, E., BAK, J.M. & MATHER, T.N.
 KAZAK, C. Population dynamics of naturally occurring *Phytoseiulus persimilis* (Acari: Phytoseiidae) colonising beans (*Phaseolus vulgaris* cv. Sari) infested by spider mites, *Tetranychus cinnabarinus* (Acari: Tetranychidae), in Turkey. 6(2001):19-25.
 KE, L.-S. – see ZHU, K.-Y., KE, L.-S. & XIN, J.-L.
 KEIRANS, J.E. – see ACUÑA, D.G., VENZAL, J.M., KEIRANS, J.E. & GUGLIELMONE, A.A.
 KEIRANS, J.E. – see VENZAL, J.M., CASTRO, O., GUGLIELMONE, A.A. & KEIRANS, J.E.
 KELLY, C., KAMMANN, E., BAK, J.M. & MATHER, T.N. An improved method for predicting duration of blacklegged tick (*Ixodes scapularis*) attachment. 4(1999): 31-38.
 KHANJANI, M. – see UECKERMANN, E.A. & KHANJANI, M.
 KRANTZ, G.W. – see LINDQUIST, E.E. & KRANTZ, G.W.
- LAÂRIF, A. – see BOUDAGGA, H., BARBOUCHE, N., LAÂRIF, A. & HAMOUDA, M.H.B.
 LAN, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X. RAPD-PCR method for detecting DNA polymorphism in *Boophilus microplus* (Acari: Ixodidae). 1(1996): 11-14.
 LAN, W.-M. – see WU, W.-N., LAN, W.-M. & LIANG, L.-R.
 LANDEROS, J. – see BADII, M.H., VARELA, S., FLORES, A.E. & LANDEROS, J.
 LI, L.-S., CHEN, B., XIA, J. & ZHANG, X.-W. Influence of temperature and controlled atmosphere on development and reproduction of the mold mite, *Tyrophagus putrescentiae* (Acari: Acaridae). 3(1998): 113-120.
 LI, C. & YANG, X.-Z. *Ameroseius qinghaiensis* sp. nov., a new species from compost in Qinghai Province, Northwest China (Acari: Ameroseiidae). 5(2000): 65-67.
 LI, J. – see ZHU, Q.-X., LIU, Z.-G., YE, B.-H., XIONG, G.-Q. & LI, J.
 LI, J.-C. – see XI, Z.-Y., LI, J.-C., ZHENG, X.-Y. & YAN, X.
 LI, J.-S. – see ZHANG, H.-J. & LI, J.-S.
 LI, J.-S. – see ZHANG, H.-J., LI, J.-S. & LIANG, Y.-H.
 LI, K.-C. – see XU, R.-M. & LI, K.-C.
 LI, L.-S. – see BU, G.-S. & LI, L.-S.
 LI, L.-S. – see LIU, H., ZHAO, Z.-M., WANG, J.-J., LI, L.-S. & DING, W.
 LI, L.-S. & FAN, Q.-H. A survey of food mites from four provinces of China. 2(1997): 247-250.
 LI, L.-S. – see JIN, D.-C., LI, L.-S. & WILES, R.
 LI, Q. – see WANG, K., HUANG, F.-S., ZHONG, B.-Y., SHAN, D.-Z. & LI, Q.
 LI, Q.-T., WANG, H.-F. & ZHENG, L. Biodiversity and dynamics of oribatid mites in rice paddies. 5(2000): 9-24.
 LI, R. – see SHEN, Z.-B., TANG, Y., SHANG, Q. & LI, R.
 LI, R. – see SHEN, Z.-B., TANG, Y., SHANG, Q. & LI, R.
 LI, X.-Z. – see REN X.-Q., ZHAO, S.-X. & LI, X.-Z.
 LI, Y.-P., YAO, W.-B. & JIANG, Z.-J. Purification and partial properties of vitellins from the tick *Haemaphysalis longicornis* (Acari: Ixodidae). 2(1997): 57-62.
 LIANG, L.-R. – see WU, W.-N., LAN, W.-M. & LIANG, L.-R.
 LIANG, L.-R. – see XU, X.-N. & LIANG, L.-R.
 LIANG, L.-R. – see YU, L.-C. & LIANG, L.-R.
 LIANG, Y.-H. – see ZHANG, H.-J., LI, J.-S. & LIANG, Y.-H.
 LIN, G.-H. – see LIN, J.-Z., ZHANG, Y.-X. & LIN, G.-H.

- LIN, J.-Z. – see ZHANG, Y.-X., ZHANG, Z.-Q., JI, J. & LIN, J.-Z.
- LIN, J.-Z. – see ZHANG, Y.-X., LIN, J.-Z., CHI, Y.-B., CHEN, W. & LIN, S.
- LIN, J.-Z. – see ZHANG, Y.-X., LIN, J.-Z., ZHANG, Z.-Q., SAITO, Y. & JI, J.
- LIN, J.-Z. – see ZHANG, Y.-X., YU, D.-Y., CHEN, W., CHI, Y.-B. & LIN, J.-Z.
- LIN, J.-Z. – see ZHANG, Y.-X., ZHANG, Z.-Q., LIN, J.-Z. & LIU, Q.-Y.
- LIN, J.-Z. – see ZHANG, Y.-X., ZHANG, Z.-Q., LIU, Q.-Y. & LIN, J.-Z.
- LIN, J.-Z. – see ZHANG, Y.-X., ZHANG, Z.-Q., CHEN, C.-P., LIN, J.-Z. & CHEN, X.
- LIN, J.-Z. & LIU, A.-P. A new species of *Steneotarsonemus* from Inner Mongolia, China (Acari: Tarsonemidae). 4(1999): 127-129.
- LIN, J.-Z. & ZHANG, Y.-X. Two new species of the Tarsoneminae from China (Acari: Tarsonemidae). 1(1996): 173-179.
- LIN, J.-Z. & ZHANG, Y.-X. A new species of the genus *Steneotarsonemus* from Pakistan (Acari: Tarsonemidae). 2(1997): 177-180.
- LIN, J.-Z. & ZHANG, Y.-X. Two new species of the Bonziinae from China (Acari: Cunaxidae). 7(2002): 143-148.
- LIN, J.-Z. A new species of the genus *Scirula* from Fujian, China (Acari: Cunaxidae). 2(1997): 169-172
- LIN, J.-Z., CHEN, Q.-H. & ZHANG, Y.-X. Three new species of *Daidalotarsonemus* from Fujian, China (Acari: Tarsonemidae). 3(1998): 137-143.
- LIN, J.-Z., ZHANG, Y.-X. & JI, J. A new species of *Neocunaxoides* from Fujian, China (Acari: Cunaxidae). 8(2003): 101-106.
- LIN, J.-Z., ZHANG, Y.-X. & JI, J. Three new species of Cunaxidae from Fujian, China. 6(2001): 145-153.
- LIN, J.-Z., ZHANG, Y.-X. & LIN, G.-H. A new species of *Xenotarsonemus* and *Tarsonemus* from Nanjing, China (Acari: Tarsonemidae). 5(2000): 111-118.
- LIN, S. – see ZHANG, Y.-X., LIN, J.-Z., CHI, Y.-B., CHEN, W. & LIN, S.
- LIN, J.-Z. – see ZHANG, Y.-X., JI, J., ZHANG, Z.-Q. & LIN, J.-Z.
- LINDQUIST, E.E. & KRANTZ, G.W. Description of, and validation of names for, the genus *Crotalomorpha* and the family Crotalomorphidae (Acari: Heterostigmata). 7(2002): 129-142.
- LIU, A.-P. – see LIN, J.-Z. & LIU, A.-P.
- LIU, H., ZHAO, Z.-M., WANG, J.-J., LI, L.-S. & DING, W. Temperature-dependent development and reproduction of the spider mite, *Schizotetranychus bambusae* Reck (Acari: Tetranychidae). 5(2000): 33-39.
- LIU, J.-Z., JIANG, Z.-J., YIN, C.-M., ZOU, B.-X., SUN, R.-Y. * GUAN, X.-C. Evidence for the existence of juvenile hormone synthesized by the synganglion of *Haemaphysalis longicornis* (Acari: Ixodidae). 2(1997): 51-56.
- LIU, J.-Z., ZHAO, X.-Y., LIU, S.-G. & JIANG, Z.-J. Effects of juvenile hormone III on *Haemaphysalis longicornis* (Acari: Ixodidae). 4(1999): 2-8.
- LIU, K. – see FU, Y.-G., ZHANG, F.-G., PENG, Z.-Q., LIU, K. & JIN, Q.
- LIU, Q.-Y. – see ZHANG, Y.-X., ZHANG, Z.-Q., LIN, J.-Z. & LIU, Q.-Y.
- LIU, Q.-Y. – see ZHANG, Y.-X., ZHANG, Z.-Q., LIU, Q.-Y. & LIN, J.-Z.
- LIU, S.-G. – see LIU, J.-Z., ZHAO, X.-Y., LIU, S.-G. & JIANG, Z.-J.
- LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R. First isolation of *Orientia (O.) tsutsugamushi* from larvae and reared nymphs of *Leptotrombidium (L.) linhuai-kongense* collected from wild rodents in Fei County, Shandong Province, China. 7(2002): 31-34.
- LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G. Epidemiological study of autumn-winter type scrub typhus in a new endemic focus of Fei County, Shandong Province, China. 5(2000): 25-31.
- LIU, Z.-G. – see ZHU, Q.-X., LIU, Z.-G., YE, B.-H., XIONG, G.-Q. & LI, J.
- LIU, Z.-G., YE, B.-H., SONG, J.-Y. & SU, D.-M. Host-tick immune interaction. I. Analysis of common antigenic components between *Ixodes sinensis* and *Haemaphysalis bispinosa* (Acari: Ixodidae). 1(1996): 15-20.
- LIU, Z.-J., SHI, S.-Z., WANG, D.-H., YANG, Y.-S., ZHANG, X.-P. & LUO, Y.-Q. Infection rates of *Borrelia burgdorferi* in ticks in Gansu, China. 2(1997): 241-244.
- LOFEGO, A.-C. – see MORAES, G.J. De, HUSBAND, R.W. & LOFEGO, A.-C.
- LU, C.-K. – see XU, X.-N., LU, C.-K., CHANG, J.-P., PAN, R.-M. & SHAO, S.-B.
- LU, J.-Q. – see WANG, H.-F., NORTON, R.A. & LU, J.-Q.
- LU, W.-X. – see LAN, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X.

- LUO, G.-L. – see XU, R.-M. & LUO, G.-L.
 LUO, H.-Y. – see ZHAO, Z.-M., LUO, H.-Y. & WANG, J.-J.
 LUO, J.-C. – see CHEN, M. & LUO, J.-C.
 LUO, Y.-Q. – see LIU, Z.-J., SHI, S.-Z., WANG, D.-H., YANG, Y.-S., ZHANG, X.-P. & LUO, Y.-Q.
- MA, J.-X. – see HONG, X.-Y., Ji, J., MA, J.-X. & DONG, H.-Q.
 MA, L.-M. – see WEN, T.-H. & MA, L.-M.
 MA, Y., YANG, X.-Z. & CHEN, H.-J. A new sand mite of the subgenus *Digenualea* from Qinghai, China (Acari: Trombiculidae: *Neotrombicula*). 7(2002): 207-208.
 MATHER, T.N. – see KELLY, C., KAMMANN, E., BAK, J.M. & MATHER, T.N.
 MENG, X.-G. – see LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G.
 MENG, X.-R. – see LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R.
 MIAO, Z.-S. – see LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R.
 MIAO, Z.-S. – see LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G.
 MIRANDA, R.J., QUINTERO, D. & ALMANZA, A. House dust mites from urban and rural houses on the lowland Pacific slopes of Panama. 7(2002): 23-30.
 MO, C.-F. A new genus and new species of the Otopheidomenidae (Acari: Mesostigmata) from longhorned grasshoppers. 1(1996):199-204.
 MO, G.-M. – see XU, G.-L., WU, H.-J., HUAN, Z.-L., MO, G.-M. & WAN, M.
 MORAES, D.J. DE – see TAMAI, M.A., MORAES, D.J. DE, SILVA, C.A.D. DA, NUNES, A.M.
 MORAES, G. J. DE. – see FERES, R.J.F. & MORAES, G. J. DE.
 MORAES, G.J. DE – see GONDIM, M.G.C. Jr., FLECHTMANN, C.H.W. & MORAES, G.J. DE.
 MORAES, G.J. De & DENMARK, H.A. The genus *Proprioiseius* Chant (Acari: Phytoseiidae), with descriptions of two new species. 4(1999): 97-102.
 MORAES, G.J. De, Husband, R.W. & LOFEGO, A.-C. A new species of *Chrysomelobia* (Acari: Podapolipidae) from Central America. 4(1999): 131-136.
 MORAES, G.J. DE. – see FURTADO, I.P. & MORAES, G.J. DE.
 MORAES, G. J.DE. – see GONDIM, M.G.C. JR. & MORAES, G. J.DE.
 MORAES, G.J. DE. – see ZACARIAS, M.S. & MORAES, G.J. DE.
 MOSADDEGH, M.S. – see SABOORI, A., NEMAT, A. & MOSADDEGH, M.S.
 MOSADDEGH, M.S. – see SABOORI, A., NEMAT, A. & MOSADDEGH, M.S.
 MOZES-KOCH, R. & GERSON, U. Separation of acarine species by enzymatic, immunological and molecular methods. 3(1998): 9-18.
- NAVIA, D. Two new eriophyid mites (Acari: Eriophyidae) from Zapote tree *Matisia cordata* (H. & B.) (Bombacaceae) from Colombia. 4(1999): 137-142
 NEMAT, A. – see SABOORI, A., NEMAT, A. & MOSADDEGH, M.S.
 NEMAT, A. – see SABOORI, A., NEMAT, A. & MOSADDEGH, M.S.
 NORTON, R.A. – see Wang, H.-F., NORTON, R.A. & LU, J.-Q.
 NOWZARI, J. – see JAMALI, M., KAMALI, K., SABOORI, A. & NOWZARI, J.
 NUKENINE, E. N., DIXON, A.G.O., HASSAN, A.T. & ZALOM, F.G. Relationships between leaf trichome characteristics and field resistance to cassava green mite, *Mononychellus tanajoa* (Bondar). 7(2002): 77-90.
 NUNES, A.M. – see TAMAI, M.A., MORAES, D.J. DE, SILVA, C.A.D. DA, NUNES, A.M.
- OLDFIELD, G.N. – see HONG, X.-Y., DONG, H.Q., FU, Y.-G., CHENG, L.-S. & OLDFIELD, G.N.
 OLIVER, H. J. Jr. – see HU, R.-J., HYLAND, K. E. & OLIVER, H. J. Jr.
 ORCELLET, V.M. – see RUIZ, M.F., ORCELLET, V.M., IRIARTE, J.A., CARRERA, M., & GUGLIELMONE, A.A.
 OSTOJÁ-STARZEWSKI, J.C. – see BAKER, A.S. & OSTOJÁ-STARZEWSKI, J.C.
 OSTOVAN, H. – see SABOORI, A. & OSTOVAN, H.
 OU, J.-F. – see WU, W.-N. & OU, J.-F.

- PALEVSKY, E. – see REUVENY, H., PALEVSKY, E. & GERSON, U.
- PALEVSKY, E., ARGOV, Y., DAVID, T.B. & GERSON, U. Identification and evaluation of potential predators of the citrus rust mite, *Phyllocoptruta oleivora*, in Israel. 8(2003): 39-48.
- PAN, R.-M. – see XU, X.-N., LU, C.-K., CHANG, J.-P., PAN, R.-M. & SHAO, S.-B.
- PEÑA, A.E. – see VENZAL, J.M., GONZÁLEZ, E.M., CAPELLINO, D., PEÑA, A.E. & GUGLIELMONE, A.A.
- PENG, Z.-L. – see LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G.
- PENG, Z.-L. – see LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R.
- PENG, Z.-Q. – see FU, Y.-G., ZHANG, F.-G., PENG, Z.-Q., LIU, K. & JIN, Q.
- PEROTTI, A. Prey location and predation rates of predatory mites (Acari: Macrochelidae) on immature stages of pest flies (Diptera: Muscidae). 6(2001): 27-33
- PONTIER, K.J.B. & FLECHTMANN, C.H.W. Description of the immature life stages of *Tenuipalpus heveae* Baker, 1945 (Acari, Prostigmata, Tenuipalpidae). 5(2000):77-81.
- PROCTOR, H.C. – see FAN, Q.-H., WALTER, D.E. & PROCTOR, H.C.
- QIAN, J., WU, Q.-H., JING, Z.-Q. & WANG, H.-B. Study on *Tetranychus cinnabarinus*–*Solanum melongena* interaction system II: The relationship between piercing-sucking of *T. cinnabarinus* and induced changes of PAL and G6PD enzyme activity in *S. melongena* leaves. 2(1997): 121-128.
- QIAN, J., WU, Q.-H., JING, Z.-Q. & WANG, H.-B. Study on *Tetranychus cinnabarinus*–*Solanum melongena* interaction system III: Induction of HRGP accumulation in the leaves of *S. melongena* by *T. cinnabarinus*. 2(1997): 129-134.
- QIN, T.-K. A reconsideration of the taxonomic position of *Protopenthalodes* (Prostigmata: Eupodoidea). 2(1997): 253-255.
- QIN, T.-K. A review and cladistic analysis of the Eupodoidea (Acari: Acariformes). 1(1996): 77-105
- QUINTERO, D. – see MIRANDA, R.J., QUINTERO, D. & ALMANZA, A.
- RAN, R.-B. – see DONG, Y.-C., RAN, R.-B. & XIANG, J.-Y.
- REN X.-Q., ZHAO, S.-X. & LI, X.-Z. Investigation and treatment of demodicid infestation of the youth in Changsha, China (Acari: Demodicidae). 2(1997): 111-113.
- REUVENY, H., PALEVSKY, E. & GERSON, U. Laboratory life history of the predaceous mite *Typhlodromus athiasae* (Acari: Phytoseiidae). 1(1996): 45-53.
- RHODE, B.E. – see ZHANG, Z.-Q. & RHODE, B.E.
- RUIZ, M.F., ORCELLET, V.M., IRIARTE, J.A., CARRERA, M., & GUGLIELMONE, A.A. The presence of *Rhipicephalus sanguineus* (Latreille, 1806) and *Amblyomma tigrinum* Koch, 1844 (Acari: Ixodidae) in southern Argentina. 8(2003): 89-92.
- SABOORI, A. & ATAMEHR, A. A new larval *Leptus* Latreille (Acari: Erythraeidae) from Iran. 4(1999): 159-163.
- SABOORI, A. & KAMALI, K. Description of *Allothrombium triticism* adult (Acari: Trombidiidae) from Iran. 5(2000): 207-208
- SABOORI, A. & OSTOVAN, H. A new species of the genus *Leptus* Latreille, 1796 (Acari: Erythraeidae) ectoparasitic on sun pest, *Eurygaster integriceps* Puton (Hemiptera: Scutelleridae) from Iran. 5(2000): 143-147.
- SABOORI, A., NEMATİ, A. & MOSADDEGH, M.S. Second Asian larval *Trombella* Berlese, 1887 (Acari: Trombellidae), with description of a new species from Iran. 6(2001): 183-188.
- SABOORI, A., NEMATİ, A. & MOSADDEGH, M.S. A new host record of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae), with description of a new species from Iran. 5(2000): 183-186.
- SABOORI, A. – see JAMALI, M., KAMALI, K., SABOORI, A. & NOWZARI, J.
- SABOORI, A. – see ZHANG, Z.-Q. & SABOORI, A.
- SABOORI, A. & AKRAMI, M.A. A new species of *Erythraeus* larva (Acari: Erythraeidae) from Iran. 6(2001): 159-163.
- SABOORI, A. & ARBABI, M. A new species of *Leptus* larva (Acari: Erythraeidae) from India. 8(2003): 175-182.
- SABOORI, A. & KAMALI, K. Biology of *Allothrombium shirazicum* Zhang (Acari: Trombidiidae) in Garm-

- sar, Semnan province, Iran. 4(1999): 199-200.
- SABOORI, A. & ZHANG, Z.-Q. Description of *Allothrombium shirazicum* deutonymph (Acari: Trombidiidae) from Iran. 2(1997): 251-252.
- SABOORI, A. Description of *Allothrombium shirazicum* adult (Acari: Trombidiidae) from Iran. 4(1999): 97-98
- SABOORI, A. Two new larval erythraeine mites (Acari: Erythraeidae) from Iran. 5(2000): 125-130.
- SABOORI, A., HOSSEINI, M. & HATAMI, B. Preference of adults of *Allothrombium pulvinum* Ewing (Acari: Trombidiidae) for eggs of *Planococcus citri* (Risso) and *Pulvinaria aurantii* Cockerell on citrus leaves in the laboratory. 8(2003): 49-54.
- SABOORI, A. – see IRVANLOU, J.S.K. & SABOORI, A.
- SABOORI, A. & OSTOVAN, H. A new species of larval *Neothrombium* Feider, 1959 (Acari: Neothrombiidae) from Iran. 6(2001): 203-207.
- SABOORI, A. A new genus and species of larval Neothrombiidae (Acari: Trombidoidea) from Iran. 7(2002): 185-190
- SABOORI, A. Descriptions of the larva, deutonymph and adult of *Balaustium zhangi* sp. nov. (Acari: Erythraeidae) from Iran. 6(2001): 171-178
- SABOORI, A. & BABOLMORAD, M. A new larval mite (Acari: Erythraeidae) ectoparasitic on *Monosteira uncostata* (Hemiptera: Tingidae) from Iran. 5(2000): 119-123.
- SAITO, Y. – see ZHANG, Y.-X., LIN, J.-Z., ZHANG, Z.-Q., SAITO, Y. & JI, J.
- SAKUNWARIN, S., CHANDRAPATYA, A. & BAKER, G.T. Biology and life table of the cassava mite, *Tetranychus truncatus* Ehara (Acari: Tetranychidae). 8(2003): 13-24.
- SANTANA, D.L.Q. – see FLECHTMANN, C.H.W. & SANTANA, D.L.Q.
- SHAN, D.-Z. – see WANG, K., HUANG, F.-S., ZHONG, B.-Y., SHAN, D.-Z. & LI, Q.
- SHANG, Q. – see SHEN, Z.-B., TANG, Y., SHANG, Q. & LI, R.
- SHAO, S.-B. – see XU, X.-N., LU, C.-K., CHANG, J.-P., PAN, R.-M. & SHAO, S.-B.
- SHEN, H.-M. Resistance and cross-resistance of *Tetranychus viennensis* (Acari: Tetranychidae) to 14 insecticides and acaricides. 4(1999): 9-14
- SHEN, J., WANG, H.-F., SOLHOY, T. & XU, R.-M. Three new species of oribatid mites from Tibet, China (Acari: Oribatida). 4(1999): 121-126.
- SHEN, M.-Q. – see YANG, X.-L., SHEN, M.-Q., XIONG, J.-W. & GUO, Z.-Z.
- SHEN, W.-H. – see LAN, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X.
- SHEN, Z.-B., TANG, Y., SHANG, Q. & LI, R. Mite specific IgE levels of asthmatic children in Zhengzhou, China. 6(2001): 3-6.
- SHI, S.-Z. – see LIU, Z.-J., SHI, S.-Z., WANG, D.-H., YANG, Y.-S., ZHANG, X.-P. & LUO, Y.-Q.
- SILVA, C.A.D. DA – see TAMAI, M.A., MORAES, D.J. DE, SILVA, C.A.D. DA, NUNES, A.M.
- SNIDER, R.-J. – see YAO, H.-R., SNIDER, R.-J. & SNIDER, R.-M.
- SNIDER, R.-M. – see YAO, H.-R., SNIDER, R.-J. & SNIDER, R.-M.
- SOLHOY, T. – see SHEN, J., WANG, H.-F., SOLHOY, T. & XU, R.-M.
- SONG, J.-Y. – see LIU, Z.-G., YE, B.-H., SONG, J.-Y. & SU, D.-M.
- SU, D.-M. – see LIU, Z.-G., YE, B.-H., SONG, J.-Y. & SU, D.-M.
- SUN, H.-L. – see LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G.
- SUN, R.-Y. – see LIU, J.-Z., JIANG, Z.-J., YIN, C.-M., ZOU, B.-X., SUN, R.-Y. & GUAN, X.-C.
- SUN, Y., GUO, T.-Y., XU, R.-M. & ZHANG, P.-H. Natural foci of Lyme Disease in potential vector ticks and reservoir rodents in the Donglingshan Mountain Area of Beijing. 6(2001): 13-17.
- SUN, Y., XU, R.-M., GUO, T.-Y., ZHANG, P.-H. & CAO, W.-C.
- SUN, Y., XU, R.-M., GUO, T.-Y., ZHANG, P.-H. & CAO, W.-C.
- SUN, Y., XU, R.-M., GUO, T.-Y., ZHANG, P.-H. & CAO, W.-C.
- SUN, Y., XU, R.-M., GUO, T.-Y., ZHANG, P.-H. & CAO, W.-C. Ability of *Ixodes persulcatus*, *Haemaphysalis concinna* and *Dermacentor silvarum* to acquire and transstadially transmit the Lyme disease spirochete *Borrelia garinii*. 7(2002): 15-22.
- TAMAI, M.A., MORAES, D.J. DE, SILVA, C.A.D. DA, NUNES, A.M. Suitability of *Brevipalpus obovatus* as prey to *Neoseiulus idaeus* (Acari: Tenuipalpidae, Phytoseiidae) on cassava. 2(1997): 101-106.
- TANG, Y. – see SHEN, Z.-B., TANG, Y., SHANG, Q. & LI, R.

- THONGTAB, T., CHANDRAPATYA, A. & BAKER, G.T. Bionomics of citrus yellow mite, *Eotetranychus cendanai* Rimando (Acari: Tetranychidae). 7(2002): 57-68.
- UECKERMANN, E.A. & KHANJANI, M. A new species of the genus *Austroteneriffia* (Acari: Teneriffiidae) from Iran. 7(2002): 167-172.
- UECKERMANN, E.A. & KHANJANI, M. Camerobiidae of Iran with descriptions of three new species (Acari: Camerobiidae). 7(2002): 159-166.
- VARELA, S. – see BADII, M.H., VARELA, S., FLORES, A.E. & LANDEROS, J.
- VENZAL, J.M. – see ACUÑA, D.G., VENZAL, J.M., KEIRANS, J.E. & GUGLIELMONE, A.A.
- VENZAL, J.M., CASTRO, O., GUGLIELMONE, A.A. & KEIRANS, J.E. First records of *Amblyomma auricularium* (Conil, 1878) and *Amblyomma pseudoconcolor* Aragão, 1908 (Acari: Ixodidae) from Uruguay. 7(2002): 109-111.
- VENZAL, J.M., GONZÁLEZ, E.M., CAPELLINO, D., PEÑA, A.E. & GUGLIELMONE, A.A. First record of *Amblyomma triste* Koch, 1844 (Acari: Ixodidae) and new records of *Ornithodoros mimon* Kohls, Clifford & Jones, 1969 (Acari: Argasidae) from Neotropical bats. 8(2003): 93-96.
- WALTER, D.E. – see FAN, Q.-H., WALTER, D.E. & PROCTOR, H.C.
- WALTER, D. E. – see GERSON, U. & WALTER, D. E.
- WALZER, A. – see BLÜMEL, S. & WALZER, A.
- WAN, M. – see XU, G.-L., WU, H.-J., HUAN, Z.-L., MO, G.-M. & WAN, M.
- WANG, B.-L. – see WEN, T.-H., CAI, Y.-Y., CHEN, X.-J., XIANG, L., WANG, B.-L. & ZHUANG, Y.-J.
- WANG, D.-H. – see LIU, Z.-J., SHI, S.-Z., WANG, D.-H., YANG, Y.-S., ZHANG, X.-P. & LUO, Y.-Q.
- WANG, D.-Q. – see ZHOU, M.-S., WANG, D.-Q. & WANG, S.-R.
- WANG, H. & WEN, T.-H. Mite allergens Der p 1 and Der f 1 in bedding dust determined by monoclonal antibodies in Shanghai. pp 135-140.
- WANG, H.-B. – see QIAN, J., WU, Q.-H., JING, Z.-Q. & WANG, H.-B.
- WANG, H.-F. – see SHEN, J., WANG, H.-F., SOLHOY, T. & XU, R.-M.
- WANG, H.-F. First record of *Odontocephus* from China, with description of a new species (Acari: Oribatida: Carabodidae). 237-240.
- WANG, H.-F., NORTON, R.A. & LU, J.-Q. Notes on the development of *Afronothrus incisus* (Acari: Oribatida) with new distribution records from Asia and Australia. 4(1999): 111-120.
- WANG, J.-J. – see Zhao, Z.-M., LUO, H.-Y. & WANG, J.-J.
- WANG, J.-J. – see LIU, H., ZHAO, Z.-M., WANG, J.-J., LI, L.-S. & DING, W.
- WANG, K., HUANG, F.-S., ZHONG, B.-Y., SHAN, D.-Z. & LI, Q. Quantitative study on the mobility of *Demodex folliculorum* (Acari: Demodicidae) and inhibitive effects of metronidazole combined with bezoar. 3(1998): 89-92.
- WANG, S.-R. – see ZHOU, M.-S., WANG, D.-Q. & WANG, S.-R.
- WANG, H.-F. – see LI, Q.-T., WANG, H.-F. & ZHENG, L.
- WEI, S.-G. & LU, W. Two new species of the genus *Diptilomiopus* (Acari: Diptilomiopidae) from South China. 6(2001):115-118.
- WEI, S.-G., FENG, Y.-B. & HUANG, N.-X. Three new species of Phyllocoptinae (Acari: Eriophyidae) from China. 4(1999): 143-147.
- WEISSER, W. W. & ZHANG, Z.-Q. Infestation of *Drosophila* cultures (Diptera: Drosophilidae) by mites of *Proctolaelaps* (Acari: Ascidae) and experiments on mite feeding habits. 1(1996): 41-44.
- WEN, C.-G. & ZHU, Z.-M. A new species of the genus *Unionicola* from China (Acari: Unionicolidae). 3(1998): 171-174.
- WEN, C.-G. & ZHU, Z.-M. A new species of water mites in the genus *Limnesia* from Jiangxi, China (Acari: Limnesiidae). 6(2001): 155-157.
- WEN, T.-H. Taxonomic notes on the sand mite genus *Multisetosa* (Acariformes: Leeuwenhoekiidae). 1(1996): 151-156.
- WEN, T.-H. – see WANG, H. & WEN, T.-H.
- WEN, T.-H. – see ZHOU, C., YAO, H.-P. & WEN, T.-H.
- WEN, T.-H. & FAN, P.-F. Redescription of *Walchia* (*Walchia*) *szechuanica* (Teng, 1963) (Acariformes: Trombiculidae: Walchiinae). 3(1998): 175-178.
- WEN, T.-H. & FAN, P.-F. Redescription of the sand-mite *Walchia* (*W.*) *shanniui* Hsu & Chen (Acariformes:

- Walchiidae). 6(2001): 199-202.
- WEN, T.-H. & GUI, Y.-Y. Revision on the sand-mite tribe Gahrlepiini *sensu* Wen (Acariformes: Walchiidae). 5(2000): 157-172.
- WEN, T.-H. & MA, L.-M. A new sand mite of the genus *Shunsennia* from marmota with a key to Chinese species of the genus (Acariformes: Leeuwenhoekiidae). 2(1997): 211-214.
- WEN, T.-H. & ZHOU, M.-S. A new species of *Walchia* (Acariformes: Trombiculidae: Walchiinae) parasitic on marmota. 2(1997): 215-218.
- WEN, T.-H. Description of a new sand-mite of the genus *Gateria* from Taiwan province (Acariformes: Walchiidae). 5(2000): 173-176
- WEN, T.-H. New taxa and tentative rearrangement of Walchiidae stat. n. with remarks on Trombiculoidea *nec* Welbourn, 1991 (Acari: Acariformes) 4(1999): 165- 178
- WEN, T.-H. Note on an early record of human demodicosis in China. 3(1998): 193-196
- WEN, T.-H. Review of the sand-mite genus *Xinjiangsha* with notes on the genus *Aboriginesia* (Acariformes: Trombiculidae). 8(2003): 183-191.
- WEN, T.-H. Revision of sand-mite tribe Intermedialiini Wen, 1984 with redescription of *Wuella quadriseta* Wang et al., 1997 and key to species of the tribe (Acariformes: Walchiidae). 4(1999): 185-196
- WEN, T.-H. *Traudia* sg. n., an intranasal sand-mite subgenus of *Walchia* with description of a new species (Acariformes: Walchiidae). 4(1999): 179-184
- WEN, T.-H., ZHOU, M.-S. & JIANG, Z.-Y. Description of a new sand-mite, *Whartonia furcappa* sp. nov. (Acariformes: Leeuwenhoekiidae). 6(2001): 195-198.
- WEN, T.-H., CAI, Y.-Y., CHEN, X.-J., XIANG, L., WANG, B.-L. & ZHUANG, Y.-J. Safety analysis of diagnosis and immunotherapy with *Dermatophagoides farinae* extract in allergic patients in China. 3(1998): 105-112.
- WEN, T.-W. & GUI, Y.-Y. Redescriptions of two sibling species of the genus *Gateria* recorded in Zhejiang province, China (Acariformes: Walchiidae). 5(2000): 177-182
- WEN, T.-H. Revision of the sand-mite tribe Walchiini Ewing *sensu* Wen (Acariformes: Walchiidae). 7(2002): 191-206
- WEN, T.-H. A new sand-mite subgenus *Monosignum* of *Leptotrombidium* with descriptions of two new species (Acariformes: Trombiculidae). 6(2001): 189-194
- WILES, R. – see JIN, D.-C., LI, L.-S. & WILES, R.
- WU, W.-N. & OU, J.-F. A new species of the *horridus* species group of *Phytoseius* in China (Acari: Phytoseiidae). 3(1998): 121-124.
- WU, H.-J. – see XU, G.-L., WU, H.-J., HUAN, Z.-L., MO, G.-M. & WAN, M.
- WU, M.-H. – see HU, S.-Q., WU, M.-H. & CHEN, X.-W.
- WU, Q.-H. – see QIAN, J., WU, Q.-H., JING, Z.-Q. & WANG, H.-B.
- WU, Q.-Y. – see LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R.
- WU, Q.-Y. – see LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G.
- WU, W.-N. & OU, J.-F. A new species group of the genus *Amblyseius*, with descriptions two new species (Acari: Phytoseiidae) from China. 4(1999): 103-110.
- WU, W.-N. & OU, J.-F. A new species of the *rhenanus* species group of genus *Typhlodromus* in China (Acari: Phytoseiidae). 3(1998): 133-136.
- WU, W.-N. & OU, J.-F. The genus *Asperoseius* Chant (Acari: Phytoseiidae) in China. 7(2002): 123-128.
- WU, W.-N. & OU, J.-F. The *obtusus* species group of the genus *Amblyseius* (Acari: Phytoseiidae), with descriptions of two new species in China. 6(2001): 101-108.
- WU, W.-N., LAN, W.-M. & LIANG, L.-R. Species of the genus *Okiseius* (Acari: Phytoseiidae) from China. 2(1997): 141-148.
- WU, W.-N.. A review of taxonomic studies of the genus *Phytoseius* (Acari: Phytoseiidae) from China. W.-N. WU. 2(1997): 149-160.
- XI, Z.-Y., LI, J.-C., ZHENG, X.-Y. & YAN, X. Comparative studies on molecular techniques for detecting *Rickettsia tsutsugamushi* in *Leptotrombidium deliense* and mice. 4(1999): 15-20.
- XIA, B. – see HU, S.-Q., XIA, B. & CHEN, X.-W.
- XIA, B., YE, R. & ZHU, Z.-M. A new species of the genus *Grallacheles* (Acari: Cheyletidae) from Jiangxi, China. 2(1997): 173-175.

- XIA, B., YE, R. & ZHU, Z.-M. Laboratory population life tables of *Amblyseius orientalis* (Acari: Phytoseiidae) at different temperatures. 3(1998): 49-52.
- XIA, B., ZHU, Z.-M. & YE, R. A new species of the genus *Cheletonella* (Acari: Cheyletidae) from China and a key to the species. 4(1999): 149-151.
- XIA, J. – see LI, L.-S., CHEN, B., XIA, J. & ZHANG, X.-W.
- XIANG, J.-Y. – see DONG, Y.-C., RAN, R.-B. & XIANG, J.-Y.
- XIANG, L. – see WEN, T.-H., CAI, Y.-Y., CHEN, X.-J., XIANG, L., WANG, B.-L. & ZHUANG, Y.-J.
- XIN, J.-L. – see ZHU, K.-Y., KE, L.-S. & XIN, J.-L.
- XIONG, G.-Q. – see ZHU, Q.-X., LIU, Z.-G., YE, B.-H., XIONG, G.-Q. & LI, J.
- XIONG, J.-W. – see YANG, X.-L., SHEN, M.-Q., XIONG, J.-W. & GUO, Z.-Z.
- XIONG, J.-W. – see ZHI, J.-R., GUO, Z.-Z. & XIONG, J.-W.
- XU, G.-L., WU, H.-J., HUAN, Z.-L., MO, G.-M. & WAN, M. Study on the reproductive characteristics of rice tarsonemid mite, *Steneotarsonemus spinki* Smiley (Acari: Tarsonemidae). 6(2001): 45-50.
- XU, R.-M. – see SHEN, J., WANG, H.-F., SOLHOY, T. & XU, R.-M.
- XU, R.-M. – see SUN, Y., GUO, T.-Y., XU, R.-M. & ZHANG, P.-H.
- XU, R.-M. – see ZHANG, P.-H., XU, R.-M., CHEN, Z.-G., ZHANG, J.-S., CAO, W.-C. & ZHANG, Q.
- XU, R.-M. & LI, K.-C. A collection of ticks from Guizhou, China. 2(1997): 245-246.
- XU, R.-M. & LUO, G.-L. Ticks parasitic on *Muntiacus reevesi* and *Lepus sinensis* in Wuyi Mountains, Fujian, China. 3(1998): 197.
- XU, R.-M. – see GUO, T.-Y. & XU, R.-M.
- XU, X.-N. & LIANG, L.-R. Four new species of the Hypoaspidae (Acari: Laelapidae) from moss in China. 1(1996): 189-197.
- XU, X.-N., LU, C.-K., CHANG, J.-P., PAN, R.-M. & SHAO, S.-B. Effects of sublethal doses of methyl parathion and fenpyroximate on dispersal behaviour of *Tetranychus viennensis* (Acari: Tetranychidae) on peach. 3(1998): 75-82.
- YAN, X. – see XI, Z.-Y., LI, J.-C., ZHENG, X.-Y. & YAN, X.
- YANG, S.-Q. – see DONG, H.-Q., ZHANG, W., YANG, S.-Q. & YANG, Y.-Y.
- YANG, X.-L., SHEN, M.-Q., XIONG, J.-W. & GUO, Z.-Z. Approaches to enhance the effectiveness of biocontrol of *Panonychus citri* (Acari: Tetranychidae) with *Stethorus punctillum* (Coleoptera: Coccinellidae) in citrus orchards in Guizhou. 1(1996): 21-27.
- YANG, X.-Z. – see MA, Y., YANG, X.-Z. & CHEN, H.-J.
- YANG, X.-Z. – see LI, C. & YANG, X.-Z.
- YANG, Y.-S. – see LIU, Z.-J., SHI, S.-Z., WANG, D.-H., YANG, Y.-S., ZHANG, X.-P. & LUO, Y.-Q.
- YANG, Y.-Y. – see DONG, H.-Q., ZHANG, W., YANG, S.-Q. & YANG, Y.-Y.
- YANG, Z.-Q. – see LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R.
- YANG, Z.-Q. – see LIU, Y.-X., YANG, Z.-Q., WU, Q.-Y., SUN, H.-L., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-G.
- YAO, H.-P. – see ZHOU, C., YAO, H.-P. & WEN, T.-H.
- YAO, H.-R., SNIDER, R.-J. & SNIDER, R.-M. Larval and post-larval stages of a new *Abrolophus* species (Acari: Erythraeidae) from a deciduous forest in northern Michigan, USA. 5(2000): 149-155.
- YAO, W.-B. – see LI, Y.-P., YAO, W.-B. & JIANG, Z.-J.
- YE, B.-H. – see LIU, Z.-G., YE, B.-H., SONG, J.-Y. & SU, D.-M.
- YE, B.-H. – see ZHU, Q.-X., LIU, Z.-G., YE, B.-H., XIONG, G.-Q. & LI, J.
- YE, R. – see XIA, B., YE, R. & ZHU, Z.-M.
- YE, R. – see XIA, B., YE, R. & ZHU, Z.-M.
- YE, R. – see XIA, B., ZHU, Z.-M. & YE, R.
- YIN, C.-M. – see LIU, J.-Z., JIANG, Z.-J., YIN, C.-M., ZOU, B.-X., SUN, R.-Y. & GUAN, X.-C.
- YU, D.-Y. – see Zhang, Y.-X., YU, D.-Y., CHEN, W., CHI, Y.-B. & LIN, J.-Z.
- YU, L.-C. & Liang, L.-R. A new species of *Pyemotes* (Acari: Pyemotidae) parasitic on bark beetles (Coleoptera: Scolytidae) from Hebei, China. 1(1996): 167-171.
- YUE, B.-S. – see ZHOU, L., YUE, B.-S. & ZOU, F.-D.
- YUE, B.-S. A comparison of resistance of citrus to citrus rust mite (Acari: Eriophyidae) in the laboratory. 3(1998): 59-62.
- YUSOF, O. & ZHANG, Z.-Q. Tetranychidae (Acari: Prostigmata) of Malay Peninsula: Checklist, key to gen-

era and species and description of three new species. 8(2003): 149-173.

- ZACARIAS, M.S. & MORAES, G.J. DE. Two new species of phytoseiid mites (Acari: Phytoseiidae) from the State of São Paulo, Brazil. 6(2001): 95-100.
- ZALOM, F.G. – see NUKENINE, E. N., DIXON, A.G.O., HASSAN, A.T. & ZALOM, F.G.
- ZHANG, Z.-Q. – see FAN, Q.-H. & ZHANG, Z.-Q.
- ZHANG, F.-G. – see FU, Y.-G., ZHANG, F.-G., PENG, Z.-Q., LIU, K. & JIN, Q.
- ZHANG, H.-J. & LI, J.-S. Sources and dispersal of *Allothrombium ovatum* larvae (Acari: Trombidiidae) in cotton fields and effects of larval mites on *Aphis gossypii* (Homoptera: Aphididae). 1(1996): 64-71.
- ZHANG, H.-J., LI, J.-S. & LIANG, Y.-H. Studies on aphid host selection by parasitic larvae of *Allothrombium ovatum* (Acari: Trombidiidae). 4(1999): 91-96.
- ZHANG, J.-S. – see ZHANG, P.H., XU, R.-M., CHEN, Z.-G., ZHANG, J.-S., CAO, W.-C. & ZHANG, Q.
- ZHANG, P.-H. – see SUN, Y., GUO, T.-Y., XU, R.-M. & ZHANG, P.-H.
- ZHANG, P.H., XU, R.-M., CHEN, Z.-G., ZHANG, J.-S., CAO, W.-C. & ZHANG, Q. Detection of *Borrelia burgdorferi* DNA by PCR in potential tick vectors of China. 2(1997): 43-46.
- ZHANG, Q. – see ZHANG, P.H., XU, R.-M., CHEN, Z.-G., ZHANG, J.-S., CAO, W.-C. & ZHANG, Q.
- ZHANG, S.-Z. – see J.-X. WU, ZHANG, S.-Z. & DUAN, Y.-P.
- ZHANG, W. – see DONG, H.-Q., ZHANG, W., YANG, S.-Q. & YANG, Y.-Y.
- ZHANG, X.-P. – see LIU, Z.-J., SHI, S.-Z., WANG, D.-H., YANG, Y.-S., ZHANG, X.-P. & LUO, Y.-Q.
- ZHANG, X.-W. – see LI, L.-S., CHEN, B., XIA, J. & ZHANG, X.-W.
- ZHANG, Y.-X. – see LIN, J.-Z. & ZHANG, Y.-X.
- ZHANG, Y.-X. – see LIN, J.-Z. & ZHANG, Y.-X.
- ZHANG, Y.-X. – see LIN, J.-Z., CHEN, Q.-H. & ZHANG, Y.-X.
- ZHANG, Y.-X. – see LIN, J.-Z., ZHANG, Y.-X. & JI, J.
- ZHANG, Y.-X. – see LIN, J.-Z., ZHANG, Y.-X. & JI, J.
- ZHANG, Y.-X. – see LIN, J.-Z., ZHANG, Y.-X. & LIN, G.-H.
- ZHANG, Y.-X., JI, J., ZHANG, Z.-Q. & LIN, J.-Z. Responses to stimuli from *Schizotetranychus nanjingensis* on bamboo leaves by two predatory mite species (Acari: Tetranychidae, Phytoseiidae). 7(2002): 49-56.
- ZHANG, Y.-X., LIN, J.-Z., CHI, Y.-B., CHEN, W. & LIN, S. Biocontrol of *Tetranychus kanzawai* (Acari: Tetranychidae) using *Phytoseiulus persimilis* (Acari: Phytoseiidae) in open-air strawberry gardens. 1(1996): 29-34.
- ZHANG, Y.-X., LIN, J.-Z., ZHANG, Z.-Q., SAITO, Y. & JI, J. Studies on the life history of *Amblyseius cucumeris* (Acari: Phytoseiidae) feeding on *Aponychus corpuzae* (Acari: Tetranychidae). 8(2003): 67-74.
- ZHANG, Y.-X., YU, D.-Y., CHEN, W., CHI, Y.-B. & LIN, J.-Z. Study on the spatial distribution and temporal dynamics of *Tetranychus kanzawai* (Acari: Tetranychidae) in open-air strawberry gardens. 1(1996): 73-76.
- ZHANG, Y.-X., ZHANG, Z.-Q., JI, J. & LIN, J.-Z. Predation of *Amblyseius longispinosus* (Acari: Phytoseiidae) on *Schizotetranychus nanjingensis* (Acari: Tetranychidae), a spider mite injurious to bamboo in Fujian, China. Y.-X. 4(1999): 63-68.
- ZHANG, Y.-X., ZHANG, Z.-Q., LIN, J.-Z. & LIU, Q.-Y. Predation of *Amblyseius longispinosus* (Acari: Phytoseiidae) on *Aponychus corpuzae* (Acari: Tetranychidae). 3(1998): 53-58.
- ZHANG, Y.-X., ZHANG, Z.-Q., LIU, Q.-Y. & LIN, J.-Z. Biology of *Schizotetranychus nanjingensis* (Acari: Tetranychidae) with reference to effects of temperature on and importance of nests to its survival and development. 4(1999): 75-82.
- ZHANG, Y.-X., ZHANG, Z.-Q., LIU, Q.-Y. & LIN, J.-Z. Biology of *Typhlodromus bambusae* (Acari: Phytoseiidae), a predator of *Schizotetranychus nanjingensis* (Acari: Tetranychidae) on bamboos in Fujian, China. 4(1999): 57-62.
- ZHANG, Y.-X., ZHANG, Z.-Q., CHEN, C.-P., LIN, J.-Z. & CHEN, X. *Amblyseius cucumeris* (Acari: Phytoseiidae) as a biocontrol agent against *Panonychus citri* (Acari: Tetranychidae) on citrus in China. 6(2001): 35-44.
- ZHANG, Z.-Q. – see WEISSER, W. W. & ZHANG, Z.-Q.
- ZHANG, Z.-Q. – see GOLDARAZENA, A. & ZHANG, Z.-Q.
- ZHANG, Z.-Q. – see DONG, Y.-C. FENG, J.-N. & ZHANG, Z.-Q.
- ZHANG, Z.-Q. – see GUO, F.-Y., ZHANG, Z.-Q. & ZHAO, Z.-M.
- ZHANG, Z.-Q. – see HONG, X.-Y. & ZHANG, Z.-Q.

- ZHANG, Z.-Q. – see SABOORI, A. & ZHANG, Z.-Q.
- ZHANG, Z.-Q. – see YUSOF, O. & ZHANG, Z.-Q.
- ZHANG, Z.-Q. – see ZHANG, Y.-X., JI, J., ZHANG, Z.-Q. & LIN, J.-Z.
- ZHANG, Z.-Q. – see ZHANG, Y.-X., LIN, J.-Z., ZHANG, Z.-Q., SAITO, Y. & JI, J.
- ZHANG, Z.-Q. – see ZHANG, Y.-X., ZHANG, Z.-Q., JI, J. & LIN, J.-Z.
- ZHANG, Z.-Q. – see ZHANG, Y.-X., ZHANG, Z.-Q., LIN, J.-Z. & LIU, Q.-Y.
- ZHANG, Z.-Q. – see Zhang, Y.-X., ZHANG, Z.-Q., LIU, Q.-Y. & LIN, J.-Z.
- ZHANG, Z.-Q. – see ZHANG, Y.-X., ZHANG, Z.-Q., CHEN, C.-P., LIN, J.-Z. & CHEN, X.
- ZHANG, Z.-Q. & GOLDARAZENA, A. *Abrolophus* and *Grandjeanella* larvae (Acari: Erythraeidae) ectoparasitic on thrips (Thysanoptera: Thripidae). 1(1996): 127-144.
- ZHANG, Z.-Q. & JACOBSON, R. Using adult female morphological characters for differentiating *Tetranychus urticae* complex (Acari: Tetranychidae) from greenhouse tomato crops in UK. 5(2000): 69-76.
- ZHANG, Z.-Q. & RHODE, B.E. A faunistic summary of acarine diversity in New Zealand. 8(2003): 75-84.
- ZHANG, Z.-Q. & SABOORI, A. A new host record of *Allothrombium triticii* larvae (Acari: Trombidiidae) ectoparasitic on *Coccinella septempunctata* (Coleoptera: Coccinellidae). 1(1996): 207-208.
- ZHANG, Z.-Q. & SABOORI, A. Descriptions of the larva, deutonymph and adult of *Trombidium southcotti* sp. nov. (Acari: Trombidiidae) from Iran. 1(1996): 157-165.
- ZHANG, Z.-Q. An unusual early-derivative larva of Parasitengona (Acari: Prostigmata) and proposal of a new superfamily. 3(1998): 159-170.
- ZHANG, Z.-Q. Attachment sites of *Allothrombium pulvinum* larvae (Acari: Trombidiidae) ectoparasitic on aphid hosts. 2(1997): 115-120.
- ZHANG, Z.-Q. Koricak patchiness exponent and distribution of taxonomic richness in the Oribatida (Acari: Acariformes). 1(1996): 145-150.
- ZHANG, Z.-Q. Parasitism of aphids (Homoptera: Aphididae) by larvae of *Allothrombium pulvinum* (Acari: Trombidiidae): host species selection, host size selection, and superparasitism. 1(1996): 55-63.
- ZHANG, Z.-Q. Systematic and Applied Acarology: introduction, acknowledgements and dedication.. 1(1996): 3-4.
- ZHANG, Z.-Q. A new record of *Amblyseius deleoni* (Acari: Phytoseiidae) in Samoa, with comparison to *A. largoensis* from New Zealand. 6(2001): 109-110.
- ZHANG, Y.-X. – see LIN, J.-Z. & ZHANG, Y.-X.
- ZHAO, S.-F. & AMRINE, J. W., JR. A new method for studying aerial dispersal behavior of eriophyoid mites (Acari: Eriophyoidea). 2(1997): 107-110.
- ZHAO, S.-X. – see REN X.-Q., ZHAO, S.-X. & LI, X.-Z.
- ZHAO, X.-Y. – see LIU, J.-Z., ZHAO, X.-Y., LIU, S.-G. & JIANG, Z.-J.
- ZHAO, Y.-G. – see LAN, M.-Y., SHEN, W.-H., HUANG, C.-Q., GU, X.-D., JIANG, Y., ZHAO, Y.-G. & LU, W.-X.
- ZHAO, Z.-M – see GUO, F.-Y. & ZHAO, Z.-M.
- ZHAO, Z.-M. – see GUO, F.-Y., DENG, X.-P. & ZHAO, Z.-M.
- ZHAO, Z.-M. – see GUO, F.-Y., ZHANG, Z.-Q. & ZHAO, Z.-M.
- ZHAO, Z.-M. – see LIU, H., ZHAO, Z.-M., WANG, J.-J., LI, L.-S. & DING, W.
- ZHAO, Z.-M., LUO, H.-Y. & WANG, J.-J. Effects and mechanisms of simulated acid rain on plant-mite interactions in agricultural systems. I. The direct effects of simulated acid rain on carmine spider mite, *Tetranychus cinnabarinus*. 4(1999): 83-90.
- ZHAO, Z.-T. – see LIU, Y.-X., YANG, Z.-Q., ZHAO, Z.-T., WU, Q.-Y., PENG, Z.-L., MIAO, Z.-S. & MENG, X.-R.
- ZHENG, L. – see LI, Q.-T., WANG, H.-F. & ZHENG, L.
- ZHENG, X.-Y. – see Xi, Z.-Y., LI, J.-C., ZHENG, X.-Y. & YAN, X.
- ZHI, J.-R., GUO, Z.-Z. & XIONG, J.-W. The biological and ecological characteristics of *Amblyseius nicholsi* (Acari: Phytoseiidae). 3(1998): 35-42.
- ZHONG, B.-Y. – see WANG, K., HUANG, F.-S., ZHONG, B.-Y., SHAN, D.-Z. & LI, Q.
- ZHOU, C., YAO, H.-P. & WEN, T.-H. Synthetic oligodeoxynucleotide containing CpG motifs enhancing the production of Th1 cytokines induced by *Dermatophagoides farinae* allergens *in vitro*. 6(2001): 7-12.
- ZHOU, L., YUE, B.-S. & ZOU, F.-D. Life table studies of *Eotetranychus kankitus* (Acari: Tetranychidae) at different temperatures. 4(1999): 69-74.
- ZHOU, M.-S. – see WEN, T.-H. & ZHOU, M.-S.
- ZHOU, M.-S., WANG, D.-Q. & WANG, S.-R. The genus *Macronyssus* (Acari: Macronyssidae) in China with

- descriptions of two new species. 1(1996): 181-187.
- ZHOU, M.-S. – see WEN, T.-H., ZHOU, M.-S. & JIANG, Z.-Y.
- ZHU, K.-Y., KE, L.-S. & XIN, J.-L. Selection and genetic analysis of fenvalerate resistance in *Amblyseius pseudolongispinosus* (Acari: Phytoseiidae). 1(1996): 5-10.
- ZHU, Q.-X., LIU, Z.-G., YE, B.-H., XIONG, G.-Q. & LI, J. Morphometric and DNA analysis of digestive cells in the midgut of *Ixodes sinensis* after infesting rabbits. 4(1999): 21-30.
- ZHU, Z.-M. – see WEN, C.-G. & ZHU, Z.-M.
- ZHU, Z.-M. – see WEN, C.-G. & ZHU, Z.-M.
- ZHU, Z.-M. – see XIA, B., YE, R. & ZHU, Z.-M.
- ZHU, Z.-M. – see XIA, B., YE, R. & ZHU, Z.-M.
- ZHU, Z.-M. – see XIA, B., ZHU, Z.-M. & YE, R.
- ZHUANG, Y.-J. – see WEN, T.-H., CAI, Y.-Y., CHEN, X.-J., XIANG, L., WANG, B.-L. & ZHUANG, Y.-J.
- ZOU, B.-X. – see LIU, J.-Z., JIANG, Z.-J., YIN, C.-M., ZOU, B.-X., SUN, R.-Y. & GUAN, X.-C.
- ZOU, F.-D. – see Zhou, L., YUE, B.-S. & ZOU, F.-D.