

## **Lectotypification of Bauhinia Phoenicea Wight & Arn. (Leguminosae: Caesalpinioideae)**

Author: Bandyopadhyay, Subir

Source: Candollea, 67(1) : 41-44

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2012v671a5>

---

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# Lectotypification of *Bauhinia phoenicea* Wight & Arn. (Leguminosae: Caesalpinioideae)

Subir Bandyopadhyay

## Abstract

BANDYOPADHYAY, S. (2012). Lectotypification of *Bauhinia phoenicea* Wight & Arn. (Leguminosae: Caesalpinioideae). *Candollea* 67: 41-43. In English, English and French abstracts.

The name *Bauhinia phoenicea* Wight & Arn. is lectotypified.

## Key-words

LEGUMINOSAE – *Bauhinia* – Typification

## Résumé

BANDYOPADHYAY, S. (2012). Lectotypification de *Bauhinia phoenicea* Wight & Arn. (Leguminosae: Caesalpinioideae). *Candollea* 67: 41-43. En anglais, résumés anglais et français.

Le nom *Bauhinia phoenicea* Wight & Arn. est lectotypifié.

---

Address of the author: Central National Herbarium, Botanical Survey of India, P. O. Botanic Garden, Howrah 711 103, West Bengal, India.  
Email: [subirbandyopadhyay@yahoo.com](mailto:subirbandyopadhyay@yahoo.com)

Submitted on June 21, 2010. Accepted on March 1, 2012.

Edited by P. Bungener & P. Perret

Online SSN: 2235-3658      *Candollea* 67(1): 41-43 (2012)

© CONSERVATOIRE ET JARDIN BOTANIKES DE GENÈVE 2012

WIGHT & WALKER-ARNOTT (1834: 296) after providing the morphological description of *Bauhinia phoenicea* Wight & Arn. in the protologue stated : “We have taken the above characters from a description of this plant sent us by Dr Graham”. Dr H. J. Noltie (pers. comm., 2010) informed me that Robert Graham did much of his work on the legumes in the East India Company (EIC) herbarium when he was with Wallich in London between 1828 and 1832. That was why Graham was in a position to send Wight and Arnott the description of this species. Graham’s description must have been based on material deposited in the EIC herbarium, though probably before it was split into duplicate sets. But now, there is no way of knowing if the one that is left at K-W is actually the one that he saw.

In addition to the aforementioned information stated by WIGHT & WALKER-ARNOTT (1834), they also cited “Heyne in Wall. L. n. 5800” in the protologue. NOLTIE (2005: 306) stated the type details of the name as “Wall. Cat. 5800. No possible types at E”.

The relevant herbarium sheet at K-W has a collection only with leaves mounted on the left hand side and a flowering collection with a leaf mounted on the right hand side. I designate here, the flowering collection with a leaf, *Wallich 5800*, as the lectotype of *Bauhinia phoenicea* Wight & Arn.

***Bauhinia phoenicea*** Wight & Arn., Prodr. Fl. Ind. Orient.: 296. 1834 (Fig. 1).

**Lectotypus** (here designated): s.loc., 29.XII.1816, [labeled] “*Bauhinia phoenicea* H Heyn”, *Wallich 5800* (K-W [photo!]).

## Acknowledgements

I am thankful to the Director, Botanical Survey of India for his encouragement, to Dr V. P. Prasad, IBLO, Royal Botanic Gardens, Kew for sending the image of the type specimen along with the kind permission from the Curator, Royal Botanic Gardens, Kew for reproducing the photograph, Dr H. J. Noltie, Royal Botanic Garden, Edinburgh for the information on Robert Graham and Dr P. Bungener for his suggestion in connection with the lectotype designation.

## References

- NOLTIE, H. J. (2005). *The Botany of Robert Wight*. Gantner Verlag.  
WIGHT, R. & G. A. WALKER-ARNOTT (1834). *Prodromus Floræ Peninsulæ Indiæ Orientalis*. London.



**Fig. 1.** – Lectotypus of the name *Bauhinia phoenicea* Wight & Arn. (designated by an arrow).

[Wallich 5800, K-W] [© The Director and the Board of Trustees, Royal Botanic Gardens, Kew. Reproduced with permission]

