

Tipificación de *Aporosella hassleriana* Chodat (Phyllanthaceae) de la flora del Paraguay

Authors: Ramella, Lorenzo, and Zuloaga, Fernando O.

Source: Candollea, 72(2) : 403-404

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2017v722a16>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Tipificación de *Aporosella hassleriana* Chodat (Phyllanthaceae) de la flora del Paraguay

Lorenzo Ramella & Fernando O. Zuloaga

Abstract

RAMELLA, L. & F.O. ZULOAGA (2017). Typification of *Aporosella hassleriana* Chodat (Phyllanthaceae) of the flora of Paraguay. *Candollea* 72: 403–404. In Spanish, English and Spanish abstracts. DOI: <http://dx.doi.org/10.15553/c2017v722a16>

The lectotype specimen of *Aporosella hassleriana* Chodat (*Phyllanthaceae*) is designated from the Hassler's collections kept at G.

Resumen

RAMELLA, L. & F.O. ZULOAGA (2017). Tipificación de *Aporosella hassleriana* Chodat (Phyllanthaceae) de la flora del Paraguay. *Candollea* 72: 403–404. En español, resúmenes en inglés y español. DOI: <http://dx.doi.org/10.15553/c2017v722a16>

El lectotipo de *Aporosella hassleriana* Chodat (*Phyllanthaceae*) está designado entre las colecciones de Hassler conservadas en G.

Keywords

PHYLLANTHACEAE – *Euphorbiaceae* – *Aporosella* – Typification – Paraguay

Dirección de los autores :

LR: Conservatoire et Jardin botaniques de la Ville de Genève, C.P. 60, 1292 Chambésy, Suiza. E-mail: lorenzo.ramella@ville-ge.ch

FOZ: Instituto de Botánica Darwinion, Casilla de Correo 22, B1642HYD San Isidro, República Argentina.

First published online on September 27, 2017.

ISSN: 0373-2967 – Online ISSN: 2235-3658 – *Candollea* 72(2): 403–404 (2017)

© CONSERVATOIRE ET JARDIN BOTANIQUES DE GENÈVE 2017

Introducción

Durante la preparación de la familia *Phyllanthaceae* para la Flora Argentina (ZULOAGA & BELGRANO, en preparación), ha surgido la necesidad de tipificar el nombre *Aporosella hassleriana* Chodat. Este nombre ha sido descrito a partir de dos síntipos colectados por Emil Hassler en Paraguay y es también el tipo del género *Aporosella* Chodat.

Tipificación

Aporosella hassleriana Chodat in Bull. Herb. Boissier ser. 2, 5: 489. 1905.

Lectotypus (in hoc loco designatus): **PARAGUAY.**

Concepción: “Prope Concepcion in insula Chaco y ad ripam fluminis”, VIII.1901-1902, *Hassler, E. 7161* (G [G00229904]!; isolecto-: G [G00229906, G00229907, G00229911, G00229912]!, MICH [MICH1107950]!, MO [MO260328]!, P [P00608946, P00608947, P00608949]!, S [S-R-10484]!, UC [UC941632]!).

Syntypus: **PARAGUAY.** **Concepción:** “Prope Concepcion ad ripam fluminis Paraguay”, IX.1901-1902, *Hassler, E. 7161a* (G [G00229905]!; isosyn-: G [G00229908, G00229909, G00229910, G00229913]!, K [K000573221]!, MPU [MPU014789, MPU014790]!, NY [NY00246236]!).

Notas. – El lectótipo designado aquí es el material utilizado por Chodat en las descripciones tanto del género *Aporosella* como de *A. hassleriana*: una serie de ilustraciones analíticas de la morfología floral dibujadas por Chodat son parte del espécimen elegido.

Referencia

ZULOAGA, F.O. & M. BELGRANO (en preparación). Phyllanthaceae. *Fl. Argentina* 17.