

Index for Volume 67(**New names in boldface**)

Source: The Journal of the Lepidopterists' Society, 67(4) : 308-310

Published By: The Lepidopterists' Society

URL: <https://doi.org/10.18473/lepi.v67i4.a10>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

INDEX FOR VOLUME 67
(New names in **boldface**)

Journal of the Lepidopterists' Society
67(4), 2013, 308–310

- Adamski, David, 111–127
Adelpha
 justina pichincha, **n. sub sp.**,
 241–252
 margarita gurleppi, **n. sp.**,
 241–252
Agavaceae, 187–195
Albu, Valeriu, 156–160
Alkaloids, 291–298
Alves–Silva, Estevao, 65–67
Antaeotricha, 42–48
 baboquivariensis **n. sp.**, 47–48
 demotica, 42–48
 duckworthii, **n. sp.**, 46–47
 zelotes, 42–48
Arctiinae, 145–155, 196–205
Area de Conservación Guanacaste,
 161–174
Argynnini, 263–273
Argynnис, 263–273
Arizona, 42–48
Asclepias syriaca, 227–229
Asteraceae, 156–160
Atlantic forest, 56–57
Automeris io, 291–298
Bächtold, Alexandra, 65–67
Barbosa, Eduardo, 64–65
Baz, Arturo, 134–142
Bergman, William, 262–273
Beyer, Loni, 304–307
Biodiversity, 161–174
Biogeography, 35–41, 145–155,
 281–290
Biological control, 35–41, 111–127,
 281–290
Bolivia, 241–252
Boloria bellona, 57–59, 143–144
Book review, 70, 230–232
Bowers, M. Deane, 227–229,
 299–300
Brazil, 56–57, 62–63, 64–65, 65–67,
 131–133, 221–224
Brown, B.T., 111–127
Brown, J.W., 111–127
Burns, John, 1–14
Butterflies of North America text,
 73–110
Calhoun, John, 73–110, 206–220,
 274–280
California, 156–160
Caloptilia triacicae, 281–290
Canada, 253–263
Cassia spp., 128–130
Centromadia pungens, 156–160
Ceratopogonidae, 128–130
Cerrado, 56–57
Chamaecrista spp., 128–130
Chamé–Vásquez, Eduardo,
 145–155
Checkerspot butterflies, 227–229,
 299–300
Chile, 225–226
Chromolaena odorata, 35–41
Chromolithography, 73–110
Clitoria fairchildiana, 131–133
Cochylina, 156–160
COI, 241–252, 253–262
Collins, Michael, 49–55, 62–63
Colorado, 196–205
Community ecology, 134–142,
 291–298
Conservation biology, 15–28,
 145–155
Cosmopterigidae, 111–127
Cremastobombycia
***chromolaenae* n.sp.**, 35–41
Crypsis, 1–14, 161–174, 253–262
Ctenuchina, 145–155
Davis, Don, 35–41, 281–290
de Assis Junior, Sebastião, 221–224
Defensive behavior, 49–55
Defensive chemistry, 62–63,
 291–298
Delclaro, Kleber, 65–67
Developmental biology, 67–69
Diaz, Rodrigo, 35–41
Diptera, 128–130
Discal spot, 49–55
Dixon, Joseph, 57–59
DNA barcoding, 1–14, 161–174,
 241–252, 253–262
Dodge,
 Charles Francis, 206–220
 Edgar Addison, 206–220,
 274–280
 George Marshall, 206–220,
 274–280
 Ralph Edgar, 206–220
Dombroskie, Jason, 253–262
Ectoparasite, 128–130
Ecuador, 241–252
Edwards, William Henry, 73–110
Elachistidae, 42–48
Endangered species, 15–28, 29–34,
 56–57, 143–144
Erebidae, 145–155, 196–205
Erythrina herbacea, 291–298
Esperanço, Alexandre, 29–34
Eucalyptus spp., 221–224
Euchromiina, 145–155
Eucosmini, 175–186
Eudamiinae, 161–174
Euphorbiaceae, 64–65, 281–290
Euphydryas phaeton, 227–229,
 299–300
Euselasia hygenius occulta, 221–224
Extra–floral nectary, 64–65
Eye spot, 49–55
Fabaceae, 128–130, 131–133
Fabriciana, 262–273
Flensburg, Amy, 196–205
Florida, 128–130, 291–298
Forcipomyia eriophora, 128–130
Formica spp., 62–63
Fox, Mark, 281–290
Freitas, André, 29–34, 56–57
Gelechia detersella, 301–304
Gelechiidae, 111–127, 301–304
Genitalia, 1–14, 35–41, 42–48,
 175–186, 281–290
Gnorimoschema brackenridgeiella,
 301–304
González, Jorge, 145–155
Gracillariidae, 35–41, 281–290
Grenis, Kylene, 196–205
Greve, Roberto, 56–57
Grishin, Nick, 1–14, 161–174
Grogan Jr., William, 128–130
Hajibabaei, Mehrdad, 1–14
Hall, Jason, 241–252
Hallwachs, Winnie, 1–14, 161–174
Hamm, Christopher, 15–28
Hammond, Paul, 262–273
Hantson, Stijn, 134–142
Hazen, Rebecca, 281–290
Henry, Erica, 304–307
Herbivory, 131–133
Herkenhoff, Elisa, 29–34
Hernández–Baz, Fernando,
 145–155

- Hesperia*
acanootus, 274–280
bimacula, 274–280
illinois, 274–280
- Hesperiidae, 1–14, 59–62, 161–174, 225–226, 274–280, 304–307
- Historical analysis, 73–110, 206–220
- Historical distribution, 143–144
- Hong Kong, 111–127
- Host plant breadth, 225–226, 291–298, 299–300
- Hyalophora* spp., 49–55, 62–63
- Hybridization, 263–273
- Hyperchiria incisa incisa*, 131–133
- Hypermetamorphosis, 281–290
- Hyperplasia, 67–69
- Hypertrophy, 67–69
- Hyphantria cunea*, 196–205
- Idiophantis soreuta*, 123–126
- Incurvarioidea, 187–195
- Invasive plant species, 35–41, 281–290
- Iridoid glycosides, 299–300
- ITS2, 253–262
- Jaeger, Christi, 253–262
- Janzen, Daniel, 1–14, 161–174
- Joiceya praeclarus*, 56–57
- Kaminski, Lucas, 56–57
- Kjeldgaard, MacKenzie, 196–205
- Koptur, Suzanne, 128–130
- Landis, Douglas, 15–28
- Larvae, 35–41, 111–127, 128–130, 131–133, 161–174, 196–205, 221–224, 225–226, 281–290, 291–298, 304–307
- Lasiocampidae, 67–69
- Life history, 111–127, 196–205
- Lithography, 73–110
- Loewy, Katrina, 196–205
- Lycaenidae, 65–67
- Makinson, J.R., 111–127
- Malacosoma disstria*, 67–69
- Malpighiaceae, 65–67
- Malva nicaeensis*, 225–226
- Malvaceae, 225–226
- Mark-release-recapture methods, 29–34, 187–195
- McCarty, Jennifer, 196–205
- McCorkle, David, 263–273
- Mediterranean, 134–142
- Mesoacidalia*, 262–273
- Metharmostis*, 111–127
asaphaula, 117
multilineata, n. sp., 111–127
- Metzler, Eric, 156–160
- Mexico, 145–155
- Mielke, Olaf Hermann, 131–133, 221–224
- Miller, William, 67–69, 234–239
- Mimicry, 1–14
- Monteiro, Ricardo, 29–34
- Montesano, Lily, 196–205
- Morón, Miguel, 145–155
- Moth longevity, 187–195
- Murphy, Shannon, 196–205
- Myrtaceae, 111–127, 221–224
- Native plants, 156–160
- Natural enemies, 128–130
- Nazari, Vazrick, 301–304
- Nectaring, 64–65, 134–142
- Neonympha mitchellii mitchellii*, 15–28
- Nomenclature, 301–304
- Nutrition, 291–298
- Nymphalidae, 15–28, 57–59, 64–65, 143–144, 227–229, 241–252, 263–273, 299–301
- Olethreutinae, 175–186, 252–263
- Overholt, William, 35–41
- Overwintering, 304–307
- Oviposition, 227–229, 299–300
- Oxyntera* spp., 1–14
- Pacific Northwest, USA, 143–144
- Papilionidae, 29–34
- Pareuptychia ocirrhoe*, 64–65
- Parides ascanius*, 29–34
- Parque Nacional de Iguaçu
- Parriera, Douglas, 131–133
- Pearl, Mary, 73–110
- Peixotoa parviflora*, 65–67
- Pena, Jorge, 128–130
- Peripheral range, 143–144
- Peru, 241–252
- Pest management, 131–133
- Pfeiler, Edward, 143–144
- Phalonidia, 156–160
- Phaneta*, 175–186, 252–263
alatana, 183
cinereolineana, 183
complicana, 182
- crassana*, 184
- donahuei**, n. sp., 185–186
- fertoriana*, 179–181
- kramerana**, n. sp., 184–185
- migratana*, 182
- montanana*, 252–263
- nepotinana*, 177–179
- spectana*, 184
- subminimana*, 181–182
- tarandana*, 252–263
- tenuiana*, 177
- Phareas*, 161–174
burnsi, n. sp., 162–171
celeste, 161–174
- Phenology, 134–142
- Phoebis sennae*, 128–130
- Phymata* spp., 57–59
- Pieridae, 128–130
- Plant defense, 291–298
- Plantago lanceolata*, 227–229
- Platphalonia magdaleneae**, n. sp., 156–160
- Polities mardon*, 304–307
- Pollination, 187–195
- Population ecology, 29–34, 59–62, 187–195, 227–229
- Potential fecundity, 196–205
- Powell, Jerry, 187–195
- Pratt, P.D., 111–127
- Predation, 49–55, 57–59, 62–63
- Prodoxidae, 187–195
- Prunus annularis*, 1–14
- Psidium guajava*, 221–224
- Pyrginae, 1–14, 225–226
- Pyrgus bocchoris trisignatus*, 225–226
- Ramalho, Francisco, 131–133, 221–224
- Rasmussen, Ryan, 57–59
- Rearing larvae, 196–205
- Rhodomyrtus tomentosa*, 111–127
- Richardson, Lief, 299–300
- Riodinidae, 56–57, 221–224
- Saturniidae, 49–55, 62–63, 131–133, 291–298
- Satyrinae, 15–28, 64–65
- Schmitt, Johanna, 227–229
- Scientific collections, 145–155
- Semmler, Sarah, 59–62
- Senna* spp., 128–130

- Serrão, José, 131–133
Sexual dimorphism, 1–14
Shapiro, Arthur, 70
Silk moth, 49–55, 62–63
Soares, Marcus, 221–224
Sourakov, Andrei, 291–298
Sperling, Felix, 253–262
Speyeria, 263–273
Stereotype, 73–110
Strohbeen, John, 206–220
Systematics, 35–41
Tarasa operculata, 225–226
Taxonomy, 111–127, 145–155,
 301–304
- Tegeticula maculata*, 187–195
Thailand, 111–127
Tortricidae, 156–160, 175–186,
 253–262
Triadica sebifera, 281–290
Troidini, 29–34
Trophic interactions, 128–130
Urban afforestation, 131–133
Vargas, Héctor, 225–226
Vermont, 299–300
Vernick, Jennifer, 196–205
Wallengrenia egeremet, 59–62
Wasp moths, 145–155
Western North America, 175–196
- Westwood, A. Richard, 59–62
Wilcken, Carlos, 221–224
William Miller Tribute, 234–239
Williams, Barry, 15–28
Willmott, Keith, 241–252
Wing fringe, 253–262
Wright, Donald, 175–186
Wright, S.A., 111–127
Yucca moth, 187–195
Zanuncio, José, 131–133, 221–224
Zanuncio, Tereshina, 131–133,
 221–224

NOTICE

Beginning with the first issue of 2014, page charges for non-members of the Lepidopterists' Society will be increased to \$100 per page.

Authors that have already completed page charge forms for papers that are accepted by 1 January 2014 will pay the rate determined by the Editor at the time of acceptance. All papers in review, in revision or submitted after 1 January 2014 will be subject to the new page charge structure for non-members.

Page charge rates for members of the Society remain unchanged.