

Recent Publications

Source: Neotropical Primates, 18(2) : 76-81

Published By: Conservation International

URL: <https://doi.org/10.1896/044.018.0213>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

landscape that offers adequate resources and allows GHLTs to move and breed successfully within the exceptionally heterogeneous environment of southern Bahia. Partly, this includes a much better understanding of the anthropogenic pressures on GHLTs and their habitat. Of equal importance is the consideration of GHLTs within their broader ecological network and the Atlantic Forest ecosystem. Studying GHLTs as an integral part of the ecological network of which they are a part will improve our understanding of the species' needs as well as its role within the ecosystem, contributing to more efficient conservation actions in the long-term. To get to this point, critical research is still needed at both broader and narrower scales as described in this document. Broadening our focus to the entire Atlantic Forest while continuing to study essential aspects of the species' biology, is likely the most efficient conservation strategy over the long-term. There is an increasing demand for large-scale projects that focus on regions, their ecological functionality, and the species within those regions. We hope that this document serves as a guideline for how to develop new projects and partnerships that incorporate this demand and contribute to the long-term persistence of GHLTs and the Atlantic Forest.

Acknowledgments

This symposium was made possible with financial and structural support of the Centre for Research and Conservation of the Royal Zoological Society of Antwerp and logistical support from UESC. We thank Paula Reis and Juliana Monteiro for note-taking during the symposium, and Deborah Faria, Vanessa Nogueira, and Josinei da Silva Santos for advertising and logistical support. Funding to the CRC is provided by the Flemish Ministry of Economy, Science and Innovation (Belgium).

Kristel De Vleeschouwer, Centre for Research and Conservation-Royal Zoological Society of Antwerp, Antwerp, Belgium and Instituto de Estudos Socioambientais do Sul da Bahia, Ilhéus, BA, Brasil, **Leonardo Oliveira**, Instituto de Estudos Socioambientais do Sul da Bahia and Pós - Graduação em Ecologia-Universidade Federal do Rio de Janeiro, RJ, Brasil, **Becky Raboy**, Instituto de Estudos Socioambientais do Sul da Bahia and Smithsonian Conservation Biology Institute, Washington DC, USA, **Nima Raghunathan**, Science and Environmental Management/Behavioural Biology and Animal Psychology, University of Liege, Belgium, and **Sara Zeigler**, Department of Biological Sciences, Virginia Tech, Blacksburg VA, USA.

References

Calmon, M., Brancalion, P. H. S., Paese, A., Aronson, J., Castro, P., da Silva S. C. and Rodrigues R. R. 2011. Emerging threats and opportunities for large-scale ecological restoration in the Atlantic Forest of Brazil. *Restor. Ecol.* 19(2): 154–158.

Ferreira, J., Pardini, R., Metzger, J. P., Fonseca, C. R., Pompeu, P. S., Sparovek, G., and Louzada, J. 2012. Towards environmentally sustainable agriculture in Brazil: challenges and opportunities for applied ecological research. *J. Appl. Ecol.* 49(3): 535–541.

IUCN, 2012. IUCN Red List of Threatened Species, version 2010.3. In IUCN (ed.), Gland, Switzerland.

Oliveira, L. 2010. Ecology and demography of golden-headed lion tamarins (*Leontopithecus chrysomelas*) in Cabruca agroforest, Bahia state, Brazil. Doctoral thesis, University of Maryland, USA.

Oliveira, L. C., Neves, L. G., Raboy, B. E. and Dietz, J. M. 2011. Abundance of jackfruit (*Artocarpus heterophyllus*) affects group characteristics and use of space by golden-headed lion tamarins (*Leontopithecus chrysomelas*) in Cabruca agroforest. *Environ. Manage.* 48: 248–262.

Pinto, L., and Rylands A. 1997. Geographic distribution of the golden-headed lion tamarin, *Leontopithecus chrysomelas*: Implications for its management and conservation. *Folia Primatol.* 68:161–180.

Raboy, B. E., Christman M. C., and Dietz J. M.,. 2004. The use of degraded and shade cocoa forests by endangered golden-headed lion tamarins *Leontopithecus chrysomelas*. *Oryx* 38:75–83.

Raboy, B. E. and Dietz, J. M. 2004. Diet, foraging, and use of space in wild golden-headed lion tamarins. *Am. J. Primatol.* 63:1–15.

Schroth, G., and Harvey, C.A. 2007. Biodiversity conservation in cocoa production landscapes: an overview. *Biodivers. Conserv.* 16:2237–2244.

Sparovek, G., Berndes, G., Klug, I. L. F. and Barretto, A. G. O. P. 2010. Brazilian agriculture and environmental legislation: status and future challenges. *Environ. Sci. Technol.* 44: 6046–6053.

Zeigler, S., Fagan, W. F., Defries, R. and Raboy, B. E. 2010. Identifying important forest patches for the long-term persistence of the endangered golden-headed lion tamarin (*Leontopithecus chrysomelas*). *Tropical Conservation Science* 3:63–77.

Recent Publications

BOOKS

Field and Laboratory Methods in Primatology: A Practical Guide, edited by Joanna M. Setchell & Deborah J. Curtis. 2011. Cambridge University Press. 456 pp. ISBN: 978–052114213. The second edition of this guide to research on wild primates covers the latest advances in the field, including new information on field experiments and measuring behavior. It provides essential advice on the technical and practical aspects of both field and laboratory methods. *Contents:* 1. An ethno primatological approach to interactions between human and non-human primates –Jones-Engel L, Engel GA & Fuentes A; 2. Habituating primates:

processes, techniques, variables and ethics –Williamson EA & Feistner ATC; 3. Habitat description and phenology –Ganzhorn JU, Rakotondrany SJ. & Rakotondrany YR; 4. Geographical information systems and remote sensing –Osborne PE & Glew L; 5. Monitoring local weather and climate –Mayes JC & Pepin N; 6. Survey and census methods: population distribution and density –Ross C & Reeve N; 7. Trapping primates –Jolly CJ, Phillips-Conroy JE & Müller AE; 8. Handling, anaesthesia, health evaluation and biological sampling –Unwin S, Ancrenaz M & Bailey W; 9. Morphology, morphometrics and taxonomy –Groves C & Harding J; 10. Marking and radio-tracking primates –Honest PE & Macdonald DW; 11. Field experiments with non-human primates: a tutorial –Zuberbühler K & Wittig RM; 12. Feeding ecology, frugivory and seed dispersal –Dew JL; 13. Dietary analysis I: food physics –Lucas PW, Osorio D, Yamashita N, Prinz JF, Dominy NJ & Darvell BW; 14. Dietary analysis II: food chemistry –Lucas PW, Corlett RT, Dominy NJ, Essackjee HC, Riba-Hernandez P, Ramsden L, Stoner KE & Yamashita N; 15. Collecting arthropods and arthropod remains for primate studies –Ozanne CMP, Bell JR & Weaver DG; 16. Recording primate vocalizations –Geissmann T & Parsons S; 17. Photography and video for field researchers –Rowe N & Myers M; 18. Chronobiological aspects of primate research –Erkert HG; 19. Thermoregulation and energetics –Schmid J; 20. Field endocrinology: monitoring hormonal changes in free-ranging primates –Hodges JK & Heistermann M; 21. Collection, storage and analysis of non-invasive genetic material in primate biology –Goossens B, Anthony N, Jeffery K, Johnson-Bawe M & Bruford MW; 22. Tips from the bush: an A-Z of suggestions for successful field work –Bearder SK & Nekaris AL.

ARTICLES

- Azevedo E, Miranda M, de Campos M, Moreira AP, Rios M, Magalhães F, Guimarães F, Ecco R, Resende M. 2011. Outbreak of Human Herpesvirus Type 1 Infection in Nonhuman Primates (*Callithrix penicillata*). *J. Wildlife Disease* 47 (3):690–693.
- Babb PL, Fernández-Duque E, Baiduc CA, Gagneux P, Evans S, Schurr TG. 2011. mtDNA diversity in azara's owl monkeys (*Aotus azarae azarae*) of the Argentinean Chaco. *Am. J. Phys. Anthropol.* 146(2): 209–224.
- Babb PL, McIntosh AM, Fernández-Duque E, Di Fiore A, Schurr TG. 2011. An Optimized Microsatellite Genotyping Strategy for Assessing Genetic Identity and Kinship in Azara's Owl Monkeys (*Aotus azarae*). *Folia Primatol.* 82(2): 107–117.
- Barbosa Caselli C, Setz EZF. 2011. Feeding ecology and activity pattern of black-fronted titi monkeys (*Callicebus nigrifrons*) in a semideciduous tropical forest of southern Brazil. *Primates* 52(4): 351–359
- Bashaw MJ, McIntyre C, Salenitri ND. 2011. Social organization of a stable natal group of captive Guyanese squirrel monkeys (*Saimiri sciureus sciureus*). *Primates* 52(4): 361–371.
- Boubli JP, Couto-Santos FR, Strier KB. 2011. Structure and floristic composition of one of the last forest fragments containing the critically endangered northern muriqui (*Brachyteles hypoxanthus*, primates). *Ecotropica* 17 (2)
- Bowler M, Bodmer RE. 2011. Diet and food choice in Peruvian red uakaris (*Cacajao calvus ucayalii*): selective or opportunistic seed predation? *Int. J. Primatol.* 32(5): 1109–1122
- Bunce JA, Isbell LA, Grote MN, Jacobs GH. 2011. Color vision variation and foraging behavior in wild Neotropical titi monkeys (*Callicebus brunneus*): possible mediating roles for spatial memory and reproductive status. *Int. J. Primatol.* 32(5): 1058–1075
- Caperos JM, Sánchez S, Peláez F, Fidalgo A, Morcillo A. 2011. The effect of crowding on the social behavior of the cooperatively breeding Cotton-top tamarins (*Saguinus oedipus*). *Int. J. Primatol.* 32(5): 1179–1189
- Carnegie SD, Fedigan LM, Melin AD. 2011. Reproductive seasonality in female capuchins (*Cebus capucinus*) in Santa Rosa (Area de Conservación Guanacaste), Costa Rica. *Int. J. Primatol.* 32(5): 1076–1090
- Carnegie SD, Fedigan LM, Ziegler TE. 2011. Social and environmental factors affecting fecal glucocorticoids in wild, female white-faced capuchins (*Cebus capucinus*). *Am. J. Primatol.* 73 (9): 861–869.
- Cedillo-Peláez C, Rico-Torres CP, Salas-Garrido CG, Correa D. 2011. Acute toxoplasmosis in squirrel monkeys (*Saimiri sciureus*) in Mexico. *Vet parasitol* 180: 368–371
- Chaves OM, Stoner KE, Arroyo-Rodríguez V. 2011. Seasonal differences in activity patterns of geoffroy's spider monkeys (*Ateles geoffroyi*) living in continuous and fragmented forests in southern Mexico. *Int. J. Primatol.* 32(4): 960–973
- Coutinho LN, Monteiro FOB, Takeshita RSC, de Miranda Lins e Lins FL, da Silva GA, Faturi C, de Castro PHG, Muniz JAPC, Kugelmeier T, Whiteman CW, Vicente WRR. 2011. Effect of age and number of parturitions on uterine and ovarian variables in owl monkeys. *J. Med. Prim.* 40(5): 310–316.
- Crofoot MC, Rubenstein DI, Maiya AS, Berger-Wolf TY. 2011. Aggression, grooming and group-level cooperation in white-faced capuchins (*Cebus capucinus*): insights from social networks. *Am. J. Primatol.* 73 (8): 821–833.
- Culot L, Lledo-Ferrer Y, Hoelscher O, Muñoz Lazo FJJ, Huynen M-C, Heymann EW. 2011. Reproductive failure, maternal infanticide and cannibalism in wild moustached tamarins, *Saguinus mystax*. *Primates* 52:179–186.
- da Cunha DB, Monteiro E, Vallinoto M, Sampaio I, Ferrari SF, Schneider H. 2011. A molecular phylogeny of the tamarins (genus *Saguinus*) based on five nuclear sequence data from regions containing *Alu* insertions. *Am. J. Phys. Anthropol.* 146(3): 385–391.
- Dufour V, Sueur C, Whiten A, Buchanan-Smith HM. 2011. The impact of moving to a novel environment on

- social networks, activity and wellbeing in two new world primates. *Am. J. Primatol.* 73 (8): 802–811.
- Fernández-Duque E. 2011. Rensch's rule, Bergmann's effect and adult sexual dimorphism in wild monogamous owl monkeys (*Aotus azarai*) of Argentina. *Am. J. Phys. Anthropol.* 146 (1): 38–48.
- Fernández-Duque E, Burke K, Schoenrock K, Wolovich CK, Valeggia CR. 2011. Hormonal Monitoring of Reproductive Status in Monogamous Wild Female Owl Monkeys (*Aotus azarai*) of the Argentinean Chaco. *Folia Primatol.* 82(3): 143–153.
- Ferrari SF, Beltrão-Mendes R. 2011. Do snakes represent the principal predatory threat to callitrichids? Fatal attack of a viper (*Bothrops leucurus*) on a common marmoset (*Callithrix jacchus*) in the Atlantic Forest of the Brazilian Northeast. *Primates* 52(3): 207–209.
- Fragaszy DM, Deputte B, Cooper EJ, Colbert-White EN, Hémary C. 2011. When and how well can human-socialized capuchins match actions demonstrated by a familiar human? *Am. J. Primatol.* 73 (7): 643–654.
- Fragaszy DM, Stone BW, Scott NM, Menzel C. 2011. How tufted capuchin monkeys (*Cebus apella* spp) and common chimpanzees (*Pan troglodytes*) align objects to surfaces: insights into spatial reasoning and implications for tool use. *Am. J. Primatol.* 73 (10): 1012–1030.
- González-Hernández M, Dias PAD, Romero-Salas D, Canales-Espinosa D. 2011. Does home range use explain the relationship between group size and parasitism? A test with two sympatric species of howler monkeys. *Primates* 52(3): 211–216.
- González-Zamora A, Arroyo-Rodríguez V, Chaves OM, Sánchez-López S, Aureli F, Stoner KE. 2011. Influence of climatic variables, forest type, and condition on activity patterns of geoffroyi's spider monkeys throughout Mesoamerica. *Am. J. Primatol.* 73 (12): 1189–1198.
- Heymann EW. 2011. Florivory, nectarivory and pollination –a review of primate-flower interactions. *Ecotropica* 17: 41–52.
- Heymann EW. 2011. Coordination in primate mixed-species troops. In: *Coordination in human and non-human primate groups*. Boos M, Kolbe M, Ellwart T, Kappeler PM (eds.). Heidelberg: Springer, p 263–281.
- Huck M, Rotundo M, Fernández-Duque E. 2011. Growth and Development in Wild Owl Monkeys (*Aotus azarai*) of Argentina. *Int. J. Primatol.* 32(5): 1133–1152.
- Jaeggi AV, Van Schaik CP. 2011. The evolution of food sharing in primates. *Behav. Ecol. Sociobiol.* 65 (11): 2125–2140.
- Kelaita M, Dias PAD, Aguilar-Cucurachi MS, Canales-Espinosa D, Cortés-Ortiz L. 2011. Impact of intrasexual selection on sexual dimorphism and testes size in the Mexican howler monkeys *Alouatta palliata* and *A. pigra*. *Am. J. Phys. Anthropol.* 146 (2): 179–187.
- Lampert RMS, de Azevedo CVM, Menezes AAL. 2011. Influence of different light intensities on the daily grooming distribution of common marmosets *Callithrix jacchus*. *Folia Primatol.* 82(3): 131–142.
- Lledo-Ferrer Y, Peláez F, Heymann EW. 2011. The equivocal relationship between territoriality and scent marking in wild saddleback tamarins (*Saguinus fuscicollis*). *Int. J. Primatol.* 32(4): 974–991.
- Méndez-Carvajal P. 2011. Population size, distribution and conservation status of howler monkeys (*Alouatta coibensis trabeata*) and spider monkeys (*Ateles geoffroyi azuerensis*) on the Azuero peninsula, Panama. *Prim. Cons.* 26.
- Mohanasundaram D, Drogemuller C, Brealey J, Jessup CF, Milner C, Murgia C, Lang CJ, Milton A, Zalewski PD, Russ GR, Coates PT. 2011. Ultrastructural analysis, zinc transporters, glucose transporters and hormones expression in New World primate (*Callithrix jacchus*) and human pancreatic islets. *Gen. Comp. Endocrinol.* 174 (2): 71–79.
- Morimoto Y, Fujita K. 2011. Capuchin monkeys (*Cebus apella*) modify their own behaviors according to a conspecific's emotional expressions. *Primates* 52(3): 279–286.
- Nakamura N, Amato KR, Garber P, Estrada A, Mackie RI, Gaskins HR. 2011. Analysis of the hydrogenotrophic microbiota of wild and captive black howler monkeys (*Alouatta pigra*) in Palenque national park, Mexico. *Am. J. Primatol.* 73 (9): 909–919.
- Nascimento ATA, Schmidlin LAJ, Valladares-Padua CB, Matushima ER, Verdade LM. 2011. A comparison of the home range sizes of mainland and island populations of black-faced lion tamarins (*Leontopithecus caissara*) using different spatial analysis. *Am. J. Primatol.* 73 (11): 1114–1126.
- Norris D, Rocha-Mendes F, Marques R, de Almeida R, Galetti M. 2011. Density and spatial distribution of buffy-tufted-ear marmosets (*Callithrix aurita*) in a continuous Atlantic Forest. *Int. J. Primatol.* 32(4): 811–829.
- Obaldia III N, Otero W, Marin C, Aparicio J, Cisneros G. 2011. Long-term effect of a simple nest-box on the reproductive efficiency and other life traits of an *Aotus lemurinus lemurinus* monkey colony: an animal model for malaria research. *J. Med. Primatol.* 40(6): 383–391.
- Oliveira LC, Dietz JM. 2011. Predation risk and the interspecific association of two Brazilian Atlantic forest primates in *Cabruca* agroforest. *Am. J. Primatol.* 73 (9): 852–860.
- Palma AC, Vélez A, Gómez-Posada C, López H, Zárate DA, Stevenson PR. 2011. Use of space, activity patterns, and foraging behavior of red howler monkeys (*Alouatta seniculus*) in an Andean forest fragment in Colombia. *Am. J. Primatol.* 73 (10): 1062–1071.
- Pinheiro T, Ferrari SF, Lopes MA. 2011. Polyspecific associations between squirrel monkeys (*Saimiri sciureus*) and other primates in eastern Amazonia. *Am. J. Primatol.* 73 (11): 1145–1151.
- Printes RC, Rylands AB, Bicca-Marques JC. 2011. Distribution and status of the Critically Endangered blond titi monkey *Callicebus barbarabrownae* of north-east Brazil. *Oryx* 45(3): 439–443.
- Raboy BE, Neves LG, Zeigler SL, Oliveira, LC. 2011. Occurrences of the golden-headed lion tamarin (*Leontopithecus chrysomelas*) above 500 meters in southern Bahia,

- Brazil and implications for conservation planning. *Prim. Cons.* 26.
- Ramos-Fernández G, Pinacho-Guendulain B, Miranda-Pérez A, Boyer D. 2011. No evidence of coordination between different subgroups in the fission–fusion society of spider monkeys (*Ateles geoffroyi*). *Int. J. Primatol.* 32(6): 1367–1382
- Rein TR. 2011. The correspondence between proximal phalanx morphology and locomotion: Implications for inferring the locomotor behavior of fossil catarrhines *Am. J. Phys. Anthropol.* 146(3): 435–445.
- Rovirosa-Hernández MJ, García-Orduña F, Caba M, Canales-Espinosa D, Hermida-Lagunes J, Torres-Pelayo VR. 2011. Blood parameters are little affected by time of sampling after the application of ketamine in black howler monkeys (*Alouatta pigra*). *J. Med. Primatol.* 40(5): 294–299.
- Ruiz-García M, Vásquez C, Camargo E, Leguizamón N, Gálvez H, et al. 2011. Molecular Phylogenetics of *Aotus* (Platyrrhini, Cebidae). *Int. J. Primatol.* 32(5): 1218–1241
- Russo GA, Young JW. 2011. Tail growth tracks the ontogeny of prehensile tail use in capuchin monkeys (*Cebus albifrons* and *C. apella*). *Am. J. Phys. Anthropol.* 146(3): 465–473.
- Schino G, Palumbo M, Visalberghi E. 2011. Factors Affecting Urine Washing Behavior in Tufted Capuchins (*Cebus apella*). *Int. J. Primatol.* 32(4): 801–81.
- Serra Rego B, Spyrides MHC, Cordeiro de Sousa MB. 2011. Possible organizational effect of sex steroids on the stabilization of manual preference in female common marmosets (*Callithrix jacchus*). *Primates* 52(4): 343–349
- Shanee S, Shanee N. 2011. Population density estimates of the Critically Endangered yellow-tailed woolly monkeys (*Oreonax flavicauda*) at La Esperanza, Northeastern Peru. *Int. J. Primatol.* 32(4):878–888
- Smith HM, Thompson CL. 2011. Observations of hand preference in wild groups of white-faced sakis (*Pithecia pithecia*) in Suriname. *Am. J. Primatol.* 73 (7): 655–664.
- Souza-Alves JP, Fontes IP, Chagas RRD, Ferrari SF. 2011. Seasonal versatility in the feeding ecology of a group of titis (*Callicebus coimbrai*) in the northern Brazilian Atlantic Forest. *Am. J. Primatol.* 73 (12):1199–1209.
- Stevenson PR. 2011. The abundance of large ateline monkeys is positively associated with the diversity of plants regenerating in Neotropical forests. *Biotropica* 43 (4): 512–519.
- Thompson CL, Donley EM, Stimpson CD, Horne WI, Vinyard CJ. 2011. The influence of experimental manipulations on chewing speed during in vivo laboratory research in tufted capuchins (*Cebus apella*). *Am. J. Phys. Anthropol.* 145 (3): 402–414.
- Thompson CL, Norconk MA. 2011. Within-group social bonds in white-faced saki monkeys (*Pithecia pithecia*) display male–female pair preference. *Am. J. Primatol.* 73 (10): 1051–1061.
- Tiddi B, Aureli F, Schino G, Voelkl B. 2011. Social relationships between adult females and the alpha male in wild tufted capuchin monkeys. *Am. J. Primatol.* 73 (8): 812–820.
- Vermeer J, Tello-Alvarado JC, Moreno-Moreno S, Guerra-Vásquez F. 2011. Extension of the Geographical Range of White-browed Titi Monkeys (*Callicebus discolor*) and Evidence for Sympatry with San Martin Titi Monkeys (*Callicebus oenanthe*). *Int. J. Primatol.* 32(4): 924–930
- Vidal-García F, Serio-Silva JC. 2011. Potential distribution of Mexican primates: modeling the ecological niche with the maximum entropy algorithm. *Primates* 52(3): 261–270
- Wedi E, Nayudu PL, Michelmann HW. 2011. A case report of spontaneous opening of congenitally fused labia in a female common marmoset (*Callithrix jacchus*) followed by pregnancy and birth of twins. *J. Med. Primatol.* 40(5): 351–353.
- Yamasaki T, Duarte AMRC, Curado I, Summa MEL, Neves DVDA, Wunderlich G, Malafronte RS. 2011. Detection of etiological agents of malaria in howler monkeys from Atlantic Forests, rescued in regions of São Paulo city, Brazil. *J. Med. Primatol.* 40(6): 392–400.
- Zimble-DeLorenzo HS, Dobson FS. 2011. Demography of squirrel monkeys (*Saimiri sciureus*) in captive environments and its effect on population growth. *Am. J. Primatol.* 73 (10): 1041–1050.
- Zimble-DeLorenzo HS, Stone AI. 2011. Integration of field and captive studies for understanding the behavioral ecology of the squirrel monkey (*Saimiri* sp.). *Am. J. Primatol.* 73 (7): 607–622.

ABSTRACTS

Selected abstracts relating with neotropical primates from the 34th Meeting of the American Society of Primatologists, Austin, Texas, USA, September 16 to 19, 2011

- Adams DB, Rehg J, Watsa M. 2011. Observations of termitarium geophagy by bald-faced saki monkeys (*Pithecia irrorata*) in Madre De Dios, Peru.
- Alvarado Villalobos M, Serio-Silva JC, Gatica-Colima AB, García-Hernández J. 2011. Prevalence and intensity of intestinal parasites of *Alouatta pigra* in forest fragments in playas de Catanzá, Chiapas.
- Amato KR, Yeoman CJ, Righini N, Kent A, Estrada A, Stumpf RM, Nelson KE, Torralba M, Gillis M, Leigh SR. 2011. The influence of habitat on Mexican black howler (*Alouatta pigra*) gut microbial community composition.
- Barahona P, Campbell C, Ramirez S. 2011. An assessment of black-handed spider monkey (*Ateles geoffroyi*) mobility using GPS data, Barro Colorado Island, Panama.
- Behie A, Pavelka M. 2011. Why do primates in disturbed habitats show increased parasitism? a new mechanism proposed.
- Brenskelle LM, Rapaport L. 2011. Caretaker contributions to foraging behavior in young wild golden lion tamarins (*Leontopithecus rosalia*) in the Uniao Reserve, Brazil.

- Chism J, Kieran T. 2011. Vocalizations of Peruvian Equatorial sakis (*Pithecia aequatorialis*).
- Corewyn LC, Clarke MR, Glander KE. 2011. Variation in male dominance relationships in two multimale groups of mantled howlers (*Alouatta palliata*) at La Pacifica, Costa Rica.
- Di Fiore A, Link A. 2011. Male mating strategies and paternity in white-bellied spider monkeys (*Ateles belzebuth*) of Amazonian Ecuador.
- Eadie EC. 2011. Age of achievement of maximum foraging return rates in wild capuchin monkeys (*Cebus capucinus*): a test of the ecological complexity model for long juvenile periods.
- Eshchar Y, Crast J, Fragaszy D. 2011. Visual attention to social partners in capuchin monkeys.
- Evans KJ, Pavelka MS, Hartwel KSL, Notman H. 2011. Is infant handling a mechanism for male bond formation in *Ateles geoffroyi*?
- Evans TA, Beran MJ, Paglieri F, Addressi E. 2011. Delay of gratification for accumulating tokens and rewards in capuchin monkeys (*Cebus apella*).
- Fernández-Duque E, Evans S, Emery-Thompson M. 2011. A lab-field approach to estimating the energetic costs of biparental care in owl monkeys.
- Fisher-Phelps M, Gothberg JM, Mendoza SP, Mason WA, Bales KL. 2011. Temperament testing in coppery titi monkeys (*Callicebus cupreus*).
- French JA. 2011. Reproductive steroids across the lifespan in male marmoset monkeys.
- González Valentin E, Scarry CJ. 2011. Effects of female reproductive status on activity budget, ingestion rates and energy intake in tufted capuchin monkeys (*Cebus apella*).
- Hinde KJ, Maninger N, Mendoza SP, Mason WA, Wang GB, Cherry SL, Bales KL. 2011. Neurobiological changes in the reward circuit following pair-bond formation in monogamous titi monkeys (*Callicebus cupreus*).
- Jack KM, Schoof VA, Sheller CR, Rich CI, Klingelhofer PP. 2011. The influence of age and dominance status on fecal testosterone, dihydrotestosterone, and cortisol excretion in male white-faced capuchin monkeys (*Cebus capucinus*) in Santa Rosa National Park, Costa Rica.
- Jarcho M, Mendoza SP, Bales KL. 2011. The effects of social condition and experience on physiological reactivity in a monogamous primate (*Callicebus cupreus*).
- Kloc B, Rapaport LG, Warneke M, Ballou J, Mickelberg J. 2011. Mothers prefer helpers: birth sex ratio adjustment in captive Callitrichids.
- Lam K, Cortez N, Ratnam R. 2011. Antiphonal calling in single-housed, free-behaving marmosets (*Callithrix jacchus*).
- Link A, Di Fiore A. 2011. Intergroup competition and aggression in wild spider monkeys (*Ateles belzebuth*).
- Maninger N, Hinde K, Mendoza SP, Mason WA, Cherry SR, Bales KL. 2011. Functional imaging of pair-bond formation in the coppery titi monkey (*Callicebus cupreus*).
- Massaro L, Liu Q, Visalberghi E, Fragaszy D. 2011. Wild bearded capuchins (*Cebus libidinosus*) select tools to minimize transport distance.
- Meno WE, Coss R, Perry S. 2011. The impact of the social environment on the development of antipredator behavior in white-faced capuchin monkeys (*Cebus capucinus*).
- Notman H, Hartwell K, Pavelka MS. 2011. Seasonal variation in sexual segregation in spider monkeys (*Ateles geoffroyi yucatanensis*) at Runaway Creek Nature Preserve, Belize.
- Parrish AE, Brosnan SF. 2011. Active tool transfer in a cooperative task by capuchin monkeys (*Cebus apella*).
- Paukner A, Suomi SJ. 2011. Fur rubbing affects subsequent social behavior in captive capuchin monkeys (*Cebus apella*).
- Perry SE, Godoy I, Lammers W. 2011. Alpha male tenures and male reproductive success in wild white-faced capuchin monkeys, *C. capucinus*, at Lomas Barbudal, Costa Rica.
- Petracca MM, Caine NG. 2011. Individually distinct alarm calls in Geoffroy's marmosets.
- Phillips KA, Wey H, Holder N, Kochunov P. 2011. Resting-state functional connectivity in capuchin monkeys (*Cebus apella*).
- Porter LM, Garber PA. 2011. Decision-making and spatial memory in wild saddleback tamarins (*Saguinus fuscicollis*).
- Ragen BJ, Maninger N, Mendoza SP, Jarcho MR, Bales KL. 2011. Mu opioid receptor involvement in social and non-social behaviors in titi monkeys (*Callicebus cupreus*).
- Reagan NA, Campbell CJ, Essiambre D. 2011. Distribution of the Azuero spider monkey in forest fragments.
- Rogge JR, Sherenco KD, Malling R, Thiele E, Schapiro SJ, Lambeth SP, Williams LE. 2011. Establishing a positive reinforcement training program in Neotropical primates: a comparison of squirrel and owl monkeys.
- Rubin TL, de Waal F. 2011. Discrimination of conspecific emotional facial expressions in captive tufted capuchins (*Cebus apella*).
- Rutherford JN, Ross CS, Tardif SD. 2011. Early life programming of stillbirths in adult female common marmosets (*Callithrix jacchus*).
- Scarry CJ. 2011. Between-group contest competition in tufted capuchin monkeys (*Cebus apella*).
- Sharpe D, Vratana T, Cudmore B, Markham K. 2011. Parasite prevalence in free-ranging mantled howler monkeys (*Alouatta palliata*), La Suerte Biological Field Station, Costa Rica.
- Sherenco KD, Freeman H, Schapiro SJ, Lambeth SP, Williams LE. 2011. Behavioral and physiological impacts of shifting light periods in a captive *Aotus* colony.
- Simon RH, Mendoza SP, Lindsay KA, Bales KL. 2011. Validation of an open field test as a measure of anxiety-like and exploratory behavior in infant titi monkeys (*Callicebus cupreus*).
- Slack A, Rapaport LG. 2011. Coforaging in wild golden lion tamarins (*Leontopithecus rosalia*) in the Uniao Reserve, Brazil.
- Smith AS, Birnie AK, French JA. 2011. Social isolation affects partner-directed social behavior and cortisol during

- pair formation in male and female white-faced marmosets, *Callithrix geoffroyis*.
- Stollenmaier S, Leavens DA. 2011. Captive, common squirrel monkeys (*Saimiri sciureus*) select five visual arbitrary symbols in accordance with food preferences.
- Sullivan JM, Freeman HD, Schultz-Darken N, Brosnan S. 2011. Responses to inequitable outcomes in a cooperative breeder, the common marmosets (*Callithrix jacchus*).
- Talbot CF, Freeman HD, Williams LE, Brosnan SF. 2011. Squirrel monkeys' response to inequitable outcomes indicates a behavioral convergence within the primates.
- Valencia L, Link A, Cadena CD, di Fiore A. 2011. Phylogeography of brown spider monkeys (*Ateles hybridus*) in Colombia: testing the riverine barrier hypothesis.
- Valero MD, Pasanen EG, McFadden D, Ratnam R. 2011. Distortion-product otoacoustic emissions in the common marmoset (*Callithrix jacchus*): parameter optimization and repeatability.
- Van Belle S, Estrada A, Garber PA. 2011. Collective group movement and leadership in black howler monkeys (*Alouatta pigra*).
- Vidal-Garcia F, Argüello-Sánchez LE, Corona-Callejas NE, Serio-Silva JC. 2011. Environmental education activities: a tool for primates' conservation in Mexico.
- Vidal-Garcia F, Serio-Silva JC. 2011. Validation of potential distribution models of howler monkeys (*Alouatta pigra* and *Alouatta palliata*) in Tabasco, Mexico.
- Ziegler TE. 2011. Social effects via sensory stimuli on reproductive function & dysfunction in cooperative breeding marmosets and tamarins.

at Lund, Sweden. For more information visit <http://www.gesturestudies.com/isgs2012/>

International Symposium on Primate Research

The symposium will be held at Kunming, Yunnan, China P.R. from August 19–21, 2012, and is sponsored by the Yunnan Key Laboratory of Primate Biomedical Research. For more information visit <http://www.lpbr.cn/symposium>

Meetings

2012

III Congreso Colombiano de Primatología

La Asociación Primatológica Colombiana junto con la Universidad del Norte y la Fundación Proyecto Tití, organizarán el III Congreso Colombiano de Primatología dentro del marco del evento *Biodiversidad: Recurso Estratégico*, el cual se llevará a cabo en Abril de 2012, en la ciudad de Barranquilla Colombia.

XXVI Congress of the International Primatological Society

The XXVI congress of the International Primatological Society will be held at the Cancún Convention Center, Cancún, Mexico, from August 12–17, 2012. For more information visit <http://www.ips2012.org.mx/>

5th Conference of the International Society for Gesture Studies: the communicative body in development

The conference, sponsored by the International Society for Gesture Studies (ISGS) will be held from July 24–27