

Index to new names and combinations appearing in Willdenowia 33(2)

Source: Willdenowia, 33(2) : 483-486

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.33.33223>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index to new names and combinations appearing in Willdenowia 33(2)

<i>Adenostyles alpina</i> subsp. <i>australis</i> (Ten.) Greuter, comb. in stat. novo	247
<i>Aliella ballii</i> (Klatt) Greuter, comb. nova	241
<i>Aliella ballii</i> subsp. <i>nitida</i> (Emb.) Greuter, comb. nova	241
<i>Allagopappus canariensis</i> (Willd.) Greuter, comb. nova	241
<i>Amorphophallus mangelsdorffii</i> Bogner, sp. nova	299
<i>Andryala glandulosa</i> subsp. <i>cheiranthifolia</i> (L'Hér.) Greuter, comb. nova	232
<i>Andryala laevitomentosa</i> (Sennikov) Greuter, comb. nova	232
<i>Andryala pinnatifida</i> subsp. <i>ducellieri</i> (Batt.) Greuter, comb. nova	232
<i>Andryala pinnatifida</i> subsp. <i>jahandiezii</i> (Maire) Greuter, comb. nova	232
<i>Andryala pinnatifida</i> subsp. <i>maroccana</i> (Maire) Greuter, comb. nova	232
<i>Andryala pinnatifida</i> subsp. <i>mogadorensis</i> (Hook. f.) Greuter, comb. nova	232
<i>Artemisia pancicii</i> Ronniger ex Danihelka & Marhold, sp. nova	253
<i>Astragalus akhundzadahensis</i> Podlech & Zarre, sp. nova	341
<i>Astragalus ammodendroides</i> Podlech & Zarre, sp. nova	342
<i>Astragalus bazarganii</i> Podlech & Zarre, sp. nova	343
<i>Astragalus biarjmandicus</i> Podlech & Zarre, sp. nova	343
<i>Astragalus darrehbidensis</i> Podlech & Zarre, sp. nova	344
<i>Astragalus nowroozii</i> Podlech & Zarre, sp. nova	345
<i>Astragalus pseudoarvatusensis</i> Podlech & Sytin, sp. nova	346
<i>Astragalus similissimus</i> Podlech & Zarre, sp. nova	346
<i>Astragalus strictissimus</i> Podlech & Zarre, sp. nova	347
<i>Astragalus tenuiramosus</i> Podlech & Zarre, sp. nova	348
<i>Astragalus zurmatensis</i> Podlech & Zarre, sp. nova	348
<i>Byssoloma carneum</i> Schubert, Greber & Lücking, sp. nova	460
<i>Centaurea aplolepa</i> subsp. <i>bertolonii</i> (Arrigoni) Greuter, comb. nova	249
<i>Centaurea aplolepa</i> subsp. <i>levantina</i> (Arrigoni) Greuter, comb. nova	249
<i>Centaurea arrigonii</i> Greuter, nom. nov.	249
<i>Chiliadenus sericeus</i> subsp. <i>virescens</i> (Maire) Greuter, comb. nova	242
<i>Cleome procumbens</i> subsp. <i>obtusa</i> (Urb.) R. Rankin, comb. & stat. novi	441
<i>Cleome procumbens</i> subsp. <i>wrightii</i> (Urb.) R. Rankin, comb. & stat. novi	442
<i>Cleome procumbens</i> (subsp. <i>wrightii</i>) var. <i>arenaria</i> (Urb.) R. Rankin, comb. & stat. novi	442
<i>Cleome procumbens</i> (subsp. <i>wrightii</i>) var. <i>wrightii</i> (Urb.) R. Rankin, comb. & stat. novi	442
<i>Conioselinum nematophyllum</i> Pimenov & Kljuykov, nom. nov.	361
<i>Conioselinum nepalense</i> Pimenov & Kljuykov, sp. nova	361
<i>Conioselinum pseudoangelica</i> (H. Boissieu) Pimenov & Kljuykov, comb. nova	362
<i>Conioselinum reflexum</i> Pimenov & Kljuykov, sp. nova	365
<i>Conioselinum shanii</i> Pimenov & Kljuykov, sp. nova	265
<i>Conioselinum sinchianum</i> (K. T. Fu) Pimenov & Kljuykov, comb. nova	367
<i>Conioselinum sinomedicum</i> Pimenov & Kljuykov, nom. nov.	367
<i>Conioselinum smithii</i> (H. Wolff) Pimenov & Kljuykov, comb. nova	369
<i>Conioselinum tenuisectum</i> (H. Boissieu) Pimenov & Kljuykov, comb. nova	372
<i>Conioselinum tenuissimum</i> (Nakai) Pimenov & Kljuykov, comb. nova	373
<i>Crepis arenaria</i> subsp. <i>suberostris</i> (Batt.) Greuter, comb. & stat. novi	232
<i>Crepis gussonei</i> Greuter, nom. nov.	232
<i>Dittrichia viscosa</i> subsp. <i>angustifolia</i> (Bég.) Greuter, comb. & stat. novi	242
<i>Dittrichia viscosa</i> subsp. <i>maritima</i> (Brullo & De Marco) Greuter, comb. & stat. novi	242
<i>Doronicum plantagineum</i> subsp. <i>atlanticum</i> (Rouy) Greuter, comb. & stat. novi	247
<i>Fellhanera tubulifera</i> Schubert & Lücking, sp. nova	461
<i>Filago libyaca</i> (Alavi) Greuter & Wagenitz, comb. nova	242

<i>Filago lojaconoi</i> (Brullo) Greuter, comb. nova	242
<i>Filago longilanata</i> (Maire & Wilczek) Greuter, comb. nova	242
<i>Filago nevadensis</i> (Boiss.) Wagenitz & Greuter, comb. nova	242
<i>Frolovia frolovii</i> (Ledeb.) Raab-Straube, comb. nova	391
<i>Frolovia gorbunovae</i> (Kamelin) Raab-Straube, comb. nova	392
<i>Gnomophalium</i> Greuter, gen. nov.	242
<i>Gnomophalium pulvinatum</i> (Delile) Greuter, comb. nova	242
<i>Helichrysum pomelianum</i> Greuter, nom. nov.	242
<i>Helminthotheca aculeata</i> subsp. <i>maroccana</i> (Sauvage) Greuter, comb. nova	233
<i>Helminthotheca glomerata</i> (Pomel) Greuter, comb. nova	233
<i>Himalaiella</i> Raab-Straube, gen. nov.	390
<i>Himalaiella abnormis</i> (Lipsch.) Raab-Straube, comb. nova	390
<i>Himalaiella afghana</i> (Lipsch.) Raab-Straube, comb. nova	390
<i>Himalaiella albescens</i> (DC.) Raab-Straube, comb. nova	390
<i>Himalaiella auriculata</i> (DC.) Raab-Straube, comb. nova	390
<i>Himalaiella chenopodiifolia</i> (Klatt) Raab-Straube, comb. nova	390
<i>Himalaiella chitralica</i> (Duthie) Raab-Straube, comb. nova	390
<i>Himalaiella deltoidea</i> (DC.) Raab-Straube, comb. nova	391
<i>Himalaiella foliosa</i> (Edgew.) Raab-Straube, comb. nova	391
<i>Himalaiella heteromalla</i> (D. Don) Raab-Straube, comb. nova	391
<i>Himalaiella nivea</i> (DC.) Raab-Straube, comb. nova	391
<i>Himalaiella peguensis</i> (C. B. Clarke) Raab-Straube, comb. nova	391
<i>Indigofera brachyphylla</i> Al-Turki, sp. nova	339
<i>Lactuca cyprica</i> (Rech. f.) N. Kilian & Greuter, comb. nova	234
<i>Lactuca czerepanovii</i> (Kirp.) N. Kilian & Greuter, comb. nova	234
<i>Lactuca fenzlui</i> N. Kilian & Greuter, nom. nov.	234
<i>Lactuca kirpicznikovii</i> (Grossh.) N. Kilian & Greuter, comb. nova	234
<i>Lactuca macrophylla</i> subsp. <i>uralensis</i> (Rouy) N. Kilian & Greuter, comb. nova	234
<i>Lactuca pancicii</i> (Vis.) N. Kilian & Greuter, comb. nova	234
<i>Laphangium teydeum</i> Wildpret & Greuter, sp. nova	243
<i>Leontodon hispidus</i> subsp. <i>montanus</i> (Ball) Greuter, comb. nova	234
<i>Leontodon hyoseroides</i> subsp. <i>pseudocrispus</i> (Bisch.) Greuter, comb. nova	234
<i>Leontodon muelleri</i> subsp. <i>reboudianus</i> (Pomel) Greuter, comb. nova	234
<i>Leontopodium nivale</i> subsp. <i>alpinum</i> (Cass.) Greuter, comb. & stat. novi	244
<i>Limbarda crithmoides</i> subsp. <i>longifolia</i> (Arcang.) Greuter, comb. nova	244
<i>Limonium cyprium</i> (Meikle) Hand & Buttler, comb. & stat. novi	315
<i>Pallenis teknensis</i> (Dobignard & Jacquemoud) Greuter & Jury, comb. nova	244
<i>Phlomis cypria</i> subsp. <i>occidentalis</i> (Meikle) Hand, comb. & stat. novi	318
<i>Porina flavopapillata</i> Schubert & Lücking, sp. nova	463
<i>Potentilla bidentula</i> Soják, sp. nova	409
<i>Potentilla brassii</i> var. <i>giluwensis</i> Soják, var. nova	413
<i>Potentilla grisea</i> var. <i>ripicola</i> Soják, var. nova	422
<i>Potentilla hooglandii</i> var. <i>rufa</i> Soják, var. nova	412
<i>Potentilla hubsugulica</i> Soják, sp. nova	417
<i>Potentilla papuana</i> var. <i>celebica</i> Soják, var. nova	413
<i>Potentilla papuana</i> var. <i>victoralis</i> Soják, var. nova	413
<i>Potentilla peduncularis</i> var. <i>subcontigua</i> Soják, var. nova	417
<i>Potentilla pycnophylla</i> Soják, sp. nova	411
<i>Potentilla spectabilis</i> Businský & Soják, sp. nova	415

<i>Potentilla sumatrana</i> var. <i>achillea</i> Soják, var. nova	414
<i>Potentilla</i> × <i>ala-arcaezae</i> Soják, nothosp. nova	417
<i>Potentilla</i> × <i>aurantiaca</i> Soják, nothosp. nova	415
<i>Potentilla</i> × <i>bishkekensis</i> Soják, nothosp. nova	419
<i>Potentilla</i> × <i>pantotricha</i> Soják, nothosp. nova	412
<i>Potentilla</i> × <i>recensita</i> Soják, nothosp. nova	421
<i>Potentilla</i> × <i>solitaria</i> Soják, nothosp. nova	420
<i>Potentilla</i> × <i>tundricola</i> Soják, nothosp. nova	422
<i>Psephellus yildizii</i> (Civelek & al.) Greuter, comb. nova	250
<i>Pulicaria decumbens</i> (Litard. & Maire) Greuter, comb. & stat. novi	244
<i>Ranunculus monspeliacus</i> subsp. <i>aspromontanus</i> (Huter) Peruzzi & N. G. Passal., comb. nova	263
<i>Rhaponticum longifolium</i> subsp. <i>ericeticola</i> (Font Quer) Greuter, comb. & stat. novi	250
<i>Scorzonera hispanica</i> subsp. <i>neapolitana</i> (Grande) Greuter, comb. & stat. novi	236
<i>Scorzonera karabelensis</i> Parolly & N. Kilian, sp. nova	328
<i>Scorzonera laciniata</i> subsp. <i>decumbens</i> (Guss.) Greuter, comb. nova	237
<i>Scorzonera longifolia</i> (Emb. & Maire) Greuter, comb. & stat. novi	237
<i>Scorzonera rosea</i> subsp. <i>peristerica</i> (Formánek) Greuter, comb. nova	237
<i>Selaginella cristalensis</i> Shelton & Caluff, sp. nova	435
<i>Selaginella orbiculifolia</i> Shelton & Caluff, sp. nova	430
<i>Selaginella undata</i> Shelton & Caluff, sp. nova	427
<i>Senecio ambiguus</i> subsp. <i>taygeteus</i> (Boiss. & Heldr.) Greuter, comb. nova	247
<i>Senecio hercynicus</i> subsp. <i>dacicus</i> (Hodálová & Marhold) Greuter, comb. & stat. novi	247
<i>Senecio hercynicus</i> subsp. <i>dalmaticus</i> (Griseb.) Greuter, comb. nova	247
<i>Senecio hercynicus</i> subsp. <i>ucranicus</i> (Hodálová) Greuter, comb. & stat. novi	247
<i>Senecio leucanthemifolius</i> subsp. <i>cyrenaicus</i> (E. A. Durand & Barratte) Greuter, stat. nov.	247
<i>Senecio leucanthemifolius</i> subsp. <i>mauritanicus</i> (Pomel) Greuter, comb. nova	247
<i>Senecio leucanthemifolius</i> subsp. <i>vernalis</i> (Waldst. & Kit.) Greuter, comb. & stat. novi	247
<i>Senecio nemorensis</i> subsp. <i>apuanus</i> (Tausch) Greuter, comb. & stat. novi	247
<i>Senecio nemorensis</i> subsp. <i>bulgaricus</i> (Velen.) Greuter, comb. nova	247
<i>Senecio nevadensis</i> subsp. <i>malacitanus</i> (Huter) Greuter, comb. & stat. novi	248
<i>Senecio ovatus</i> subsp. <i>stebianus</i> (Lacaita) Greuter, comb. nova	248
<i>Senecio samnitum</i> (Nyman) Greuter, comb. & stat. novi	248
<i>Senecio scopolii</i> subsp. <i>floccosus</i> (Bertol.) Greuter, comb. nova	248
<i>Senecio squalidus</i> subsp. <i>aethnensis</i> (DC.) Greuter, comb. & stat. novi	248
<i>Senecio squalidus</i> subsp. <i>chrysanthemifolius</i> (Poir.) Greuter, comb. & stat. novi	248
<i>Sonchus beltraniae</i> (U. Reifenb. & A. Reifenb.) N. Kilian & Greuter, comb. nova	237
<i>Sonchus bulbosus</i> (L.) N. Kilian & Greuter, comb. nova	237
<i>Sonchus bulbosus</i> subsp. <i>microcephalus</i> (Rech. f.) N. Kilian & Greuter, comb. nova	237
<i>Sonchus bulbosus</i> subsp. <i>willkommii</i> (Burnat & Barbey) N. Kilian & Greuter, comb. nova	237
<i>Sonchus bupleuroides</i> (Font Quer) N. Kilian & Greuter, comb. nova	237
<i>Sonchus filifolius</i> N. Kilian & Greuter, nom. nov.	237
<i>Sonchus pendulus</i> subsp. <i>flaccidus</i> (Svent.) N. Kilian & Greuter, comb. nova	237
<i>Stachyphrynium lancifolium</i> Suksathan & Borchs., sp. nova	406
<i>Stachyphrynium longispicatum</i> Suksathan & Borchs., sp. nova	404
<i>Tephroseris integrifolia</i> subsp. <i>caucasigena</i> (Schischk.) Greuter, comb. & stat. novi	248
<i>Tephroseris integrifolia</i> subsp. <i>jailicola</i> (Juz.) Greuter, comb. & stat. novi	248
<i>Tephroseris longifolia</i> subsp. <i>brachychaeta</i> Greuter, subsp. nova	248

<i>Tephroseris longifolia</i> subsp. <i>pseudocrispa</i> (Fiori) Greuter, comb. nova	249
<i>Tragopogon porrifolius</i> subsp. <i>longirostris</i> (Sch. Bip.) Greuter, comb. & stat. novi . . .	237
<i>Tragopogon pratensis</i> subsp. <i>leiocarpus</i> (Trnka) Greuter, comb. nova	237
<i>Trichothelium chlorinum</i> Schubert & Lücking, sp. nova	463
<i>Xanthium orientale</i> subsp. <i>californicum</i> (Greene) Greuter, comb. & stat. novi	249
<i>Xanthium orientale</i> subsp. <i>italicum</i> (Moretti) Greuter, comb. nova	249
<i>Xanthium orientale</i> subsp. <i>riparium</i> (Čelak.) Greuter, comb. nova	249
<i>Xanthium strumarium</i> subsp. <i>sibiricum</i> (Widder) Greuter, comb. & stat. novi	249