

Sarcocystis in A Yellowthroat and A Rusty Blackbird

Authors: LOCKE, L. N., and KNISLEY, J. O.

Source: Bulletin of the Wildlife Disease Association, 1(3) : 36

Published By: Wildlife Disease Association

URL: <https://doi.org/10.7589/0090-3558-1.3.36>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Sarcocystis in A Yellowthroat and A Rusty Blackbird

L. N. LOCKE AND J. O. KNISLEY, JR.

Patuxent Wildlife Research Center, Laurel, Maryland

Received for publication 30 April 1965

Although *Sarcocystis* was reported from the Redstart (*Setophaga ruticilla*) in 1894 (Stiles, 1894, Vet. Mag. Philadelphia, 1:728) there have been few reports of this protozoan in Wood Warblers (Parulidae). Breiding and Rausch (1948, Auk, 65: 295-296) reported *Sarcocystis* in the Black and White Warbler (*Mniotilta varia*) and in the Mourning Warbler (*Oporornis philadelphia*).

On July 3, 1959, an adult male Yellowthroat (*Geothlypis trichas*) was found dead along a road on the Patuxent Wildlife Research Center, Laurel, Maryland. The skin was removed at necropsy exposing the breast and leg muscles which were studded with cysts of *Sarcocystis*. Ten additional Yellowthroats which had been found dead at

Friendship Airport, Baltimore, Maryland on October 11, 1959, were examined but none of these had a grossly visible *Sarcocystis* infection.

On October 16, 1963, Brooke Meanley, Wildlife Biologist, Patuxent Wildlife Research Center, collected an adult male Rusty Blackbird, *Euphagus carolinus*, in the marshes of the Patuxent River near Upper Marlboro. Maryland. When the bird was skinned he observed that the breast and leg muscles were studded with white rice-grainlike cysts. Upon microscopic examination these cysts proved to be typical of *Sarcocystis*.

These are apparently the first records of *Sarcocystis* in a Yellowthroat and in a Rusty Blackbird.

