

AVIAN CHOLERA IN CEDAR WAXWINGS IN OHIO

Authors: LOCKE, LOUIS N., and BANKS, RICHARD C.

Source: Journal of Wildlife Diseases, 8(1) : 106

Published By: Wildlife Disease Association

URL: <https://doi.org/10.7589/0090-3558-8.1.106>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

AVIAN CHOLERA IN CEDAR WAXWINGS IN OHIO

LCUIS N. LOCKE and RICHARD C. BANKS

Bureau of Sport Fisheries and Wildlife, Patuxent Wildlife Research Center, Laurel, Maryland 20810, and Bureau of Sport Fisheries and Wildlife, Bird and Mammal Laboratories, U.S. National Museum, Washington, D.C. 20560.

Abstract: Avian cholera (*Pasteurella multocida* infection) was responsible for a localized die-off of cedar waxwings (*Bombycilla cedrorum*) at Steubenville, Ohio in late June, 1968.

Avian cholera caused by the bacterium *Pasteurella multocida* has been recognized as a cause of waterfowl mortality since 1944, but the disease has been reported from only seven species of passerine birds in North America.^{1,2,3} This note records the occurrence of the infection among cedar waxwings (*Bombycilla cedrorum*) in Ohio and is apparently the first record of the infection in the species in North America.

On June 22, 1968, Mr. Clinton S. Banks was informed of the occurrence of dead cedar waxwings at a residence in Steubenville, Ohio. Upon investigation he learned that 24 dead waxwings had been found. Several sick birds also were found at the site, and were taken home by Mr. Banks, where many later recovered. A few days later, 12 more dead cedar waxwings were found near a cherry tree at another residence.

Two of the first six birds found were examined by Mr. Banks, who found that the gizzards were empty. Four birds were shipped to the Bird and Mammal Laboratories and thence to the Patuxent Wildlife Research Center for diagnostic studies. Three of the four birds were quite fat and in good flesh. All four had hemorrhages in the lungs and in the proventri-

cular tissues. Two had hemorrhages on the heart.

Of the four waxwings submitted for necropsy, only three were suitable for bacteriologic examination. The fourth was in a rather poor state of preservation and was given only a cursory examination and then discarded. Lung material from the three waxwings was inoculated onto 5% sheep blood agar plates and incubated for 24 hours at 37.5 C. Pure cultures of a non-hemolytic, gram-negative, coccobacillus were isolated from the lungs of two of the waxwings; a coagulase-negative *Micrococcus* was isolated from the third. The gram-negative bacteria were subsequently identified by biochemical tests as *Pasteurella multocida*. In view of the known pathogenicity of *P. multocida* for avian species, we believe that this bacterium was the most probable cause of the observed losses of cedar waxwings. The *Micrococcus* is regarded as a post-mortem contaminant.

We wish to thank Mr. Banks, Steubenville, Ohio, for calling our attention to the losses of cedar waxwings, and Mrs. Sara Hourihan, Department of Veterinary Science, University of Maryland, College Park, for conducting the biochemical tests.

LITERATURE CITED

1. BIVINS, J. A. 1955. Pasteurellosis in feral birds. *Cornell Veterinarian* 45: 180-181.
2. FADDOUL, G. P., G. W. FELLOWS, and J. BAIRD. 1967. Pasteurellosis in wild birds in Massachusetts. *Avian Diseases* 11: 413-418.
3. ROSEN, M. N. 1971. "Avian Cholera" in *Infectious and Parasitic Diseases of Wild Birds*. J. W. Davis, R. C. Anderson, L. Karstad, and D. O. Trainer, Editors, Iowa State University Press, Ames, Iowa. 344 pp.

Received for publication November 1, 1971