

Index of taxonomic and nomenclatural novelties

Source: Cандолеа, 78(2) : 251-252

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2023v782a14>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index of taxonomic and nomenclatural novelties

| | |
|---|-----|
| <i>Begonia egamii</i> D. Borah, Taram & M. Hughes, sp. nov. | 148 |
| <i>Calopyxis brevistyla</i> H. Perrier, syn. nov., new lectotype | 145 |
| <i>Calopyxis malifolia</i> Baker, new lectotype | 141 |
| <i>Calopyxis sphaerooides</i> Tul., new lectotype | 145 |
| <i>Combretum calopyxis</i> Jongkind & Callm., nom. nov., new lectotype | 140 |
| <i>Combretum humbertianum</i> (H. Perrier) Jongkind & Callm., comb. nov. | 141 |
| <i>Combretum malifolium</i> (Baker) Jongkind & Callm., comb. nov. | 141 |
| <i>Combretum sakoense</i> Jongkind & Callm., sp. nov. | 141 |
| <i>Dalbergia bosseri</i> N. Wilding, Phillipson & Crameri, sp. nov. | 101 |
| <i>Dalbergia karatrae</i> N. Wilding, Phillipson & Crameri, sp. nov. | 104 |
| <i>Dalbergia leandrii</i> N. Wilding, Phillipson & Crameri, sp. nov. | 106 |
| <i>Dalbergia oronjiae</i> N. Wilding, Phillipson & Crameri, sp. nov. | 109 |
| <i>Dalbergia rajeryi</i> N. Wilding, Phillipson & Crameri, sp. nov. | 111 |
| <i>Dalbergia rakotovaoi</i> Phillipson, N. Wilding & Crameri, sp. nov. | 114 |
| <i>Dalbergia sambavensis</i> N. Wilding, Phillipson & Crameri, sp. nov. | 117 |
| <i>Dalbergia soafarae</i> N. Wilding, Phillipson & Crameri, sp. nov. | 120 |
| <i>Dendrobium amiceanum</i> M. Pignal & Laud., sp. nov. | 242 |
| <i>Dendrophorbia frezierifolium</i> J. Calvo & Á.J. Pérez, sp. nov. | 92 |
| <i>Eugenia setosa</i> King, new lectotype | 154 |
| <i>Fagraea christinae</i> Y.W. Low & V.A. Albert, sp. nov. | 170 |
| <i>Memecylon albocoronatum</i> R.D. Stone, sp. nov. | 190 |
| <i>Memecylon antongilense</i> R.D. Stone, sp. nov. | 192 |
| <i>Memecylon articulatum</i> R.D. Stone, sp. nov. | 194 |
| <i>Memecylon atractocarpum</i> R.D. Stone, sp. nov. | 196 |
| <i>Memecylon betamponense</i> R.D. Stone, sp. nov. | 198 |
| <i>Memecylon bullatum</i> R.D. Stone, sp. nov. | 198 |
| <i>Memecylon calcicola</i> R.D. Stone, sp. nov. | 201 |
| <i>Memecylon dipterum</i> R.D. Stone, sp. nov. | 202 |
| <i>Memecylon drymophilum</i> R.D. Stone, sp. nov. | 205 |
| <i>Memecylon florosum</i> R.D. Stone, sp. nov. | 207 |
| <i>Memecylon fodinae</i> R.D. Stone, sp. nov. | 209 |
| <i>Memecylon fusiforme</i> R.D. Stone, sp. nov. | 211 |
| <i>Memecylon futilifolium</i> R.D. Stone, sp. nov. | 213 |
| <i>Memecylon iantarense</i> R.D. Stone, sp. nov. | 215 |
| <i>Memecylon ingens</i> R.D. Stone, sp. nov. | 215 |
| <i>Memecylon lemuricum</i> R.D. Stone, sp. nov. | 218 |
| <i>Memecylon marojejense</i> R.D. Stone, sp. nov. | 220 |
| <i>Memecylon montis-gallicorum</i> R.D. Stone, sp. nov. | 224 |
| <i>Memecylon naviculiforme</i> R.D. Stone, sp. nov. | 224 |
| <i>Memecylon pseudomocquerysii</i> R.D. Stone, sp. nov. | 226 |
| <i>Memecylon pseudopulvinatum</i> R.D. Stone, sp. nov. | 229 |
| <i>Memecylon subaridum</i> R.D. Stone, sp. nov. | 229 |
| <i>Memecylon subundulatum</i> R.D. Stone, sp. nov. | 230 |
| <i>Memecylon triflorum</i> R.D. Stone, sp. nov. | 234 |
| <i>Nematostylis citriflora</i> Kainul., sp. nov. | 183 |
| <i>Nematostylis incarnata</i> Kainul., sp. nov. | 184 |

| | |
|--|-----|
| <i>Nematostylis loranthoides</i> Hook. f., second step lectotype | 179 |
| <i>Pavetta anthophylla</i> A. Rich. ex DC., new neotype | 179 |

DOI: <http://dx.doi.org/10.15553/c2023v782a14>