



Index of taxonomic and nomenclatural novelties

Source: *Candollea*, 78(2) : 251-252

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2023v782a14>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index of taxonomic and nomenclatural novelties

| | |
|---|-----|
| <i>Begonia egamii</i> D. Borah, Taram & M. Hughes, sp. nov. | 148 |
| <i>Calopyxis brevistyla</i> H. Perrier, syn. nov., new lectotype | 145 |
| <i>Calopyxis malifolia</i> Baker, new lectotype | 141 |
| <i>Calopyxis sphaeroides</i> Tul., new lectotype | 145 |
| <i>Combretum calopyxis</i> Jongkind & Callm., nom. nov., new lectotype | 140 |
| <i>Combretum humbertianum</i> (H. Perrier) Jongkind & Callm., comb. nov. | 141 |
| <i>Combretum malifolium</i> (Baker) Jongkind & Callm., comb. nov. | 141 |
| <i>Combretum sakoense</i> Jongkind & Callm., sp. nov. | 141 |
| <i>Dalbergia bosseri</i> N. Wilding, Phillipson & Cramer, sp. nov. | 101 |
| <i>Dalbergia karatrae</i> N. Wilding, Phillipson & Cramer, sp. nov. | 104 |
| <i>Dalbergia leandrii</i> N. Wilding, Phillipson & Cramer, sp. nov. | 106 |
| <i>Dalbergia oronjiae</i> N. Wilding, Phillipson & Cramer, sp. nov. | 109 |
| <i>Dalbergia rajeryi</i> N. Wilding, Phillipson & Cramer, sp. nov. | 111 |
| <i>Dalbergia rakotoavaoi</i> Phillipson, N. Wilding & Cramer, sp. nov. | 114 |
| <i>Dalbergia sambavensis</i> N. Wilding, Phillipson & Cramer, sp. nov. | 117 |
| <i>Dalbergia soafarae</i> N. Wilding, Phillipson & Cramer, sp. nov. | 120 |
| <i>Dendrobium amiceanum</i> M. Pignal & Laud., sp. nov. | 242 |
| <i>Dendrophorbium frezierifolium</i> J. Calvo & Á.J. Pérez, sp. nov. | 92 |
| <i>Eugenia setosa</i> King, new lectotype | 154 |
| <i>Fagraea christinae</i> Y.W. Low & V.A. Albert, sp. nov. | 170 |
| <i>Memecylon albocoronatum</i> R.D. Stone, sp. nov. | 190 |
| <i>Memecylon antongilense</i> R.D. Stone, sp. nov. | 192 |
| <i>Memecylon articulatum</i> R.D. Stone, sp. nov. | 194 |
| <i>Memecylon atractocarpum</i> R.D. Stone, sp. nov. | 196 |
| <i>Memecylon betamponense</i> R.D. Stone, sp. nov. | 198 |
| <i>Memecylon bullatum</i> R.D. Stone, sp. nov. | 198 |
| <i>Memecylon calcicola</i> R.D. Stone, sp. nov. | 201 |
| <i>Memecylon dipterum</i> R.D. Stone, sp. nov. | 202 |
| <i>Memecylon drymophilum</i> R.D. Stone, sp. nov. | 205 |
| <i>Memecylon florosum</i> R.D. Stone, sp. nov. | 207 |
| <i>Memecylon fodinae</i> R.D. Stone, sp. nov. | 209 |
| <i>Memecylon fusiforme</i> R.D. Stone, sp. nov. | 211 |
| <i>Memecylon futilifolium</i> R.D. Stone, sp. nov. | 213 |
| <i>Memecylon iantarensis</i> R.D. Stone, sp. nov. | 215 |
| <i>Memecylon ingens</i> R.D. Stone, sp. nov. | 215 |
| <i>Memecylon lemuricum</i> R.D. Stone, sp. nov. | 218 |
| <i>Memecylon marojejense</i> R.D. Stone, sp. nov. | 220 |
| <i>Memecylon montis-gallicorum</i> R.D. Stone, sp. nov. | 224 |
| <i>Memecylon naviculiforme</i> R.D. Stone, sp. nov. | 224 |
| <i>Memecylon pseudomocquersii</i> R.D. Stone, sp. nov. | 226 |
| <i>Memecylon pseudopulvinatum</i> R.D. Stone, sp. nov. | 229 |
| <i>Memecylon subaridum</i> R.D. Stone, sp. nov. | 229 |
| <i>Memecylon subundulatum</i> R.D. Stone, sp. nov. | 230 |
| <i>Memecylon triflorum</i> R.D. Stone, sp. nov. | 234 |
| <i>Nematostylis citriflora</i> Kainul., sp. nov. | 183 |
| <i>Nematostylis incarnata</i> Kainul., sp. nov. | 184 |

| | |
|--|-----|
| <i>Nematostylis loranthoides</i> Hook. f., second step lectotype | 179 |
| <i>Pavetta anthophylla</i> A. Rich. ex DC., new neotype | 179 |

DOI: <http://dx.doi.org/10.15553/c2023v782a14>