



## **On the identity of *Micrastur guerilla jugularis* Gurney, 1884, with lectotype designation**

Authors: Piacentini, Vítor Q., Prÿs-Jones, Robert P., and Pacheco, José Fernando

Source: Bulletin of the British Ornithologists' Club, 144(4) : 451-455

Published By: British Ornithologists' Club

URL: <https://doi.org/10.25226/bboc.v144i4.2024.a8>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# On the identity of *Micrastur guerilla jugularis* Gurney, 1884, with lectotype designation

by Vítor Q. Piacentini , Robert P. Prŷs-Jones  & José Fernando Pacheco 

Received 1 June 2024; revised 12 October 2024; published 4 December 2024

<http://zoobank.org/urn:lsid:zoobank.org:pub:E7E0521E-1A9A-4D3C-83F6-76D838022988>

**SUMMARY.**—*Micrastur guerilla jugularis* Gurney was described based on six specimens from widespread localities in South America and subsequently considered a junior synonym of Barred Forest Falcon *Micrastur ruficollis* (Vieillot). Nonetheless, it has not been discussed in relation to any of the taxonomic splits and descriptions of new species within the *M. ruficollis* clade in the last 50 years, despite being a potential senior synonym of *M. mintoni* Whittaker, 2003. To clarify the status of Gurney's name, here we report on the location and composition of the type series, confirm its mixed composition and, therefore, designate a lectotype that fixes the application of *M. jugularis* Gurney as a junior synonym of nominate *M. ruficollis* (Vieillot).

The genus *Micrastur* (forest falcons) is currently considered to comprise seven species spread across the Neotropical realm and divided into two clades: the Collared Forest Falcon *M. semitorquatus* clade, which also includes Slaty-backed Forest Falcon *M. mirandollei* and Buckley's Forest Falcon *M. buckleyi*; and the Barred Forest Falcon *M. ruficollis* clade, which also includes Lined Forest Falcon *M. gilvicollis*, Plumbeous Forest Falcon *M. plumbeus* and Cryptic Forest Falcon *M. mintoni* (Fuchs *et al.* 2011, Soares *et al.* 2019). The *M. ruficollis* clade, which includes cryptic species only recently recognised (see Schwartz 1972, Whittaker 2003<sup>1</sup>), split into its constituent lineages only recently (*c.*2.5 MYA), and sufficiently rapidly that the divergence pattern among species cannot be fully resolved (Fuchs *et al.* 2011). Within this clade, the range of *M. ruficollis* encompasses that of the three other members. Because of overall plumage variation, an array of available species-group names was conferred historically, some of which have been overlooked more recently, therefore potentially challenging the application of recently proposed names.

*M. mintoni* is the most recently named species, occurring in both Amazon and Atlantic rainforests, without any noticeable difference in plumage or voice between the two allopatric populations (Whittaker 2003, Simon & Magnago 2013). Such a geographic range overlaps with that originally attributed to *M. guerilla jugularis* Gurney, 1884, based on grey-backed birds (see details below). However, Gurney's name was not evaluated in the description of *M. mintoni* Whittaker, which is also a grey-backed taxon, so there remains the possibility that *jugularis* is conspecific with, and would have priority over, *mintoni*. For this reason, here we review the composition of the type series and the application of the name *M. guerilla jugularis* in the context of all recent advances in the taxonomy and systematics of the genus *Micrastur*.

The name *Micrastur guerilla jugularis* was conferred by Gurney Sr. (1884: Appendix B) on six specimens, which he considered to be grey-backed adults intermediate in overall appearance between *M. guerilla* and *M. ruficollis*, notably as regards '... having the jugulum [lower throat area] suffused with rufescent buff, extending over the transverse dark and pale bars...' (Gurney 1884: 117); hence his subspecies name, *jugularis*. Four of these

<sup>1</sup> See Dickinson *et al.* (2011: 252) for dating.

TABLE 1

Data associated with syntypes of the name *Micrastur guerilla jugularis* Gurney, 1884. Columns A–C = data provided in Gurney (1884). Columns D–F = additional information from specimen labels, the relevant catalogue (Gurney 1889, now held by NHMUK) and/or NHMUK register. See text for further discussion of uncertainties indicated.

A	B	C	D	E	F
No.	Locality	Collection	NHMUK reg. no.	Collector	Dealer
1	Bahia	Salvin and Godman	1887.5.1.135	[Wucherer?]	Jamrach
2	Bahia	Salvin and Godman	1887.5.1.136	Wucherer	–
3	Venezuela	Norwich Museum	1955.6.N.3346	H. Whitely	–
4	U.S. Colombia <sup>1</sup>	Norwich Museum	1955.6.N.3343	Gardiner	–
5	‘Brazil’	Norwich Museum	? (see text)	?	?
6	‘South America’	Norwich Museum	1955.6.N.3345	?	Warwick

<sup>1</sup> ‘United States of Colombia’

specimens were in the Norwich Museum collection and two in that assembled by Salvin and Godman, and they ranged geographically from Bahia (eastern Brazil) to Venezuela and Colombia (with one specimen labelled simply ‘South America’); details provided for each by Gurney are given in Table 1 (columns A–C). Since no formal designation of a holotype was made, all six specimens are deemed syntypes (ICZN 1999, Art. 73.2). All would now be expected to be in the Natural History Museum, Tring (NHMUK), in which Salvin and Godman’s bird collection and the raptor collection of Norwich Museum were subsequently deposited (Sharpe 1906; pers. obs.).

Prior to the formal description by Gurney, the two specimens from Bahia had previously been examined and discussed (*vide* Gurney 1884: 118) by Sclater & Salvin (1869) and Ridgway (1875), who respectively considered them to represent near-adult and adult ‘plumbeous phase’ specimens of what is now *Micrastur ruficollis*. Following Gurney’s description, the status of *jugularis* was considered by Sclater (1918), Hellmayr (1921, 1929) and Hellmayr & Conover (1949), who all synonymised it within *M. ruficollis*, in some cases highlighting that more than one of the latter’s subspecies must be involved. Swann (1922, 1925) ‘restricted’ the type locality of *jugularis* to ‘Venezuela’, but that statement is in disagreement with Art. 73.2.3 of the *International code of zoological nomenclature* and is thus invalid (ICZN 1999: ‘... if the syntypes originated from two or more localities (including different strata), the type locality encompasses all of the places of origin’). His restriction does not qualify as a lectotype designation either (ICZN 1999, Art. 74.5), as he did not use the term ‘lectotype’ or an equivalent expression, nor did he explicitly select a specimen to serve as name-bearing type (in fact, he did not mention any specimen at all). However, none of these authors seems to have examined first-hand the four Norwich Museum specimens of the *jugularis* type series and, subsequent to Hellmayr & Conover (1949), the name *jugularis* does not appear to have been mentioned again in the literature.

Aware of Gurney’s name, VQP located five of the six syntypes on a visit to NHMUK. These specimens were among the main collection, having unsurprisingly (given the obscure history of *jugularis*) not been mentioned by Warren (1966) nor, in consequence, been segregated. Registration and other relevant label details regarding these specimens are given in Table 1, alongside the data provided by Gurney (1884).

A number of points in Table 1 require clarification. Although specimen no. 2 has labels clearly showing it was collected by Otto Wucherer (1820–73), a Brazilian doctor and




Figure 1. From top to bottom: dorsal, lateral and ventral views of specimen NHMUK 1887.5.1.136, from Bahia, Brazil, collected by Otto Wucherer, here designated as the lectotype of *Micrastur guerilla jugularis* Gurney Sr., 1884 (Vítor Q. Piacentini, © Trustees of the Natural History Museum, London)

naturalist who lived in Bahia (now Salvador), specimen no. 1 does not. Instead, the earliest of its three labels, a piece of card, has merely the name Jamrach scrawled on it, although the relevant NHMUK register (dating from receipt there of Salvin and Godman's specimens in 1887) ascribes both to Wucherer. As Charles Jamrach (1815–91) was not himself a collector, but instead a well-known London wildlife dealer, specimen no. 1 may well have been collected by Wucherer but obtained by Salvin via Jamrach. Salvin sent his entire holdings of *Micrastur* specimens to Robert Ridgway at the United States National Museum (USNM), Washington, DC, for examination, and Ridgway specifically mentioned two Salvin 'plumbeous phase' adult *ruficollis* specimens from Bahia that he saw (Ridgway 1875: 494); both nos 1 and 2 now have USNM labels with comments by Ridgway reflecting this. Both

specimens also have subsequent label annotations by Charles E. Hellmayr, stating 'One of the types of *M. jugularis* Gurney'.

Specimen no. 6 has neither any locality beyond 'South America' nor any indication of who collected it, Warwick being merely a London specimen dealer active in the mid-1800s (Griffiths 1996a,b) from whom NHMUK obtained it. However, it is Gurney's (1884) specimen no. 5 from 'Brazil' that causes most problems in matching to an extant skin. Gurney's unpublished catalogue of raptors then in the Norwich Museum, compiled by the museum curator, James Reeve, lists six specimens under the name *Micrastur jugularis* (Gurney 1889: 456), of which three adults are unambiguously nos. 3, 4 and 6 of Gurney (1884). The three other specimens, from 'Eastern Ecuador', 'South America' and 'Bahia' are listed as immatures; all are now in the NHMUK collection and are clearly young birds with a plumage very distinct from that described by Gurney (1884) for his syntype adults. Furthermore, none is labelled as coming from 'Brazil'.

All potentially relevant Gurney (1889) specimens, adult and juvenile, within the wider *ruficollis* clade that are listed as being from 'Brazil' can now be accounted for in the NHMUK collection; furthermore, there appear to be no candidate specimens left in the Norwich Museum nor any potentially relevant specimen disposed of from there between 1884 and 1889 (T. Irwin *in litt.* 2011). Among NHMUK material, only a single additional 'Brazil' bird in the wider *ruficollis* clade reasonably matches the plumage criteria of Gurney (1884) for *jugularis*, displayed by the five definite syntypes. This is NHMUK 1955.6.N.3354, listed as a 'nearly adult' *M. ruficollis* and received by Gurney from H. Whitely. Henry Whitely Sr. was a 19th-century London dealer, whose specimens frequently have rather general localities (Rasmussen & Prŷs-Jones 2003), and his son, Henry Whitely Jr., collected birds in several South American countries (Anon. 1893). Overall, it therefore seems possible, though not provable, that specimen NHMUK 1955.6.N.3354 may be the sixth *jugularis* syntype, though why its Gurney label and the Gurney (1889) catalogue should not reflect this is unclear.

Both the localities and plumages (e.g. tail-bands, rufous tones) of the definite syntype specimens in Table 1 support the view that the *jugularis* type series is a composite, with the syntypes apparently representing more than one taxon within the current, widely accepted taxonomy of the *Micrastur ruficollis* complex, namely *M. r. concentricus/zonothorax* (Colombia and Venezuela), and nominate *M. r. ruficollis* (Bahia, Brazil) (Fuchs *et al.* 2011, del Hoyo & Collar 2014, Soares *et al.* 2019). Hellmayr & Conover (1949) previously highlighted the potential multiple identities of *Micrastur guerilla jugularis*, but nonetheless made no explicit lectotype designation. Thus, following the *International code of zoological nomenclature* (ICZN 1999, Arts. 74.1 and 74.7, including amendments), here we formally designate specimen NHMUK 1887.5.1.136, from Bahia, collected by Otto Wucherer (Fig. 1), as the lectotype of *Micrastur guerilla jugularis* Gurney, 1884, which then becomes a subjective synonym of *M. r. ruficollis* (Vieillot, 1817). Our designation further adheres to the Code regarding the selection of a syntype from a known locality (Recommendation 74E).

#### Acknowledgements

VQP was supported by the Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP grant no. 06/60300-4) during his visit to NHMUK. RPP-J thanks Tony Irwin, former curator of the Norwich Museum, for replying to queries, and Mark Adams, Alex Bond and Hein van Grouw for comments on a draft. We thank the editor Guy Kirwan and an anonymous referee for corrections and suggestions on the submitted manuscript.

#### References:

- Anon. 1893. Obituary: Henry Whitely. *Ibis* 35: 287–288.  
 Dickinson, E. C., Overstreet, L. K., Dowsett, R. J. & Bruce, M. D. 2011. *Priority! The dating of scientific names in ornithology*. Aves Press, Northampton.

- Fuchs, J., Chen, S., Johnson, J. A. & Mindell, D. P. 2011. Pliocene diversification within the South American forest falcons. *Mol. Phylo. & Evol.* 60: 398–407.
- Griffiths, G. 1996a. Biographies for zoological historians: 1. John Edginton Warwick. *Bartlett Soc. Newsl.* February [no pagination].
- Griffiths, G. 1996b. Biographical notes: an update. *Bartlett Soc. Newsl.* May [no pagination].
- Gurney, J. H. 1884. *A list of the diurnal birds of prey, with references and annotations.* John van Voorst, London.
- Gurney, J. H. 1889. *A catalogue of birds of prey in the Norfolk and Norwich Museum arranged by John Henry Gurney, Esq.* Catalogue now held by NHMUK, Tring.
- Hellmayr, C. E. 1921. Review of the birds collected by Alcide D'Orbigny in South America, part 1. *Novit. Zool.* 28: 171–213.
- Hellmayr, C. E. 1929. A contribution to the ornithology of northeastern Brazil. *Publ. Field Mus. Nat. Hist., Zool. Ser.* 12(18): 235–501.
- Hellmayr, C. E. & Conover, B. 1949. Catalogue of birds of the Americas and the adjacent islands, pt. 1(4). *Publ. Field Mus. Nat. Hist., Zool. Ser.* 13(1): 1–358.
- del Hoyo, J. & Collar, N. J. 2014. *HBW and BirdLife International illustrated checklist of the birds of the world*, vol. 1. Lynx Edicions, Barcelona.
- ICZN (International Commission for Zoological Nomenclature). 1999. *International code of zoological nomenclature.* Fourth edn. International Trust for Zoological Nomenclature, London.
- Rasmussen, P. C. & Prÿs-Jones, R. P. 2003. History vs mystery: the reliability of museum specimen data. *Bull. Brit. Orn. Cl.* 123A: 66–94.
- Ridgway, R. 1875. Studies of the American Falconidae – a monograph of the genus *Micrastur*. *Proc. Acad. Nat. Sci. Philadelphia* 27: 470–502.
- Schwartz, P. 1972. *Micrastur gilvicolis*, a valid species sympatric with *M. ruficollis* in Amazonia. *Condor* 74: 399–415.
- Sclater, P. L. & Salvin, O. 1869. Notes on the species of the genus *Micrastur*. *Proc. Zool. Soc. Lond.* 1869: 364–369.
- Sclater, W. L. 1918. Remarks on the hawks of the genus *Micrastur*. *Ibis* 60: 343–347.
- Sharpe, R. B. 1906. Birds. Pp. 79–515 in *The history of the collections contained in the natural history departments of the British Museum*, vol. 2. Trustees of the Brit. Mus., London.
- Simon, J. E. & Magnago, G. R. 2013. Rediscovery of the Cryptic Forest-Falcon *Micrastur mintoni* Whittaker, 2002 (Falconidae) in the Atlantic forest of southeastern Brazil. *Rev. Bras. Orn.* 21: 257–262.
- Soares, J. M. S., Bates, J., Carneiro, L. S., Santos, M. P. D. & Aleixo, A. 2019. Molecular systematics, biogeography and taxonomy of forest-falcons in the *Micrastur ruficollis* species complex (Aves: Falconidae). *J. Avian Biol.* 2019: e01943.
- Swann, H. K. 1922. *A synopsis of the Accipitres (diurnal birds of prey).* Second edn. Addenda to Part 3. Wheldon & Wesley, London.
- Swann, H. K. 1925. *A monograph of the birds of prey (Order Accipitres)*, pt. 3. Wheldon & Wesley, London.
- Warren, R. L. M. 1966. *Type-specimens of birds in the British Museum (Natural History)*, vol. 1. Trustees of the Brit. Mus., London.
- Whittaker, A. 2003. A new species of forest-falcon (Falconidae: *Micrastur*) from southeastern Amazonia and the Atlantic Rainforest of Brazil. *Wilson Bull.* 114: 421–445.
- Addresses:* Vitor Q. Piacentini, Depto. de Biologia e Zoologia & Programa de Pós-graduação em Zoologia, Instituto de Biociências, Universidade Federal de Mato Grosso, Cuiabá, Brazil; and Comitê Brasileiro de Registros Ornitológicos, e-mail: vitor.piacentini@gmail.com. Robert P. Prÿs-Jones, Bird Group, Natural History Museum, Tring, Herts. HP23 6AP, UK, e-mail: r.prys-jones@nhm.ac.uk. José Fernando Pacheco, Comitê Brasileiro de Registros Ornitológicos, Rio de Janeiro, Brazil, e-mail: pacheco.jfe@gmail.com