



Notes on early land plants today. 79 Transfer of African Taxilejeunea to Lejeunea (Lejeuneaceae, Marchantiophyta)

Authors: Lee, Gaik Ee, Pócs, Tamás, Söderström, Lars, Hagborg, Anders, and von Konrat, Matt

Source: Lindbergia, 2022(1)

Published By: Dutch Bryological and Lichenological Society and Nordic Bryological Society

URL: <https://doi.org/10.25227/linbg.01151>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Notes on early land plants today. 79 Transfer of African *Taxilejeunea* to *Lejeunea* (Lejeuneaceae, Marchantiophyta)

Gaik Ee Lee, Tamás Pócs, Lars Söderström, Anders Hagborg and Matt von Konrat

G. E. Lee ✉ (gaik.lee@umt.edu.my), Faculty of Science and Marine Environment, Inst. of Tropical Biodiversity and Sustainable Development, Univ. Malaysia Terengganu, Kuala Nerus, Terengganu, Malaysia. – T. Pócs, Dept of Botany, Inst. of Biology, Eszterházy Károly Univ., Eger, Hungary. – L. Söderström, Dept of Biology, Norwegian Univ. of Science and Technology, Trondheim, Norway. – A. Hagborg and M. von Konrat, Gantz Family Collection Center, The Field Museum, Chicago, IL, USA.

Lejeunea Lib. including *Taxilejeunea* (Spruce) Schiffn. is one of the largest genera in Lejeuneaceae and diverged from its sister group, *Microlejeunea* (Spruce) Steph., during Eocene around 52 Ma (million years ago) (Lee et al. 2020). The morphology of *Lejeunea* and *Taxilejeunea* are largely overlapping, e.g. the arrangement of the gynoecia in rows on lateral branches, the stem with seven large epidermal cells and numerous medullary cells and the large bifid underleaves with cordate or auriculate bases. The molecular work has shown that *Taxilejeunea* elements are diffusely distributed in almost all lineages of *Lejeunea* (Heinrichs et al. 2013). Taxonomic treatment of 11 unrevised names of Asian *Taxilejeunea* and four of Indian origin were revised by Singh and Pócs (2016) and Lee et al. (2018), respectively. However, four species from Africa remain to be transferred, of which three need new combinations and one needs a new name in *Lejeunea*.

Formal treatment

The format of this note follows Söderström et al. (2012).

***Lejeunea cuneistipula* (Steph.) G.E.Lee & Pócs, comb. nov.** Basionym: *Taxilejeunea cuneistipula* Steph., Sp. Hepat. 6: 401. 1923 (Stephani 1923). Type: Cameroon. 1911, Mildbraed J. 4566 (lectotype G00066792!, **here designated**).

***Lejeunea furcicornuta* (Grolle) G.E.Lee & Pócs, comb. nov.** Basionym: *Taxilejeunea furcicornuta* Grolle, J. Bryol. 8: 93. 1974 (Grolle 1974). Type: Madagascar. R.N. du Marojejy, 1300 m, 1972, Guillaumet 4139/c (holotype JE04002583!). Additional specimen examined: Réunion. Mascarene, around the Cascade de l'Arc en Ciel, on mosses, 520–800 m, 21°14'S, 55°37'–40'E, 1994, Kis, det. Pócs, 9436/AV (EGR).

This work is licensed under the terms of a Creative Commons Attribution 4.0 International License (CC-BY) <<http://creativecommons.org/licenses/by/4.0/>>. The license permits use, distribution and reproduction in any medium, provided the original work is properly cited.

***Lejeunea simii* G.E.Lee & Pócs, nom. nov. pro *Taxilejeunea elobulata* Sim**, Trans. R. Soc. S. Afr. 15: 66. 1926 (Sim 1926). Type: South Africa, Maritzburg: Natal, Sim 8302 & 8257 (lectotype PRU!, **here designated**). **Blocking name:** *Lejeunea elobulata* (Sim) S.W.Arnell, Hepat. S. Afr. 203, 1963 (Arnell 1963). Note: Sim's original description seems to refer to two gatherings '(Sim 8302, fertile; 8257, etc.)', but indicating that there may be more gatherings. However, on the packet in PRU, which seems to be a single gathering (cf. ICN Art. 8) both numbers are written. We here lectotypify it with that specimen and treat it as being a single gathering although both collection numbers are written on the package.

***Lejeunea vallis-gratiae* (Sim) G.E.Lee & Pócs, comb. nov.** Basionym: *Taxilejeunea vallis-gratiae* Steph., Hedwigia 35: 137. 1896 (Stephani 1896). Type: South Africa, Gnadenthal, Breutel Steph. herb. no. 10790 (lectotype G00045613!, **here designated**). Additional specimens examined: South Africa, Port Shepstone, Natal, Jul 1907, Sim 7448 (PRU!). Africa, Blanco, A. Rehmann 214 (G00064802!).

Current names and synonyms of African *Taxilejeunea*

Taxilejeunea acuta (Mitt.) Steph. ≡ *Lejeunea acuta* Mitt.

Taxilejeunea borbonica S.W.Arnell = *Lejeunea eckloniana* Lindenb.

Taxilejeunea cuneistipula Steph. ≡ *Lejeunea cuneistipula* (Steph.) G.E.Lee et Pócs (this paper)

Taxilejeunea dusenii Steph. = *Lejeunea ramosissima* Steph.

Taxilejeunea epiphyta Steph. = *Taxilejeunea conformis* (Nees et Mont.) Steph. ≡ *Lejeunea conformis* Nees et Mont.

Taxilejeunea elobulata Sim ≡ *Lejeunea simii* G.E.Lee et Pócs (this paper)

Taxilejeunea furcicornuta Grolle ≡ *Lejeunea furcicornuta* (Grolle) G.E.Lee et Pócs (this paper)

Taxilejeunea heterofolia Steph. = *Lejeunea eckloniana* Lindenb.

Taxilejeunea krakakammae (Lindenb.) Sim $\equiv$ *Strepsilejeunea krakakammae* (Lindenb.) Steph. $\equiv$ *Cheilolejeunea krakakammae* (Lindenb.) R.M.Schust.
Taxilejeunea lindblomii Pearson = *Taxilejeunea conformis* (Nees et Mont.) Steph. (Grolle 1991) $\equiv$ *Lejeunea conformis* Nees et Mont.
Taxilejeunea longirostris Steph. = *Lejeunea grossecristata* (Steph.) E.W.Jones
Taxilejeunea lyratiflora (Steph.) Tixier = *Lejeunea lyratiflora* Steph.
Taxilejeunea mitracalyx Eifrig = *Lejeunea alata* Gottsche
Taxilejeunea nicholsonii Pearson = *Lejeunea grossecristata* (Steph.) E.W.Jones
Taxilejeunea pulchriflora Pearson $\equiv$ *Lejeunea pulchriflora* (Pearson) G.E.Lee, Bechteler, Pócs, Schäfer-Verw. et Heinrichs
Taxilejeunea pusilla Pearson = *Lejeunea eckloniana* Lindenb.
Taxilejeunea ramosissima (Steph.) Steph. = *Lejeunea ramosissima* Steph.
Taxilejeunea rotundifolia Steph. = *Lejeunea caespitosa* Lindenb.
Taxilejeunea sikorae Steph. $\equiv$ *Lejeunea sikorae* (Steph.) Steph.
Taxilejeunea trichomanoides (Mont. et Nees) Steph. $\equiv$ *Lejeunea trichomanoides* Mont. et Nees = *Taxilejeunea conformis* (Nees et Mont.) Steph. $\equiv$ *Lejeunea conformis* Nees et Mont.
Taxilejeunea vallis-gratiae Steph. $\equiv$ *Lejeunea vallis-gratiae* (Steph.) G.E.Lee et Pócs (this paper)

Acknowledgements – We are very thankful to the curators of herbaria JE, G and PRU for their courtesy in making the type specimens available for this study.

Funding – Financial support by the Ministry of Education (MOE) Malaysia through Fundamental Research Grant Scheme (FRGS/1/2018/WAB13/UMT/03/1, grant awarded to GEL) is gratefully acknowledged.

References

- Arnell, S. 1963. Hepaticae of South Africa. – Swedish Natural Science Council.
 Grolle, R. 1974. Eine neue *Taxilejeunea* aus Madagaskar und Réunion. – J. Bryol. 8: 93–96.
 Heinrichs, J., Dong, S., Schäfer-Verwimp, A. et al. 2013. Molecular phylogeny of the leafy liverwort *Lejeunea* (Porellales): evidence for a Neotropical origin, uneven distribution of sexual systems and insufficient taxonomy. – PLoS One 8: e82547.
 Lee, G. E., Bechteler, J. and Heinrichs, J. 2018. A revision of unrevised taxon names of *Taxilejeunea* (Marchantiophyta: Lejeuneaceae) from Asia. – Phytotaxa 358: 226–248.
 Lee, G. E., Condamine, F. L., Bechteler, J. et al. 2020. An ancient tropical origin, dispersals via land bridges and Miocene diversification explain the subcosmopolitan disjunctions of the liverwort genus *Lejeunea*. – Sci. Rep. 10: 14123.
 Sim, T. R. 1926. The Bryophyta of South Africa. – Trans. R. Soc. S. Afr. 15: 1–475.
 Singh, S. K. and Pócs, T. 2016. Present status of the genus *Taxilejeunea* (Lejeuneaceae: Marchantiophyta) in India. – Phytotaxa 263: 73–76.
 Söderström, L., Hagborg, A. and von Konrat, M. 2012. Notes on early land plants today. – Phytotaxa 65: 41–42.
 Stephani, F. 1896. Hepaticarum species novae IX. – Hedwigia 35: 73–140.
 Stephani, F. 1923. Species hepaticarum 6. – George & Cie.