

Notes on Early Land Plants Today*. 82. Frullanoides chinantlana (Gottsche) comb. nov., an older name for Frullanoides tristis (Steph.) van Slageren

Authors: Söderström, Lars, and Hagborg, Anders

Source: Lindbergia, 2023(1)

Published By: Dutch Bryological and Lichenological Society and Nordic Bryological Society

URL: <https://doi.org/10.25227/linbg.24519>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Notes on Early Land Plants Today*. 82. *Frullanoides chinantlana* (Gottsche) comb. nov., an older name for *Frullanoides tristis* (Steph.) van Slageren

Lars Söderström¹ and Anders Hagborg²

¹Dept of Biol., Norwegian Univ. of Science and Technology, Trondheim, Norway

²Gantz Family Collections Center, The Field Museum, Chicago, IL, USA

Correspondence: Lars Söderström (lars@elpt.info)

Lindbergia

2023: e24519

doi: [10.25227/linbg.24519](https://doi.org/10.25227/linbg.24519)

Subject Editor and
Editor-in-Chief: Nils Cronberg
Accepted 3 January 2023

Frullanoides tristis (Steph.) van Slageren is a well-established taxon and the name has been used frequently since the revision of the genus by van Slageren (1985). But there is a nomenclature problem with the name as van Slageren (op. cit.) used *Lejeunea* (subg. *Brachiolejeunea*) *tristis* Steph., *Hedwigia* 29(1): 8, 29(3): 134, 1890, as basionym. However, as Söderström et al. (2015) showed, it is unclear if Stephani (1890a, b) recognized Spruce's subgenera as genera or not at that point and Söderström et al. (2016) proposed to place the publication in the list of suppressed works (ICN2018 Art. 34 and Appendix VI; Turland et al. 2018). It is thus to be regarded as an invalid name. Stephani (1912) used the name *Brachiolejeunea tristis* clearly pointing back on his 1890 treatment, and thus validated the name.

Phragmicoma bicolor γ *chinantlana* was described by Gottsche (1863) and first combined at species level as *Brachiolejeunea chinantlana* (Gottsche) Schiffn. by Schiffner (1894). Thus, it is the oldest name at species level. This taxon was synonymized with *Frullanoides tristis* by van Slageren (1985) which he due to using the old invalid basionym, used as the oldest name and combined it in *Frullanoides*. However, as 'chinantlana' is an older name and lacking combination in *Frullanoides* a new combination is needed.

Formal treatment

Frullanoides chinantlana (Gottsche) L.Söderstr. et A.Hagborg, comb. nov.

Basionym: *Phragmicoma bicolor* γ *chinantlana* Gottsche, Mexik. Leverm.: 172, 1863 (Gottsche 1863).

Type: 'Varieteten γ fandt Liebmann i Districtet Chinantla i Mai med moden Frugt (Hb. Liebm. n. 456 b)'.

© 2023 The Authors. This is an Open Access article

This work is licensed under the terms of a Creative Commons Attribution 4.0 International License (CC-BY) <http://creativecommons.org/licenses/by/4.0/>. The license permits use, distribution and reproduction in any medium, provided the original work is properly cited.

*Notes on Early Land Plants Today is a series of mainly nomenclatural and taxonomic notes published by the ELPT project together with its invited collaborators. Corresponding author for the series is Lars Söderström (lars@elpt.info).

Lectotype (van Slageren 1985: 110 as 'holotype'): Mexico, Chinantla, V 1841, Liebmann 456b (C), isoelectotypes FH-Schiffner, G20100, S, W-hb. Lindenb. 5957. Material in B destroyed.

= *Frullanoides tristis* (Steph.) van Slageren, Meded. Bot. Mus. Herb. Rijks Univ. Utrecht 544: 110, 1985 (van Slageren 1985), syn. fide van Slageren (1985).

Basionym: *Brachiolejeunea tristis* Steph., Sp. Hepat. (Stephani) 5: 112, 1912 (Stephani 1912), based on *Brachiolejeunea tristis* Steph., Hedwigia 29(1): 8, 1890 (Stephani 1890a).

For other synonyms, see van Slageren 1985.

Data availability statement

There are no additional data for this paper

References

- Gottsche, C. M. 1863. De Mexikanske Levermosser. – Bianco Lunos, 285 pp. <https://plants.jstor.org/stable/10.5555/al.ap.visual.nymlc03101#>.
- Schiffner, V. 1894. Revision der Gattungen *Bryopteris*, *Thysananthus*, *Ptychanthus* und *Phragmicoma* im Herbarium des Berliner Museums. – Hedwigia 33: 170–189. www.biodiversitylibrary.org/item/13876#page/218/mode/1u.
- Söderström, L., Stotler, R.E., Gradstein, S.R., Barrie, F.R., Hagborg, A., Crandall-Stotler, B.J. and von Konrat, M. 2015. Notes on Early Land Plants Today. 73. Genera of Lejeuneaceae established in the period 1884–1893: dates of validation and implications. — Phytotaxa 220: 143–198.
- Söderström, L., Hagborg, A., Barrie, F.R., Crandall-Stotler, B.J., Gradstein, S.R. and von Konrat, M. 2016. Proposals to suppress works (23–24) Proposals to add Stephani in Hedwigia 27: 276–302. 1888, and Stephani in Hedwigia 29: 1–23, 68–99, 133–142. 1890, to the list of suppressed works for new generic names in Appendix VI – Taxon 65: 1180.
- Stephani, F. 1890a. Die Gattung *Lejeunea* im Herbarium Lindenberg. – Hedwigia 29: 1–23.
- Stephani, F. 1890b. Die Gattung *Lejeunea* im Herbarium Lindenberg (Schluss). – Hedwigia 29: 133–142.
- Stephani, F. 1912. Species hepaticarum 5. – George & Cie, pp. 1–176.
- Turland, N. J., Wiersema, J. H., Barrie, F. R., Greuter, W., Hawksworth, D. L., Herendeen, P. S., Knapp, S., Kusber, W.-H., Li, D.-Z., Marhold, K., May, T. W., McNeill, J., Monro, A. M., Prado, J., Price, M. J. and Smith, G. F. 2018. International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code). – Regnum Veg. 159: 1–254.
- van Slageren, M. 1985. A taxonomic monograph of the genera *Brachiolejeunea* and *Frullanoides*. – Meded. Bot. Mus. Herb. Rijks Univ. Utrecht 544: 7–205.