

# VAGINAL CALCULI IN THE DOLPHIN

Authors: SAWYER, JOAN E., and WALKER, WILLIAM A.

Source: Journal of Wildlife Diseases, 13(4): 346-348

Published By: Wildlife Disease Association

URL: https://doi.org/10.7589/0090-3558-13.4.346

The BioOne Digital Library (<a href="https://bioone.org/">https://bioone.org/</a>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<a href="https://bioone.org/subscribe">https://bioone.org/subscribe</a>), the BioOne Complete Archive (<a href="https://bioone.org/archive">https://bioone.org/archive</a>), and the BioOne eBooks program offerings ESA eBook Collection (<a href="https://bioone.org/esa-ebooks">https://bioone.org/esa-ebooks</a>) and CSIRO Publishing BioSelect Collection (<a href="https://bioone.org/csiro-ebooks">https://bioone.org/esa-ebooks</a>) and CSIRO Publishing BioSelect Collection (<a href="https://bioone.org/csiro-ebooks">https://bioone.org/csiro-ebooks</a>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at <a href="https://www.bioone.org/terms-of-use">www.bioone.org/terms-of-use</a>.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commmercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## VAGINAL CALCULI IN THE DOLPHIN

JOAN E. SAWYER, Zoological Society of San Diego Research Department and Group in Physiology and Pharmacology, School of Medicine M-012, University of California, San Diego, La Jolla, California 92093, USA

WILLIAM A. WALKER, Section of Mammalogy, Natural History Museum of Los Angeles County, Los Angeles, California 90007, USA

Abstract: Examination of the reproductive tract of a mature spotted dolphin, Stenella attenuata, revealed 13 vaginal calculi, composed primarily of calcium phosphate compounds. Vaginal calculi also were found in two mature Lagenorhynchus obliquidens and in six mature Delphinus delphis.

### INTRODUCTION

Vaginal calculi previously have been described in *Delphinus delphis* and *D. bairdi* by Harrison<sup>1</sup>, as masses containing both organic and inorganic material up to several centimeters in length. We found 13 calculi in a mature *Stenella attenuata* which was killed incidentally in the purse seine fishery for yellowfin tuna. *Thunnus albacares*, in the eastern tropical Pacific in May, 1976. Vaginal calculi of various sizes and numbers also have been found in mature dolphins found beach-stranded in southern California between July, 1970, and August, 1975. (Table I)

### MATERIALS AND METHODS

The composition of the vaginal calculi was determined using x-ray diffraction, electron scanning, x-ray fluorescence, and a urinary stone analysis kit.

#### **RESULTS**

X-ray diffraction showed the calculi to be composed of calcium phosphate compounds: Ca<sub>2</sub>Al<sub>8</sub>(PO<sub>4</sub>)<sub>8</sub>(OH)<sub>6</sub> 15H<sub>2</sub>O<sub>7</sub>, Ca<sub>5</sub>(PO<sub>4</sub>,CO<sub>3</sub>)<sub>8</sub>(OH), Ca<sub>5</sub>((P,S,Si)O<sub>4</sub>)<sub>8</sub> (OH,CO<sub>3</sub>) and Ca<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>(OH). Electron scanning showed the primary composition of the calculi to be calcium and phosphorus with smaller concentrations of magnesium. Dark areas on the surface of the calculi contained lead and iron in addition to the above elements. X-ray

escence showed these calculi to be composed primarily of calcium with lower concentrations of phosphorus, iron, zinc, strontium, chlorine, potassium, manganese, magnesium, and sulfur. The urinary stone analysis kit showed that these calculi did not contain uric acid or



FIGURE 1. Thirteen calculi in the vagina of a sexually mature **Stenella attenuata**.

fluoroxalate. The 13 calculi in the above dolphin were approximately pyramidal in shape, the flat sides fitting together as in a mosaic to fill the entire vagina. (Fig. 1). The calculi were soft and crumbled on hard pressure. On section they appeared layered, with a center of crystalline nature. This dolphin was infected with larval *Monorygama* sp. throughout the external surfaces of its urinary bladder, uterus, and vagina. Histologic section of the vagina did not reveal any chronic inflammation. The uterus and bladder were normal.

#### DISCUSSION

Harrison<sup>1</sup> proposed that these calculi were remnants of vaginal plugs that had become impregnated with salts and formed from coagulated seminal fluid. The vaginal sphincter in the dolphin forms a strong seal for the vagina; it is therefore conceivable that any uterine or vaginal secretion or residual seminal fluid might be trapped and inspissated within the vagina. X-ray diffraction analysis has shown the calculi to be composed of compounds identical to those found in mammalian bone. This leads us to believe that something other than cervical or seminal fluid is being trapped within the vagina. The cross sectional structure indicates that they were formed by concentric layer crystallization for an unknown time period. All the dolphins from which these vaginal calculi were obtained were sexually mature.

TABLE 1. Calculi found in dolphins.

Species	Length (cm)	Capture or Stranding Date	Other Reproductive Comments	Size and Number of Calculi
Stenella attenuata	175.0	5/76	10 corpora albicantia in left ovary 3 corpora albicantia in right ovary	13 calculi average 2.89 g 2.5 cm x 1.4 cm
Lagenorhynchus obliquidens	176.0	9/21/71	9 corpora albicantia and 1 corpus luteum present	2 calculi 2 cm x 0.8 cm
Lagenorhynchus obliquidens	199.0	3/4/72	7 corpora albicantia in left ovary	3 calculi 1.5 cm x 0.5 cm
Delphinus delphis	185.0	7/7/70	corpora albicantia present	1 calculus 3.5 cm x 1.0 cm
Delphinus delphis	182.0	9/2/70	1 corpus albicantia	bead-like, 0.5 cm diameter
Delphinus delphis	190.5	6/6/71	corpora albicantia present	bead-like, 0.5 cm diameter
Delphinus delphis	182.0	8/8/71	pregnant; fetus (53 mm)	3 calculi 2.0 cm x 0.8 cm
Delphinus delphis	172.0	8/12/72	3 corpora albicantia in left ovary	1 calculus 1.5 cm x 0.5 cm
Delphinus delphis	182.0	8/16/75	3 corpora albicantia in left ovary	5 calculi 1.0 cm x 0.5 cm

### Acknowledgements

We would like to thank Dr. W. Perrin for providing the specimen of the genus Stenella, and Drs. Ridgway and Yammamoto for their x-ray fluorescence analysis. We would also like to thank Dr. J. Abraham and R. La Borde for their help on the analysis of the calculi using electron scanning and x-ray diffraction techniques.

### LITERATURE CITED

 HARRISON, R. J. 1969. Reproduction and reproductive organs. In: The Biology of Marine Mammals, Ed. H. T. Andersen, Academic Press, New York. Pp. 271-273.

Received for publication 6 June 1977