

Corrigendum to: The First Giant Raptor (theropoda: Dromaeosauridae) from the Hell Creek Formation

Authors: DePalma, Robert A., Burnham, David A., Martin, Larry D., Larson, Peter L., and Bakker, Robert T.

Source: Paleontological Contributions, 2016(16)

Published By: The Paleontological Institute at The University of Kansas


URL: <https://doi.org/10.17161/1808.22120>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.



Paleontological Contributions

December 2, 2016

Number 16

CORRIGENDUM TO: THE FIRST GIANT RAPTOR (THEROPODA: DROMAEOSAURIDAE) FROM THE HELL CREEK FORMATION

Robert A. DePalma^{1,2}, David A. Burnham^{2,*}, Larry D. Martin^{2,†},
Peter L. Larson³ and Robert T. Bakker⁴

¹Department of Vertebrate Paleontology, The Palm Beach Museum of Natural History, Fort Lauderdale, Florida; ²University of Kansas Biodiversity Institute, Lawrence, Kansas; ³Black Hills Institute of Geological Research, Hill City, South Dakota; ⁴Houston Museum of Nature and Science, Houston, Texas; e-mail: dinosaur@ku.edu

The giant dromaeosaurid taxon *Dakotaraptor steini* was described by DePalma and others (2015) based upon a partial skeleton and additional referred specimens. While the holotype consists of a single individual belonging to the taxon *D. steini*, Arbour and others (2016) mentioned that one element, the referred furcula, was an entoplastron from a trionychid turtle. We hereby revise the hypodigm of *Dakotaraptor steini* to exclude the referred “furcula” of PBMNH P.10.113.T, and the referred specimens NCSM 13170 and KUVF 152429. In its corrected form, the hypodigm is now comprised only of the confirmed dromaeosaurid elements referable to *D. steini*.

Institutional abbreviations: KUVF, University of Kansas Natural History Museum and Biodiversity Institute, Lawrence, Kansas, USA;

NCSM, North Carolina Museum of Natural Sciences, Raleigh, North Carolina, USA; PBMNH, The Palm Beach Museum of Natural History, West Palm Beach, Florida.

REFERENCES

- Arbour, V. M., L. E. Zanno, D. W. Larson, D. C. Evans, & H.-D. Sues. 2016. The furculae of the dromaeosaurid dinosaur *Dakotaraptor steini* are trionychid turtle entoplastra. PeerJ 4:e1691 <https://doi.org/10.7717/peerj.1691>
- DePalma, R. A., D. A. Burnham, L. D. Martin, P. L. Larson, & R. T. Bakker. 2015. The first giant raptor (Theropoda: Dromaeosauridae) from the Hell Creek Formation. Paleontological Contributions 14:1-16.

*Corresponding author.

†Deceased at time of publication.

© 2016, The University of Kansas, Paleontological Institute.