

Hoffmannseggia humilis, the Correct Name for H. gladiata (Fabaceae)

Author: Simpson, Beryl B.

Source: Lundellia, 2000(3): 41-42

Published By: The Plant Resources Center, The University of Texas at

Austin

URL: https://doi.org/10.25224/1097-993X-3.1.41

The BioOne Digital Library (https://bioone.org/) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (https://bioone.org/subscribe), the BioOne Complete Archive (https://bioone.org/archive), and the BioOne eBooks program offerings ESA eBook Collection (https://bioone.org/esa-ebooks) and CSIRO Publishing BioSelect Collection (https://bioone.org/esa-ebooks) and CSIRO Publishing BioSelect Collection (https://bioone.org/esa-ebooks)

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commmercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

HOFFMANNSEGGIA HUMILIS, THE CORRECT NAME FOR H. GLADIATA (FABACEAE)

Beryl B. Simpson

Section of Integrative Biology and Plant Resources Center, The University of Texas, Austin, Texas 78712

Abstract: In order to correct an error in the recently published revision of *Hoff-mannseggia* in North America, the correct nomenclature for *H. humilis* is provided.

Keywords: Hoffmannseggia gladiata, H. humilis, Caesalpinioideae.

In a recent revision of Hoffmannseggia in North America (Simpson 1999), I recognized 11 species, among them "H. gladiata." As can readily be seen from scanning the synonymy of that taxon in the revision, the name I used is incorrect because, assuming that the taxonomy is accurate, it violates the most basic rule of priority. The species Hoffmannseggia gladiata was circumscribed by Bentham in 1852. Among the entities with which I believe it to be conspecific is H. humilis. This later species was originally described as Pomaria humilis by Martens and Galiotti in 1843, nine years before Bentham described H. gladiata. In the synonymy provided in the revision, the names and dates are clearly shown with the correct name submerged under H. gladiata. I can offer no rationale for this error except that the decision to treat all the entities as one species was made late in the study and only after I was able to see a collection that represented a large population sample. Let me assure readers of Lundellia that the manuscript was read by three reviewers (two outside of Texas and both legume specialists) plus the editor but responsibility for the mistake rests with me. I hope that individuals will simply replace the nomenclature with that provided below. All specimens that were borrowed were correctly annotated.

3. HOFFMANNSEGGIA HUMILIS (Mart. & Gal.) Hemsley, Biol. cent.-amer., Bot. 1: 326. 1880.

Pomaria humilis Mart. & Gal., Bull. Acad. Roy. Sci. Bruxelles 10 (Ser. 1) Par 2: 303. 1843. Type. [MEXICO. Puebla]: calcareous mountains N of Tehuacán, 2000 m, Aug, H. G. Galeotti 3228 (HOLOTYPE: W, not seen, photo 32066 at TEX!; ISOTYPE K!).

Larrea humilis (Mart. & Gal.) Britton, N. Amer. fl. 23(5): 316. 1930.

Hoffmannseggia gladiata Benth. in A. Gray, Pl. wright. 1: 57. 1852. Type. MEXICO. [Hidalgo]: Zimapán. T. Coulter 487 (HOLOTYPE: K!; ISOTYPE: TCD!).

Caesalpinia gladiata (Benth.) Fisher, Bot. Gaz. (Crawfordsville) 18: 122. 1893.

Larrea gladiata (Benth.) Britton, N. Amer. fl. 23(5): 314. 1930.

Hoffmannseggia platycarpa Benth. in A. Gray, Pl. wright. 1: 57. 1852. Type. MEXICO. T. Coulter 486 (HOLOTYPE: K!; ISOTYPE: TCD!).

Caesalpinia platycarpa (Benth.) Fisher, Bot. Gaz. (Crawfordsville) 18: 22. 1893.

Larrea platycarpa (Benth.) Britton, N. Amer. fl. 23(5): 314. 1930.

Larrea potosina Britton, N. Amer. fl. 23(5): 313. 1930. Type: [MEXICO]. San Luis Potosi. Villar, dry, calcareous soil, 15 Aug 1890, C. G. Pringle 7367 (HOLOTYPE GH!).

LUNDELLIA 3:41-42. 2000

42 LUNDELLIA DECEMBER, 2000

Larrea pueblana Britton, N. Amer. fl. 23(5): 313. 1930. TYPE. MEXICO. Puebla. Cerro de Coatepec near Oaxaca, Aug 1908, C. A. Purpus 3220 (HOLOTYPE: NY!, ISOTYPES: F!, GH!, MO!).

Hoffmannseggia pueblana (Britton) Britton, Publ. Field Mus. Nat. Hist., Bot. Ser. 11(5): 160. 1936. Larrea villosa Britton, N. Amer. fl. 23(5): 313. 1930. Type. MEXICO. Hidalgo: mountain slopes, Ixmiquilpan, July 1905, C. A. Purpus 1369a (HOLOTYPE: NY!).

LITERATURE CITED

Simpson, B. B. 1999. A revision of *Hoffmannseggia* (Fabaceae) in North America. Lundellia 2: 14–54.