

Contents of Willdenowia 51

Source: Willdenowia, 51(3) : 433-434

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.51.51311>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Contents of Willdenowia 51

Bangkomnate R., Damthongdee A., Baka A., Aongyong K. & Chaowasku T.: <i>Pyramidanthe</i> and <i>Mitrella</i> (<i>Annonaceae</i> , <i>Uvarieae</i>) unified: molecular phylogenetic and morphological congruence, with new combinations in <i>Pyramidanthe</i>	383
Bengtson A., Anderberg A. A. & Razafimandimbison S. G.: The Malagasy enigmatic genus <i>Apodocephala</i> (<i>Asteraceae</i>), a new member of the tribe <i>Athroismeae</i>	221
Callmänder M. W., Vogt R., Donatelli A., Buerki S. & Nepi C.: Otto Warburg and his contributions to the screw pine family (<i>Pandanaceae</i>)	5
Conti F., Bartolucci F., Bacchetta G., Pennesi R., Lakušić D. & Niketić M.: A taxonomic revision of the <i>Siler montanum</i> group (<i>Apiaceae</i>) in Italy and the Balkan Peninsula	321
Denchev T. T., Denchev C. M., Koopman J., Begerow D. & Kemler M.: Host specialization and molecular evidence support a distinct species of smut fungus, <i>Anthracoidea hallerianae</i> (<i>Anthracoideaceae</i>), on <i>Carex halleriana</i> (<i>Cyperaceae</i>)	57
Domina G.: Book review: Thorogood C. & Rumsey F., Broomrapes of Britain & Ireland	231
Kadereit J. W., Laux P. & Dillenberger M. S.: A conspectus of <i>Tephroseris</i> (<i>Asteraceae</i> : <i>Senecioneae</i>) in Europe outside Russia and notes on the decline of the genus	271
Kaehler M. & Lohmann L. G.: Taxonomic revisions in <i>Fridericia</i> (<i>Bignoniaceae</i> , <i>Bignoniaceae</i>) I: the “Acrodromous venation” and “Piriadacus” clades	181
Korotkova N., Aquino D., Arias S., Eggli U., Franck A., Gómez-Hinostrosa C., Guerrero P. C., Hernández H. M., Kohlbecker A., Köhler M., Luther K., Majure L. C., Müller A., Metzger D., Nyffeler R., Sánchez D., Schlumpberger B. & Berendsohn W. G.: <i>Cactaceae</i> at Caryophyllales.org – a dynamic online species-level taxonomic backbone for the family	251
Lack H. W.: Book review: Stache-Weiske A. & Meier-Barthel F. (ed.), Georg Rosen. Notizen von einer Reise durch Serbien, Anatolien und Transkaukasien in den Jahren 1843 und 1844	127
Lack H. W.: Book review: Kaiser K., Wirtschaft, Wissenschaft und Weltgeltung. Die Botanische Zentralstelle für die deutschen Kolonien am Botanischen Garten und Museum Berlin (1891–1920)	349
Lack H. W.: Book review: Mularczyk M., Ferdinand Albin Pax i dzieło jego życia / Ferdinand Albin Pax und sein Lebenswerk	353
Lack H. W. & Callmänder M. W.: The discovery, naming and typification of <i>Michauxia campanuloides</i> (<i>Campanulaceae</i>) with notes on its introduction into cultivation	195
Lemus-Barrios H., Barrios D., García-Beltrán J. A., Arias S. & Majure L. C.: Taxonomic implications of seed morphology in <i>Melocactus</i> (<i>Cactaceae</i>) from Cuba	91
Lücking R., Högnabba F. & Sipman H. J. M.: <i>Lasioloma antillarum</i> (<i>Ascomycota</i> : <i>Pilocarpaceae</i>), a new lichenized fungus from the Antilles, and the importance of posterior annotations of sequence data in public repositories	83
Mezzonato-Pires A. C., Ribeiro R. da S. & Gonella P. M.: Maracujá on the rocks: a new <i>Passiflora</i> species (<i>Passifloraceae</i> sensu stricto) from the rupicolous ecosystems of the Brazilian Atlantic rainforest	371
Moncada B., Mercado-Díaz J. A., Smith C. W., Bungartz F., Sérusiaux E., Lumbsch H. T. & Lücking R.: Two new common, previously unrecognized species in the <i>Sticta weigeli</i> morphodeme (<i>Ascomycota</i> : <i>Peltigeraceae</i>)	35
Mora D.: Book review: Van de Vijver B., Tudesque L. & Ector L. (ed.), Diatom taxonomy and ecology. From France to the sub-Antarctic islands. Celebrating the work and life of Prof. Dr. René Le Cohu on the occasion of his 80 th birthday	33
Photikwan E., Damthongdee A., Jongsook H. & Chaowasku T.: <i>Artabotrys angustipetalus</i> (<i>Annonaceae</i>), a new species from Thailand, including a plastid phylogeny and character evolutionary analyses of thorn occurrence in <i>Artabotrys</i>	69
Raab-Straube E. von & Raus Th. (ed.), Euro+Med-Checklist Notulae, 13 [Notulae ad floram euro-mediterraneam pertinentes No. 42]	141
Raab-Straube E. von & Raus Th. (ed.): Euro+Med-Checklist Notulae, 14	355
Rankin Rodríguez R. & González Gutiérrez P. A.: <i>Harpalyce greuteri</i> (<i>Leguminosae</i> : <i>Brongniartieae</i>), a new species from eastern Cuba, with a synopsis of and key to the Cuban species of the genus [Novitiae florae cubensis No. 55]	209
Salimov R. A., Parolly G. & Borsch T.: Overall phylogenetic relationships of <i>Scutellaria</i> (<i>Lamiaceae</i>) shed light on the origin of the predominantly Caucasian and Irano-Turanian <i>S. orientalis</i> group	395
Toledo C. A. P., Souza V. C. & Lucas E. J.: Taxonomic revision of neotropical <i>Connarus</i> (<i>Connaraceae</i>) identifies three undescribed species	171

Veranso-Libalah M. C., Stone R. D., Haba P. M., Magassouba S., Kadereit G. & Burgt X. M. van der: Phylogenetic placement of <i>Cailliella praeupticola</i> (<i>Melastomataceae</i>), a rare, monospecific lineage from Guinea, West Africa	47
Vogt R., Wagner F. & Oberprieler C.: The genus <i>Heteromera</i> (<i>Compositae</i> , <i>Anthemideae</i>)	233
Wahlsteen E.: SSR markers distinguish critically endangered <i>Acer campestre</i> populations from cryptic invading gene pools	115
White O. W., Reyes-Betancort J. A., Chapman M. A. & Carine M. A.: Recircumscription of the Canary Island endemics <i>Argyranthemum broussonetii</i> and <i>A. callichrysum</i> (<i>Asteraceae</i> : <i>Anthemideae</i>) based on evolutionary relationships and morphology	129
Book reviews	33, 127, 231, 349, 353
Index to new names and combinations appearing in Willdenowia 51	169, 319, 429
Index to typifications of names in Willdenowia 51	170, 320, 430
Reviewers of manuscripts submitted for publication during 2020	431
Contents of Willdenowia 51	433