

## CORRECTION

Source: Journal of Wildlife Diseases, 30(3) : 479

Published By: Wildlife Disease Association

URL: <https://doi.org/10.7589/0090-3558-30.3.479>

---

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## CORRECTION . . .

On p. 331 of volume 29(2), "Canine parvovirus effect on wolf population change and pup survival" by L. David Mech and Sagar Goyal, corrections to Table 1 at page-proof stage were not incorporated into the published article; however, the equations and statistics on the same page were based on the corrected Table 1. The corrected Table 1 follows.

TABLE 1. Wolf population characteristics in the central Superior National Forest of Minnesota and results of serological tests of wolves for canine parvovirus (CPV).

Year	Percent pups captured July to November	Total winter wolf numbers <sup>c</sup>	Percent change <sup>b</sup> in wolf numbers	Percent positive for CPV antibodies
1979	47	54	+17	20
1980	48	48	-11	64
1981	43	47	-2	51
1982	50	50	+6	45
1983	50	35	-30	35
1984	64	54	+54	20
1985	43	47	-13	38
1986	21	48	+2	62
1987	72	59	+23	37
1988	52	79	+34	13
1989	8	51	-35	95
1990	20	56	+10	55

<sup>a</sup> Mech (1986, unpubl.).

<sup>b</sup> From previous year.

<sup>c</sup> Summer and fall populations.